5/5/83 S6995-1(u)a

VITAL STATISTICS
1981

Division of Vital Statistics

RHODE ISLAND DEPARTMENT OF HEALTH

Joseph E. Cannon, M.D., M.P.H. Director

STATE

OF

RHODE ISLAND AND PROVIDENCE PLANTATIONS

DEPARTMENT OF HEALTH

VITAL STATISTICS-1981

STATE OF
RHODE ISLAND

DEPARTMENT OF
HEALTH

Joseph E. Cannon, M.D., M.P.H.
DIRECTOR OF HEALTH

Richard Bolig, State Registrar Division of Vital Statistics	Roberta A. Chevoya Principal Research Technician
Edward J. Martin Assistant Registrar	Joseph Aldorisio Senior Research Technician

PREFACE

The information tabulated in this report was derived chiefly from certificates of birth, death, marriage, divorce, and fetal death filed in the Division of Vital Statistics, as required by state law, for vital events occurring in Rhode Island. Information was also extracted from transcripts of birth and death certificates, filed in other states, for vital events occurring there to Rhode Island residents.

The filing and editing of the Rhode Island vital records, as well as the extracting and converting to machine-readable form of data contained on the certificates, were carried out by the Division of Vital Statistics, with partial support from federal contract HRA-282-82-2038. This contract with the National Center for Health Statistics represents the participation of the Department of Health in the Vital Statistics Cooperative Program.

Joseph E. Cannon, M.D., M.P.H.
DIRECTOR OF HEALTH

December 1982

TABLE OF CONTENTS

		Page
Introduction		1
Table A	Vital Statistics Summary	1
Figure 1	Population Densities of Rhode Island Cities and Towns, 1981	2
Table B	Rhode Island Occurrence Births at Home, 1972-1981	4
Figure 2	Crude Birth and Death Rates per 1,000 Population: Rhode Island, 1952-1981	5
Figure 3	Birth Out-of-Wedlock Ratios by Age of Mother: Rhode Island Residents, 1972-1981	7
Figure 4	Infant and Neonatal Mortality Rates: Rhode Island and the United States, 1957-1981	11
Table C	Median Ages by Sex for All Causes and for Ten Leading Causes of Death: Rhode Island Residents, 1981	13
Figure 5	Death Rates from the Ten Leading Causes in 1981 with Comparable Rates for 1972-1980, Rhode Island Residents	14
Figure 6	Leading Causes of Death for Each Sex: Rhode Island 1981	15
Figure 7	Five Leading Primary Sites of Malignant Neoplasm Deaths by Sex: Rhode Island, 1981	16
Table D	Five Leading Cancer Sites by Sex, Rhode Island Residents, 1981	17
Table E	Resident Accidental Deaths by Type by Sex: Rhode Island, 1981	18
Table F	Deaths from Motor Vehicle Accidents, Rhode Island Residents, 1972-1981	18
Figure 8	Leading Causes of Death by Specified Age Group: Rhode Island, 1981	19
Figure 9	Leading Causes of Death by Specified Age Group: Rhode Island, 1981	20
Figure 10	Leading Causes of Death by Specified Age Group: Rhode Island, 1981	21
Figure 11	Death Rates from Accidents, by type of Accident: Rhode Island, 1981	21
Table G	Rhode Island Resident Deaths and Death Rates for other Leading Causes in 1981, with Provisional U.S. Rates	24
Figure 12	Marriage Rates per 1,000 Population: Rhode Island and the United States, Occurrence Data, 1972-1981	26
Figure 13	Divorce Rates per 1,000 Population: Rhode Island and the United States, 1972-1981	26

TABLE OF CONTENTS
(cont'd)

Page

Table 1 United States Census Population of Rhode Island by Race and Sex, and Age by Sex, 1970 and 1980 29

Table 2 Population of Rhode Island Cities and Towns by County: 1970 and 1980, and 1981 Estimate 30

Table 3 Number of Live Births, Deaths, and Marriages with Rates by City and Town: Rhode Island, 1981 31

Table 4 Population, Live Births, Deaths, Marriages, and Divorces with Rates per 1,000 Population: Rhode Island, 1952-1981 . 32

Table 5 Number of Infant, Neonatal and Perinatal Deaths with Rates, Rhode Island Residents, 1952-1981 33

Table 6 Resident Deaths by City or Town of Residence by Age, Race and Sex, Rhode Island, 1981 34

Table 7 Deaths and Death Rates for Leading Causes in 1981 and for Comparable Causes in 1972-1980 39

Table 8 Selected Health Characteristics for Rhode Island Residents by Neighborhood and City or Town: Five-year Totals with Average Rates, 1977-1981 40

Table 9 Number of Births Out of Wedlock with Ratio per 1,000 Live Births: Rhode Island, 1958-1981 42

Table 10 Resident Births Out of Wedlock with Ratio per 1,000 Total Births in Specified Age Group: Rhode Island, 1972-1981 . 42

Table 11 Resident Live Births by Age of Mother, Sex of Child, Race and Live Birth Order, Rhode Island, 1981 43

Table 12 Resident Births Out of Wedlock by Age of Mother, Sex of Child, Race and Live Birth Order, Rhode Island, 1981 . . . 47

Table 13 Resident Live Births by Age of Mother, Race, and Birth Weight, Rhode Island, 1981 53

Table 14 Resident Plural Live Births by Age of Mother, Race and Birth Weight, Rhode Island, 1981 54

Table 15 Resident Live Births Out of Wedlock by Age of Mother, Race and Birth Weight, Rhode Island, 1981 57

Table 16 Births by Selected Characteristics by City or Town of Residence, Rhode Island, 1981 60

Table 17 Resident Live Births by City or Town by Month, Rhode Island, 1981 61

TABLE OF CONTENTS
(cont'd)

Page

Table 18 Selected Natality Data by City or Town by Census Tract, Rhode Island Residents, 1981 62

Table 18A Births and Births Out of Wedlock, 1981: All Ages and Teenagers by City or Town of Residence 70

Table 19A Fetal Deaths Occurring in Rhode Island by Race of Fetus, Weeks of Uterogestation, and Mode of Delivery, 1981 . . . 71

Table 19B Fetal Deaths Occurring in Rhode Island by Month of Delivery by Weeks of Uterogestation, 1981 71

Table 20 Resident Fetal Deaths Occurring in Rhode Island by Mode of Delivery by City or Town and Census Tract of Mother's Residence, by Marital Status of Mother, 1981 72

Table 21 Induced Fetal Deaths by Age and Marital Status of Mother and by Number and Nature of Previous Deliveries to Mother, 1981. 80

Table 22A Spontaneous Fetal Deaths of 20 Weeks or More Uterogestation Occurring in Rhode Island by Number of Child in Total Birth Order, Number of Previous Fetal Deaths and Age of Mother, 1981 84

Table 22B Spontaneous Fetal Deaths Occurring in Rhode Island by Number of Child in Total Birth Order, Number of Previous Fetal Deaths, and Age of Mother, 1981 85

Table 23 Spontaneous Fetal Deaths of 20 Weeks or More Uterogestation Occurring in Rhode Island by Weight of Fetus and Age of Mother, 1981 86

Table 24 Fetal Deaths Occurring in Rhode Island by Selected Cause of Death and Weeks of Uterogestation, 1981 87

Table 25 Resident Deaths from 72 Selected Causes by Race, Age and Sex: Rhode Island 1981 88

Table 26 Resident Deaths by City or Town by Month, Rhode Island, 1981 101

Table 27 Resident Infant Deaths from 61 Selected Causes by Age, Rhode Island, 1981 102

Table 28 Resident Accidental Deaths with Non-Motor Vehicle Accidents Shown by New England Standard Location by Sex and Age: Rhode Island, 1981 104

Table 29A Selected Mortality Data by City or Town by Census Tract, Rhode Island Residents, 1981 107

TABLE OF CONTENTS
(cont'd)

Page

Table 29B Selected Mortality Data by City or Town by Census Tract, Rhode Island Residents, 1981 115

Table 30 Resident Accident Deaths by Type and Age: Rhode Island, 1981 123

Table 31 Ten Leading Causes of Death by Sex, with Rates: Rhode Island, 1981 124

Table 32 Five Leading Causes of Death in Specified Age Groups: Rhode Island, 1981 125

Table 33 Number of Marriages and Persons Married by City and Town of Residence of Bride and Groom: Rhode Island,1981 127

Table 34 Marriages Occurring in Rhode Island by Age of Bride, Age of Groom, 1981 128

Table 35 Marriages Occurring in Rhode Island by Age at Marriage and Previous Marital Status of Bride and Groom, 1981 . . 129

Table 36 Number of Times Married for Brides by Number of Times Married for Grooms: Rhode Island, 1981 130

Table 37 Marriages Occurring in Rhode Island by Previous Marital Status of Bride and Groom, 1981 130

Table 38 Marriages According to Last Grade of School Completed by Bride According to Last Grade of School Completed by Groom: Rhode Island, 1981 131

Table 39 Divorces by Age of Wife, by Age of Husband, Rhode Island, 1981 132

Table 40 Divorces by Number of Times Married before this Divorce by Sex: Rhode Island, 1981 132

Table 41 Divorces by Marital Status and Age of Husband and of Wife: Rhode Island, 1981 133

Table 42 Divorces of Remarried Persons by Previous Marital History: Rhode Island, 1981 133

Table 43 Number of Divorces by County with Number of Children Under Eighteen Known to be Affected: Rhode Island, 1981 134

Table 44 Divorces According to Last Grade of School Completed by Sex: Rhode Island, 1981 135

INTRODUCTION

Data from all 1981 vital records received by 15 April 1982 are included in this report. The interstate exchange of vital records makes possible the inclusion of resident statistics, regardless of where the vital event may have occurred. Most of the tables contain resident data. Both resident data and Rhode Island occurrence data are shown for births and deaths in Table 3 by city or town.

There were 12,866 births recorded in Rhode Island in 1981, of which 947 were non-residents; and 511 births occurred outside the state to Rhode Island residents, yielding a total of 12,430 resident live births in 1981. The resident rate was 13.1 per 1,000 population. The average birth rate over the past five years (12.6 per 1,000 estimated population) was 23 per cent lower than the five-year average rate of 16.3 observed a decade ago. (Table A).

Table A - Vital Statistics Summary: Rhode Island, 1977-1981 and 1967-1971
(Birth and Mortality Data are for Rhode Island Residents; Fetal Death, Marriage and Divorce Data are for Rhode Island Occurrences)

	Five-Year Average				
	1977-1981		1967-1971		Per Cent
Item	Number	Rate	Number	Rate	Change in Rate
Live Births#	11,918	12.6	15,440	16.3	- 22.7
Deaths#	9,076	9.6	9,450	10.0	- 4.0
Infant Mortality*	148	12.5	307	19.9	- 37.2
Neonatal Mortality*	110	9.2	241	15.6	- 41.0
Perinatal Mortality**	160	13.3	336	21.6	- 38.4
Maternal Mortality***	1	0.7	2	1.6	- 56.2
Fetal Deaths (of 28 weeks or more Uterogestation)*	68	5.7	137	8.9	- 36.0
Marriages#	7,361	7.8	7,303	7.7	+ 1.3
Divorces#	3,501	3.7	1,320	1.4	+164.3
Census Population(1980 and 1970)	947,154		949,723		- 0.3

# Rate per 1,000 Population
* Rate per 1,000 Live Births
** Rate per 1,000 Live Births plus Fetal Deaths of 28 Weeks or more Gestation
*** Rate per 10,000 Live Births

In 1981, the number of deaths recorded in the state was 9,391; non-residents accounted for 618, and 365 deaths were recorded in other states to Rhode Island residents. The total number of resident deaths, therefore, was 9,138, yielding a rate of 9.6 deaths per 1,000 population. The average death rate over the past five years (9.6) was four per cent below the five-year average rate of 10.0 a decade ago (Table A). The five-year average infant mortality rate (12.5 per 1,000 live births) was 37 per cent lower than the five-year average of 19.9 a decade ago (Table A). Neonatal mortality (infants who died before the 28th day of life) was 41 per cent lower in the more recent five-year period (Table A). Perinatal mortality, as used here, refers to early infant deaths (under 7 days old) combined with late fetal deaths (products of conception of 28 weeks or more gestation showing no signs of life following delivery). The average perinatal mortality rate over the past five years was 13.3 per 1,000 live births combined with late fetal deaths, 38 per cent lower than the five-year average a decade ago (21.6).

FIGURE 1 - POPULATION DENSITIES OF RHODE ISLAND CITIES AND TOWNS ACCORDING TO THE 1980 CENSUS


10,000 & Over
5,000-9,999
2,500-4,999
1,000-2,999
500-999
0-999
WOONSOCKET
NORTH SMITHFIELD
BURRILLVILLE
CUMBERLAND
GLOCESTER
SMITHFIELD
LINCOLN
CENTRAL FALLS
PAWTUCKET
NORTH PROVIDENCE
PROVIDENCE
JOHNSTON
EAST PROVIDENCE
FOSTER
SCITUATE
CRANSTON
BARRINGTON
WARREN
WEST WARWICK
WARWICK
COVENTRY
BRISTOL
EAST GREENWICH
WEST GREENWICH
PORTSMOUTH
TIVERTON
EXETER
NORTH KINGSTOWN
JAMESTOWN
MIDDLETOWN
LITTLE COMPTON
HOPKINTON
RICHMOND
SOUTH KINGSTOWN
NEWPORT
CHARLESTOWN
NARRAGANSETT
WESTERLY
NEW SHOREHAM

The average divorce rate over the past five years (3.7 per 1,000 estimated population) was nearly three times the average rate of a decade ago (1.4). The five-year average marriage rate for the more recent period was one per cent higher when compared with a decade ago. Marriage and divorce rates should not be compared with each other in any given year for two reasons. First, the divorce rate refers to any persons divorced during the year, the great majority of whom have been married for more than one year; therefore, the divorce rate is no indication of the divorce rate among persons married during that year. Second, because there is no complete exchange of marriage and divorce records among the states, rates for these events are based on occurrences within Rhode Island. As a result, marriages and divorces to residents which occur outside the state would not be included.

RHODE ISLAND POPULATION

Table I shows the 1970 and 1980 population figures for the state by race and sex and also by age and sex, showing the per cent change for each category between 1970 and 1980.

The male population declined three per cent between 1970 and 1980 (decreasing from 464,291 to 451,251); the female population increased by three per cent (going from 482,434 to 495,903). The black population increased nine per cent (25,338 to 27,584); other non-white population was 2½ times as great in 1980 and the white population decreased two per cent (914,757 to 896,692).

Figure I illustrates the population density by city or town according to the 1980 Census. Central Falls, with 14,162 persons per square mile was the most densely populated. Other cities with a density greater than 5,000 were: Providence, 8,663; Pawtucket, 8,091; Woonsocket, 5,812; and North Providence,5,121 persons per square mile. The five least populous towns and their densities were: West Greenwich, 54; New Shoreham, 62; Foster, 66, Exeter, 77; and Richmond, 99 persons per square mile. The State average was 903 persons per square mile in 1980.

The statewide population estimate for 1981, shown in Table 2, was obtained from the Current Population Report Series, July 1, 1981, Series P-25, No. 913; estimates for counties and individual cities and towns were not published. Estimates of 1981 population of the five counties and the thirty-nine cities and towns were obtained by extrapolation of the 1981 statewide estimate and appear in Table 2.

LIVE BIRTHS

There were 12,430 resident live births recorded for Rhode Island in 1981, yielding a rate of 13.1 per 1,000 population. This rate was two per cent greater than the rate observed in 1980. The birth rate decreased steadily between 1959 and 1975 and reached an all-time low rate of 11.6 in 1975 and 1976. (See Table 4 and Figure 2 for the annual variations in births and birth rates over the past 30 years). It will take several years to determine whether the increases occurring after 1976 represent a true reversal of the long-term decreasing trend, whether they represent a general levelling off of the birth rate, or whether there will be a return to declining rates. However, for the first time since 1972, the birth rate has reached 13 per cent; perhaps signalling a slow, but steady, rise in the birth rate.

Increased attention has recently been focused on midwifery and home births, both nationally and locally. Up until 1978, only one midwife had practiced in Rhode Island. In that year, the Rhode Island Department of Health adopted procedures regulating the licensing and practice of midwives. There are currently nine licensed midwives in the state.

The rate of Rhode Island births occurring at home has fluctuated since 1979. Although a steady increase in home births can be observed from 1975 to 1979, the 1980 rate decreased 17 per cent from 1979; yet the 1981 rate increased 20 per cent from 1980. (See Table B below). Since home deliveries still represent less than one per cent of all births occurring in Rhode Island, the numbers are too small to show a significant statistical trend.

Table B - Rhode Island Occurrence Births at Home, 1972-1981

Year	Occurrence Births Total Number	Home Births Number	Per Cent
1972	13,496	33	0.2
1973	12,647	28	0.2
1974	11,696	26	0.2
1975	10,957	20	0.2
1976	11,102	24	0.2
1977	11,937	36	0.3
1978	11,785	51	0.4
1979	12,251	71	0.6
1980	12,574	66	0.5
1981	12,866	74	0.6

The fertility rate is a more precise measure of reproduction than the crude birth rate, but can be accurately determined only during census years. The fertility rate for 1980 was 56.4 per 1,000 female Rhode Island residents aged 15-44. Assuming the ratio of females to the female population in this age group is the same as in 1980, the estimated fertility rate for 1981 was 57.4 per 1,000 estimated females 15-44, an increase of two per cent over 1980.

The table below shows age-specific fertility rates for Rhode Island during 1960, 1965, 1970, and 1980. The fertility rate decreased for all age groups between 1970 and 1980; the largest decrease occurred in the 40-44 age group when the fertility rate dropped by 68 per cent.

Birth Rates by Age of Mother, 1960, 1965, 1970 and 1980
(Rates per 1,000 Female Population, Aged 15-44)

Age of Mother in Years	1960	1965	1970	1980	Per Cent Change Between 1970 and 1980
TOTAL	108.7	98.8	84.9	56.4	-33.6
15-19	56.9	47.7	45.2	32.9	-27.2
20-24	236.8	212.6	163.4	89.3	-45.3
25-29	206.9	192.9	155.3	104.2	-32.9
30-34	122.1	111.4	79.6	57.6	-27.6
35-39	61.5	54.3	35.6	15.9	-55.3
40-44	14.7	13.7	9.3	3.0	-67.7

Natural increase (the excess of births over deaths) resulted in the net addition of 3,292 persons to the population in 1981. This is the fifth consecutive year that the natural increase has been higher in comparison to the preceding year. The amount of natural increase had been decreasing steadily over the last several years until 1975 (Figure 2).

Of the municipalities in Rhode Island with population over 5,000, there were four cities and towns which had birth rates 20 per cent or more about the state rate, (13.1) in 1981 (rates of 15.7 and over); Central Falls, 18.0; Portsmouth,16.3;

FIGURE 2 - CRUDE BIRTH AND DEATH RATES PER 1,000 POPULATION: RHODE ISLAND, 1952 - 1981



Providence, 16.1; and Woonsocket, 15.8. Six cities and towns with populations above 5,000 had rates 20 per cent or more below the state rate (rates of 10.5 and less): North Smithfield, 9.0; Cranston, 9.1; North Providence, 9.6; Cumberland, 9.7; Barrington, 10.0; and Lincoln, 10.2.

Average annual rates for the past five years mav be seen in Table 8 by city or town and neighborhood of residence. Birth rates were computed using the 1980 census population. The average birth rate for the state for 1977 to 1981 was 12.6 per 1,000 population in 1980.

Rhode Island mothers delivered an average of 34.1 babies per day in 1981. compared with 33.2 in 1980, 32.5 in 1979, 31.5 in 1978, and 31.8 in 1977. The highest daily average for 1981 occurred in August, with 39.0 births per day; the lowest average. 31.0 per day was in January. The sex ratio was 1,120 males per 1,000 females.

There were 11,127 resident white births and 1,249 resident non-white births in 1981 (90 and ten per cent, respectively, of those births where race was indicated). There has been a gradual but steady increase over the years in the percentage of non-white resident births: 1961, four per cent; 1971, six per cent; 1976, seven per cent, and 1981, ten per cent.

In 1981, first births accounted for 46 per cent of all deliveries. Similar percentages have been experienced in the last several years for first births: 44 per cent in 1974 and 1975; 45 per cent for 1976 to 1979: and 46 per cent in 1980, the same percentage as in 1981.

The occurrence of second births has fluctuated somewhat: from a low of 32 per cent in 1974 and 1975, increasing to 33 per cent for 1976 to 1978, up to a high of 34 per cent in 1979. In 1980 and 1981, the percentage of second births dropped down to 33 per cent.

A downturn seems evident in the last few years in the incidence of third or higher births. In 1974 and 1975, 23 per cent of all births were for children third or higher in birth order. In 1976, the percentage of such births fell to 22 per cent, dropping further to 21 per cent from 1977 to 1981.

Low birth weight infants (those weighing five pounds, eight ounces or less) averaged 64.6 per 1,000 live births for the state over the past five years. In 1981, there were 736 low birth weight infants delivered to Rhode Island residents (59.2 per 1,000 live births). The non-white ratio. 103.3 was 91 per cent higher than the white ratio of 54.2. Low birth weight infants, births in hospitals, and births out of wedlock by race mav be seen in Table 16 bv city or town of mother's residence.

Low weight infants may be seen by age of mother in Table 13; those of plural birth, in Table 14. City or town of residence is shown in Table 16 for low weight infants as well as those born in hospitals and born out of wedlock, with each of these variables shown by race. Census tract data are shown in Table 18 for all births. out of wedlock births, low weight births, birth injuries, malformations, and month pre-natal care began.

Births out of wedlock accounted for 15.8 per cent of all resident births in 1981 (a ratio of 158.2 per 1,000 live births). The non-white ratio (385.1) was three times the white ratio (130.9). The average birth out of wedlock ratio for the past five years (147.2 was 45 per cent above the previous five-

FIGURE 3 - BIRTH OUT OF WEDLOCK RATIOS PER 1,000

Live Births by Age of Mother, Rhode Island Residents 1972 - 1981



A	Under 20 Years
B	20-24 Years
E	25-29 Years
D	30-34 Years
C	35 Years and Over

year average, 101.6. The ratio has increased steadily each year since 1962 and may be seen in Table 9. The United States ratio has been consistently above that observed in Rhode Island; the difference, however is narrowing.

Age of mother at time of birth is correlated with other factors in several tables. Birth out-of-wedlock ratios (per 1,000 live births) by age of mother are shown in Table 10 (10 years, 1972-1981) and in Figure 3 (for the past 10 years). In 1981, women under 20 years of age had considerably higher ratios than any other group, continuing a trend of rising birth out of wedlock ratios for this age group over the last ten years.

The ratio in mothers aged 20-24 has also increased steadily since 1972, when a ratio of 68.2 was observed, and reached a high of 183.7 in 1981. Other age groups have also shown an increasing trend from 1972 to 1981, with some fluctuation from year to year.

Births and births out of wedlock to teenagers are shown in Table 18A, by city or town of mother's residence. Teenage out of wedlock births accounted for 52.7 per cent of all teenage births in 1981.

TEENAGE PREGNANCY

In order to analyze pregnancy outcome for teenagers, it is necessary to include both births and fetal deaths occurring to teenagers. In 1981, there were 1,458 resident teenage births, 56 spontaneous fetal deaths, and 2,288 induced terminations occurring to teenagers in Rhode Island, resulting in a total of 3,802 pregnancies. (Because there is no exchange of fetal death records among the states, resident fetal deaths totals are not available.) In 1981, the rate of teenage pregnancies per 1,000 estimated female Rhode Island residents aged 15-19 was 84.5.

FETAL DEATHS

The definition of fetal death used in this state is that of the World Health Organization, which is as follows: "Fetal death means death prior to complete expulsion or extraction from its mother of a product of human conception, irrespective of the duration of pregnancy; the death is indicated by the fact that, after such expulsion or extraction, the fetus does not breathe or show any other evidence of life, such as the beating of the heart, pulsation of the umbilical cord, or definite movement of the voluntary muscles".

The Rhode Island abortion law was technically declared unconstitutional early in 1972, with the United States Supreme Court decision on the Texas and Georgia Laws. Some time after that decision, the Health Department adopted Rules and Regulations for the termination of pregnancy that became effective in mid-June, 1973. One of the Regulations adopted made the reporting of all fetal deaths mandatory, regardless of the length of gestation; this Regulation became law upon its passage in 1976. Prior to 1973, mandatory reporting applied only to fetal deaths of 20 weeks or more uterogestation (from date of mother's last normal menstrual period to date of delivery).

Interpretation of fetal death data, other than late fetal deaths, cannot be compared with years prior to 1974, the first full year that data on early fetal deaths was required by Regulation and, in 1976, by Law.

Occurrence data within the state are shown in most tables rather than resident data since there is not a complete exchange of fetal death certificates among the states. Twenty-four per cent of the fetal deaths in Rhode Island in 1981 were non-residents, while the number of fetal deaths reported outside Rhode Island to residents was insignificant.

There were 8,118 occurrence fetal deaths recorded in Rhode Island in 1981, an increase of 12 per cent over the 7,277 recorded in 1980. The majority (93 per cent) were induced terminations (Table 19). The number of induced terminations increased by 13 per cent in 1981, when compared with 1980; spontaneous deliveries decreased by about eight per cent. As in the past few years, the majority of fetal deaths (98 per cent) were under 20 weeks uterogestation and only nine of the induced terminations were known to be over 20 weeks gestation. Month of delivery may be seen in Table 19B. The highest daily average (24.7) occurred in February. The lowest daily average was in November with 20.4 per day; the daily average for the year was 22.2 fetal deaths.

Resident fetal deaths may be seen by census tract of mother's residence in Table 20 by marital status of mother. Seventy-one per cent of the resident fetal deaths were to unmarried mothers, nearly three-fourths of the spontaneous deliveries were to married women, and 76 per cent of the induced terminations were to unwed women. Care should be exercised in utilizing data by census tract, since wide variations can occur by chance alone where the numbers are small.

All induced terminations occurring in Rhode Island may be seen in Table 21 by age, marital status and previous delivery history of mother. Teenagers accounted for 30 per cent of all induced terminations and the majority of these women (95 per cent) were unmarried. Of the 2,737 women aged 20-24 years (36 per cent of the total), the majority of this group(82 per cent) were unmarried. There were 2,046 women in the age group of 25-34 years (27 per cent of the total); 40 per cent were married, and 58 per cent were unmarried women, and for two per cent the marital status was unknown. Six per cent of the women were age 35 years or more; 63 per cent of this group were married.

In 1981, 47 per cent of the induced terminations (shown in Table 21) were to women who had no previous deliveries. Twenty-three per cent of women having an induced termination in 1981 had one previous delivery; 37 per cent of the previous deliveries were births and 63 per cent were fetal deaths or induced terminations.

Twenty-two per cent of the women had two or three previous deliveries, and 7 per cent had four or more previous deliveries.

Spontaneous fetal deaths of 20 weeks or more uterogestation are shown in Table 22A by total birth order, number of previous fetal deaths, and age of mother; all spontaneous fetal deaths by the same parameters may be seen in Table 22B. Thirty-one per cent of all spontaneous deliveries, and 32 per cent of those of 20 weeks or more gestation, were first deliveries. Second and third deliveries accounted for about 39 per cent of the 20 weeks and over group and for nearly one-half (47 per cent) of all spontaneous fetal deaths. Fourth and higher order accounted for about 20 per cent of the 20 weeks and over fetuses and for 18 per cent of all spontaneous fetal deaths. The number with birth order unknown was 10 per cent of the 20 weeks and over fetuses and 4 per cent of all spontaneous fetal deaths. The majority of the mothers were under age 30, accounting for 74 per cent of all spontaneous fetal deaths, and those of 20 weeks or more. Birth weight of fetus and age of mother may be seen in Table 23. Fifty-five per cent of the spontaneous fetal deaths of 20 weeks and over were of low weight (weighed less than 5 lbs. 8 oz.) Cause of fetal death appears in Table 24 by gestational age.

PERINATAL MORTALITY

Perinatal mortality, as used here, refers to fetal deaths of 28 weeks or more uterogestation combined with deaths that occurred before the seventh day of life. The 1981 perinatal rate, 12.7 per 1,000 live births, combined with late fetal deaths, decreased two per cent from the rate of 12.9 observed in 1980. The 1977 rate of 12.6 was the lowest rate experienced in the past 30 years, as is shown in Table 5. The average rate for the past five years,(13.3) was 38 per cent lower than the average of 21.6 a decade ago. (Table A).

INFANT DEATHS

There were 145 resident infant deaths in 1981, yielding a rate of 11.7 per 1,000 live births. This represents an increase of 7 per cent over the rate of 10.9 in 1980 and was 41 per cent below the five-year average of 19.9 a decade ago. Table A shows that the 1977-1981 average rate (12.5) declined 37 per cent over the five-year average of a decade ago. The 1981 non-white rate, 14.4 per 1,000 live births, was 27 per cent above the white rate of 11.3. Although there was a dramatic decrease in the non-white infant death rate from 32.1 in 1979 to 11.9 in 1980, the non-white infant death rate has increased 21 per cent to 14.4 for 1981. The white rate of 11.3 is only six per cent higher than the 1980 rate of 10.7, however. The provisional national infant death rate for 1981 was 11.7 per cent, the same as the state rate.

Average rates for the past five years may be seen in Table 8 by town or city and neighborhood. The state average rate during this period was 12.5 per 1,000 live births.

Although the infant death rate for Rhode Island increased in 1978 and 1979, it dropped 23 per cent in 1980, following the general downward trend evident since 1970, both nationally and in the state. In 1981, however, the infant rate was 11.7, an increase of 7 per cent over 1980; the neonatal rate also increased to 9.2, a ten per cent increase over 1980. The increases observed in 1981 may be a result of random fluctuations, since there has been a general downward trend in infant and neonatal rates since 1970 when the infant rate was 19.7 and the neonatal rate was 15.2 (See Figure 4 and Table 5).

Infant deaths may be seen as a subset of all deaths by 69 selected causes in Table 25 and by 61 selected causes of infant deaths by age in Table 27.

Average rates for the past five years may be seen in Table 8 by town or city and neighborhood. The state average rate during this period was 12.5 per 1,000 live births.

Neonatal deaths (infant deaths that occurred prior to the 28th day of life) accounted for 79 per cent of the infant deaths in 1981, and 66 per cent of the infants died before the seventh day of life. These percentages were 77 per cent and 65 per cent, respectively, in 1980. Fifty-two per cent of the infants died before the end of the first day (Table 27). The average neonatal death rate for the past five years, 9.2 per 1,000 live births, was 41 per cent lower than the five-year average rate of 15.6 a decade ago. (Table A).

FIGURE 4 - INFANT AND NEONATAL MORTALITY RATES: RHODE ISLAND AND THE UNITED STATES, 1957-1981



A United States Infant Death Rate
B Rhode Island Infant Death Rate
C United States Neonatal Death Rate
D Rhode Island Neonatal Death Rate

DEATHS

There were 9,138 Rhode Island resident deaths recorded in 1981, yielding a crude rate of 9.6 deaths per 1,000 estimated population. The 1981 rate was two per cent lower than the rate for 1980 and one per cent lower than the 1979 rate. The 1978 rate of 9.5 was the lowest rate for the past 30 years. Table 4 and Figure 2 show that the Rhode Island death rate has remained fairly stable during this period, with a slight decrease during the last ten years.

The 1981 state rate was 12 per cent higher than the provisional U.S. rate of 8.6. The Rhode Island death rate has been somewhat higher than the national rate for several years. A major factor in this difference is the percentage of elderly people in the population of Rhode Island: according to the 1980 census, the percentage of persons aged 65 and over in the state was 19 per cent higher than for the nation.

Distributions of Rhode Island deaths by race, sex, and age are shown in Tables 6 and 25: 97 per cent white vs 3 per cent non-white, and 52 per cent male vs 48 per cent female. The median age for all deaths was 74.8 years. For all females, the median age at death was 78.4; for white females, 78.6; and for non-white females, 69.0. The male median was 71.5; for white males; 71.7; and for non-white males, 62.2. (See Table C).

The non-white medians may not be statistically significant, since they are based on small totals; however, the non-white median ages have been consistently below the median age, both on a national and state level.

Death rates are shown with the number of occurrence and resident deaths by city or town of residence in Table 3. Among cities and towns with populations of 5,000 or more, there were three with death rates 20 per cent or more above the state rate in 1981 (rates of 11.5 or more). They were: Central Falls, 12.5; Pawtucket, 12.0; and Providence, 11.5. Excluding towns with less than 5,000 population, ten municipalities had rates 20 per cent or more below the state average (7.7 or less). The six lowest were: Glocester, 5.5; Middletown, 5.7; Barrington, 6.0; North Kingstown, 6.1; Portsmouth, 6.4; and Coventry, 6.9.

Average annual death rates for the past five years are given in Table 8 by city or town and neighborhood of residence. Death rates were computed per 1,000 population according to the 1980 census.

Resident deaths for each city or town by age, race, and sex for the entire year are shown in Table 6 and by month in Table 26. The daily average was 25.0 deaths per day in 1981. The highest daily average was in January, with 33.2 deaths per day; the lowest, in June, with 22.9 per day. All deaths, neonatal deaths, infant deaths, and deaths from selected causes appear by city or town and census tract of residence in Tables 29A and 29B.

DEATHS BY CAUSE

The Ninth Revision of the International Classification of Diseases (ICD) was first used in the classification of deaths for 1979. As has occurred in previous revisions of this mortality classification system, many changes were introduced, resulting in serious breaks in comparability between the Ninth and Eighth Revisions (in use from 1968-1978) for several cause of death categories. Ratios of comparability between the two Revisions have been computed to measure this discontinuity.

A ratio of 1.00 indicates that the same number of deaths was assigned to a particular cause of death category by both Revisions. In general, a ratio lower than 1.00 indicates either that fewer deaths were assigned to a particular category by the Ninth Revision than by the Eighth or that the cause of death category as defined by the Ninth Revision is only a part of the comparable Eighth Revision category. A ratio higher than 1.00 indicates the reverse situation. (For a more comprehensive discussion of the methodology and interpretation of comparability ratios, see "Monthly Vital Statistics Report", Vol. 28, No. 11, Supplement, February, 1980).

Table 7 shows the 20 leading causes of death for 1981 with the numbers and rates for the same causes for 1979 and 1980 and for the comparable cause categories for 1972 to 1978, along with the corresponding comparability ratios. These 20 causes of death accounted for 92 per cent of all deaths in 1981. The first four causes (diseases of the heart, malignant neoplasms, cerebrovascular diseases, and accidents) have been the four leading causes for many years. The ten leading causes accounted for 87 per cent of all deaths and may be seen in Figure 5 for the past ten years; the numbers for 1981 may be seen by sex in Table 31 with rates per 100,000 estimated population. The five leading causes for each sex are shown in Figure 6. Age specific rates for various age groups may be seen in Table 32. Median ages for all causes and the ten leading causes by sex are shown in Table C below:

Table C - Median Ages by Sex for All Causes and for Ten Leading Causes of Death - Rhode Island Residents, 1981

Causes	Male	Female	Total
ALL CAUSES	71.5	78.4	74.8
Diseases of the Heart	73.1	81.3	77.2
Malignant Neoplasms	69.9	71.1	70.4
Cerebrovascular Diseases	76.9	82.9	81.0
Accidents and Adverse Effects	36.0	65.0	46.8
Chronic Obstructive Pulmonary Diseases and Allied Conditions	75.2	77.7	75.8
Pneumonia and Influenza	82.1	90.4	85.2
Diabetes Mellitus	70.7	76.7	73.7
Chronic Liver Disease and Cirrhosis	60.8	63.3	61.7
Atherosclerosis	78.8	93.9	85.6
Suicide	34.2	43.0	36.3

CARDIOVASCULAR DISEASES is not ranked as a cause of death, but includes five cause of death categories, four of which were among the 20 leading causes. The five categories are: "Diseases of the Heart" (rank 1); "Cerebrovascular Diseases" (rank 3); "Atherosclerosis" (rank 9); "Hypertension with or without Renal Disease" (rank 16); and "Other Diseases of Arteries, Arterioles, and Capillaries". There were 4,711 deaths from cardiovascular diseases in 1981 (Table 25), representing 52 per cent of all deaths (49 per cent for males and 54 per cent for females). The provisional national rate was 425.1 per 100,000 estimated population, 14 per cent lower than the state rate of 494.9.

DISEASES OF THE HEART has been the leading cause of death historically, both nationally and in the state. The rate has remained fairly constant for many years and

FIGURE 5 - RATES FROM THE TEN LEADING CAUSES OF DEATH IN 1981
With Comparable Rates for 1972 - 1980, Rhode Island Residents



A - Diseases of the Heart
B - Malignant Neoplasms
C - Cerebro Vascular Diseases
D - Accidents
E - Pneumonia and Influenza
F - Diabetes Mellitus
G - Chronic Obstructive Lung Diseases and Allied Conditions
H Chronic Liver Disease and Cirrhosis
I Atherosclerosis
J - Suicide

FIGURE 6 - LEADING CAUSES OF DEATH FOR EACH SEX: RHODE ISLAND, 1981



FIGURE 7 - FIVE LEADING PRIMARY SITES OF MALIGNANT NEOPLASM DEATHS, BY SEX: RHODE ISLAND, 1981



was 400.5 per 100,000 estimated population in 1981 (Figure 6). Forty-one per cent of the males and 42 per cent of the females died from heart disease in 1981. It appears as one of the five leading causes in all age groups over age 19, as shown in Table 32 and in Figures 8, 9, and 10. It was the leading cause of death among persons aged 45-64 (37 per cent of deaths in this age group) and among persons 65 years of age and over (46 per cent of deaths in this age group). The provisional national rate was 329.5 in 1981, 18 per cent lower than the state rate.

MALIGNANT NEOPLASMS INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES, with 24 per cent of all deaths, was the second leading cause of death in Rhode Island, as well as in the United States in 1981. The state rate was 226.1 per 100,000 estimated population; the provisional national rate was 184.3, 18 per cent below the state rate. Malignant neoplasms was the second leading cuase of death for both males and females (Table 31 and Figure 6), accounting for 24 per cent of male deaths and 23 per cent of female deaths. Malignant neoplasms appears as one of the five leading causes of death in all age groups, shown in Table 32 and Figures 8, 9, and 10.

The five leading primary sites for each sex are shown in Table D, below, and in Figure 7. All major sites may be seen in Table 25 by race, sex, and age.

Table D - Five Leading Cancer Sites by Sex, Rhode Island Residents, 1981

MALE Site	Number	Per Cent	FEMALE Site	Number	Per Cent
1. Respiratory and Intrathoracic Organs	420	36	1. Digestive Organs and Peritoneum	307	31
2. Digestive Organs and Peritoneum	333	29	2. Breast	189	19
3. Genital Organs	106	9	3. Respiratory and Intra-thoracic Organs	147	15
5. Urinary Organs	59	5	4. Genital Organs	100	10
5. Lymphatic and Hematopoietic Tissue (other than Leukemia)	59	5	5. Lymphatic and Hematopoietic Tissue (other than Leukemia)	61	6

CEREBROVASCULAR DISEASES, with 622 resident deaths and a rate of 65.3 per 100,000 population, was the third leading cause of death in 1981. Eight per cent of the females and five per cent of the males died from this cause (Table 31 and Figure 6). The female rate (74.6) was 35 per cent above the male rate of 55.1. The provisional national rate was 71.2, nine per cent above the state rate.

Cerebrovascular diseases are primarily diseases of maturity. The median age among decedents in this category was 81.0, eight per cent higher than for all deaths in 1981 (Table C). Only two per cent of these decedents were under 45 years of age, and just six per cent were younger than 60 years old. In contrast, seven per cent of all decedents were less than 45 years old, and 18 per cent were less than 60 years old.

ACCIDENTS ranked fourth among the leading causes in 1981, accounting for 293 deaths and a rate of 30.8 per 100,000 estimated population. For many years, the Rhode Island accidental rate has been lower than the national rate. The 1981 state rate was 30 per cent lower than the provisional U.S. rate of 43.7.

Table E - Resident Accidental Deaths by Type by Sex: Rhode Island, 1981

Type of Accident	Total	Males	Females
All Accidents*(E800-E949)	293	177	116
Railway Accidents (E800-E807	1	1	0
Motor Vehicles(E810-E825)	116	75	41
Water Transport(E830-E838)	4	4	0
Air/Space Transport(E840-E845)	1	1	0
Poisoning(E850-E869)	15	10	5
Falls(E880-E888)	74	37	37
Fires and Flames(E890-E899)	19	9	10
Drowning(E910)	11	10	1
Food/Object Inhalation (E911-E912)	12	1	11
Electrocution(E925)	3	3	0
All Other (Residual)	37	26	11

* For complete titles, see Table 30.

Accidents were a major factor in deaths among both males and young people. Males accounted for 60 per cent of all accidental deaths and 49 per cent of the decedents were under 45 years of age. Thirty per cent of all accidental deaths occurred to males younger than 35 years old. Table 31 shows that the accidental death rate for males (39.0 per 100,000 estimated population) was almost double that for females, 23.3.

Except for persons 45 years of age and over, accidents ranked as one of the five leading causes in each age group shown in Table 32 and was the leading cause in the age groups 5-19 years and 20-44 years. Accidental deaths occurred predominantly among young males. The median age at death for all accidents was 46.8 years (36.0 years for males and 65.0 for females). (See Table C). This information is shown in Figures 8, 9, and 10. Accidental deaths are also shown by age of decedent and type of accident in Table 30 and Figure 11 and by location of accident in Table 28.

MOTOR VEHICLE ACCIDENTS were responsible for the deaths of 116 Rhode Island residents, 40 per cent of all resident accidental deaths in 1981, accounting for a rate of 12.2 per 100,000 estimated population. Table F, below, gives the number of Rhode Island resident deaths and rates for motor vehicle accidents for the years 1972-1981.

Table F - Deaths from Motor Vehicle Accidents, Rhode Island Residents, 1972-1981
(Rates per 100,000 Population)

Year	Number	Rate	Year	Number	Rate
1972	147	15.2	1977	158	16.9
1973	151	15.6	1978	124	13.3
1974	130	13.8	1979	140	15.1
1975	125	13.5	1980	140	14.8
1976	142	15.3	1981	116	12.2

Rhode Island's death rate from motor vehicle accidents has remained below the national rate for many years. The state's 1981 death rate was 45 per cent lower than the provisional national rate of 22.0.

Males accounted for 65 per cent of the 1981 deaths from motor vehicle accidents. The 75 male deaths in this category also represented 42 per cent of all accidental deaths to males. The median age at death was 29.7 for all motor vehicle accidents (28.3 for males and 32.5 for females).

FIGURE 8 - LEADING CAUSES OF DEATH BY SPECIFIED AGE GROUP: RHODE ISLAND RESIDENTS, 1981



UNDER FIVE YEARS

5 - 19 YEARS

FIGURE 9 - LEADING CAUSES OF DEATH BY SELECTED AGE GROUPS: RHODE ISLAND RESIDENTS, 1981



20 - 44 YEARS

45 - 64 YEARS

FIGURE 10 - LEADING CAUSES OF DEATH
FOR AGE GROUP, 65 YEARS AND OVER,
RHODE ISLAND RESIDENTS, 1981



FIGURE 11 - LEADING CAUSES OF DEATH
FROM ACCIDENTS, BY TYPE OF ACCIDENT,
RHODE ISLAND RESIDENTS, 1981



Table 30 distributes Rhode Island deaths from motor vehicle accidents by type of accident by age of decedent. Highway collisions accounted for 99 (85 per cent) of all motor vehicle accidents to Rhode Island residents during 1981.

NON-MOTOR VEHICLE ACCIDENTS accounted for 177 of the 293 accidental deaths (60 per cent) to Rhode Island residents in 1981. These non-motor vehicle accidents were distributed as follows: falls, 42 per cent; fires and flames, 11 per cent; poisoning, eight per cent; inhalation of food or other object, seven per cent; drowning, six per cent; water transport accidents and electrocution, each two per cent; and railway accidents and air and space transport accidents, each less than one per cent. (See Table 30 and Figure 11).

Non-motor vehicle accidents may be seen by place of accident by age in Table 28. Nearly half of these accidents (40 per cent) occurred at home; 17 per cent, in resident institutions; five per cent, at places of recreation; and three per cent in places of industry.

CHRONIC OBSTRUCTIVE PULMONARY DISEASES AND ALLIED CONDITIONS was the fifth leading cause of death in 1981. Because of changes from the Eighth to the Ninth Revision of the International Classification of Diseases, this is the third time that this group of diseases has been identifiable and ranked as one of the ten leading causes. The comparability ratio between the Eighth and Ninth Revision for this category is 1.8846, nationally, which means that 88 per cent more deaths are assigned to this category under the Ninth Revision than are assigned to its most nearly comparable category under the Eighth Revision ("Bronchitis, Emphysema, and Asthma"). This large variability can be accounted for almost entirely by the transfer of deaths assigned by the Eighth Revision to "Chronic Obstructive Lung Disease without mention of Asthma, Bronchitis, or Emphysema"(ICDA No. 519.3) to the new Ninth Revision title "Chronic Airways Obstruction, not Elsewhere Classified" (ICD No. 496). In Figure 5 and Table 7, for deaths prior to 1979, the number of deaths assigned to ICDA No. 519.3 have been included with the number assigned to the Eighth Revision title "Bronchitis, Emphysema, and Asthma" (ICDA No.490-492) in order to make that category more comparable to the new Ninth Revision title. Because these figures were not available nationally, there is no comparability ratio for the Ninth Revision title and this special grouping.

There were 275 deaths to Rhode Island residents from this cause of death in 1981, accounting for a rate of 28.9 per 100,000 estimated population. The provisional national rate was 26.1, ten per cent lower than the state rate.

Chronic obstructive pulmonary diseases was the fourth leading cause of death for males, with males accounting for 72 per cent of the deaths from this cause. It was the fifth leading cause for all decedents aged 45-64 and the fourth for all decedents aged 65 years and older (Tables 31 and 32). The median age (75.8) was slightly higher than the median age for all causes (74.8).

PNEUMONIA AND INFLUENZA accounted for 235 deaths and ranked as the sixth leading cause in 1981, yielding a rate of 24.7 per 100,000 estimated population. Of the 235 deaths in this category, 220 were classified to pneumonia and 15 to influenza. The state rate for both pneumonia and influenza was four per cent higher than the provisional national rate of 23.7 for 1981.

Pneumonia and influenza constituted the sixth leading cause of death for males and the fourth leading cause for females(Table 31). The female rate of 28.5

was 39 per cent higher than the rate for males (20.5). These deaths occurred predominantly among older persons: the median age was 85.2 years and only 15 decedents (six per cent) were less than 65 years old. (Tables C and 25)

Caution should be exercised in interpreting statistics on pneumonia mortality. Although pneumonia deaths increased 14 per cent in 1981 when compared with 1980, this increase could be due, in part, to the fact that no pneumonia deaths were queried in 1981. All pneumonia deaths were routinely queried in 1980. If a query reply indicated that the pneumonia was due to another disease or condition, that death would have been classified to the underlying disease or condition. Additionally, in this report as well as in national publications, deaths are classified to pneumonia only when that disease is designated by the certifying physician as the underlying cause of death; i.e., as the disease initiating the chain of events leading to death. In cases where pneumonia is not the underlying cause of death, but rather a terminal event, secondary to another disease or conditions certified as the underlying cause, the death is classified to the other disease or condition. It may be inferred, therefore, that deaths involving pneumonia are much greater in number than those classified to pneumonia as the underlying cause of death.

DIABETES MELLITUS, with 181 deaths and a rate of 19.0 per 100,000 estimated population, was the seventh leading cause of death in 1981. The Rhode Island death rate from diabetes has been among the highest in the nation, and the state's 1981 rate was 26 per cent higher than the provisional national rate of 15.1. It was the sixth leading cause for females and the eighth for males (Table 31). The median ages for females (76.7) and for males (70.7) were close to the median ages for all female and male deaths (78.4 and 71.5, respectively). The median age for all diabetes deaths was 73.7.

CHRONIC LIVER DISEASE AND CIRRHOSIS was the eighth leading cause in 1981, with 135 deaths and a rate of 14.2 per 100,000 estimated population. It ranked as the seventh leading cause of death for males and the ninth for females. The male rate of 19.2 was double the female rate of 9.6 (Table 31). The provisional national rate of 12.8 for 1981 was ten per cent lower than the state rate.

Chronic liver disease and cirrhosis is primarily a disease of the middle years. During 1981, decedents 45-64 years of age accounted for 47 per cent of all deaths from this category. In contrast, only 20 per cent of deaths from all causes in 1981 were in this age category. Chronic liver disease and cirrhosis was the fourth leading cause of death in this age group, and the median age at death was 61.7 years, substantially lower than for all deaths (74.8).

ATHEROSCLEROSIS AND HYPERTENSION ranked 9th and 16th, respectively, in 1981. There were 124 deaths classified to Atherosclerosis(a rate of 13.0) and 35 to Hypertension (a rate of 3.7)(Table 7). These relatively low rates seem to contradict the known devastating effects of these two diseases on the Rhode Island population and on that of the nation as a whole. These low rates occur each year because of the procedure used in classifying deaths for statistical purposes. World Health Organization (WHO) classification rules direct us to assign deaths from atherosclerosis or hypertension to more specific forms of these diseases (such as arteriosclerotic heart disease or acute myocardial infarction) whenever the more specific diseases are mentioned on the death certificate. One must be aware of this procedure, then, when interpreting mortality statistics prepared in accordance with WHO guidelines. The actual involvement of atherosclerosis and hypertension in deaths from diseases of the cardiovascular system is greatly in excess of the relatively few deaths classified to these diseases, both in this report and in national publications. The provisional national rates for 1981 were 12.5 for Atherosclerosis and 3.4 for Hypertension.

SUICIDE was the tenth leading cause of death in 1981, with 105 deaths and a rate of 11.0 per 100,000 estimated population. Suicide was ranked as one of the ten leading causes to Rhode Island residents for the first time in 1974. It reached its highest ranking in 1977, when it was the seventh leading cause of death. The state rate for 1981 was four per cent lower than the provisional national rate of 11.5. There were three times the number of suicides for males than for females: suicide ranked eighth among males but only twelfth among females. It was the second leading cause for decedents aged 5-19 years and ranked third for those 20-44 years old. The median age at death for all suicides was 36.3; the median age for females (43.0) was 26 per cent higher than for males (34.2).

OTHER LEADING CAUSES, ranking 11th through 20th, accounted for 463 deaths, five per cent of all deaths to Rhode Island residents in 1981. The number of deaths in each category was relatively small, ranging from 85 for "Nephritis, Nephrotic Syndrome, and Nephrosis" to 15 for "Cholelithiasis and Other Disorders of the Gallbladder" (Table 7). For this reason, comparisons of the death rates for these categories should be made with caution. Table G below lists these causes with the state rate and the provisional national rate per 100,000 estimated population for 1981.

Table G-Rhode Island Resident Deaths and Death Rates for Other Leading Causes in 1981 with Provisional U.S. Rates (Rates per 100,000 Estimated Population)

1981 Rank	Cause of Death (ICD)1975	Rhode Island Number	Rhode Island Rate	U. S. Rate (Provisional)
11.	Nephritis, Nephrotic Syndrome, and Nephrosis(580-589)	85	8.9	7.6
12.	Certain Conditions Originating in the Perinatal Period (760-779)	77	8.1	9.3
13.	Congenital Anomalies(740-759)	63	6.6	5.8
13.	Septicemia(038)	63	6.6	4.4
15.	Homicide and Legal Intervention(E960-E978)	48	5.0	10.2
16.	Hypertension with or without Renal Disease (401,403)	35	3.7	3.4
17.	Hernia of Abdominal Cavity and Intestinal Obstruction without Mention of Hernia(550-553, 560)	27	2.8	2.1
18.	Benign Neoplasms, Carcinoma in Situ and Neoplasms of Uncertain Behavior and of Unspecified Nature (210-239)	25	2.6	3.0
18.	Ulcer of Stomach and Duodenum(531-533)	25	2.6	3.0
20.	Cholelithiasis and other Disorders of Gallbladder(574-575)	15	1.6	1.3

Caution should be observed in comparing the state's crude rates with the provisional U.S. rates because of the differing age and sex composition of the two populations. As mentioned earlier, the state's proportion of persons 65 years of age and over, according to the 1980 census, was 18 per cent higher than the national proportion.

MARRIAGE AND DIVORCE

The marriage and divorce statistics relate only to those events which occurred within the state. We have included no data for Rhode Island residents who were married or divorced in other states because exchange of certificates among the states is not complete. There were 7,559 marriages and 3,413 divorces filed in Rhode Island in 1981, yielding rates of 7.9 and 3.6, respectively, per 1,000 estimated population. The divorce rate has no relationship to the marriage rate because most of the divorces in a given year terminate marriages that have lasted a number of years (only 5 of the 1981 divorces were granted to persons who were married less than a year, and 264 divorces were of persons who had been married 25 years or more).

MARRIAGE

The 1981 rate of 7.9 marriages per 1,000 estimated population was equal to the 1980 and 1979 rates. Comparison of the state's average rates for the five-year periods of 1967 to 1971 and 1977 to 1981 shows a one per cent increase (from 7.7 in the 1967 to 1971 period to 7.8 in the 1977 to 1981 period) (Table A). The Rhode Island rate has been consistently below the national rate in each of the past 30 years; the last ten years are shown in Figure 12. The state rate for 1981 was 25 per cent below the provisional United States rate of 10.6 in 1981.

In past years, June has been the most popular month for marriages. This tradition changed in Rhode Island in 1981, with May taking its place. There were 978 marriages recorded for the month of May, averaging 31.5 marriages per day. The second highest average occurred in September (30.3). Six months, May through October, had averages above the year's daily rate of 20.7. The lowest average occurred in both January and December, when only 306 and 308 marriages were performed, respectively, for a daily average of 9.9 each. The months of January through March, and also December, each averaged fewer than 15 marriages per day.

The number of brides and grooms married in Rhode Island in 1981 is shown according to their usual residence in Table 33. Because a marriage usually takes place in the bride's home town or the municipality of the church that she attends, it is not surprising that there were far fewer participants who were non-residents of Rhode Island among the brides than among the grooms. In 1981, 15 per cent of the grooms were non-residents, whereas only 8 per cent of the brides resided outside the state.

The location of churches and courts is an important factor in determining the number of marriages performed in a particular city or town. All four municipalities where the Family Courts meet (Newport, Providence, Warwick and Westerly) show rates above the state average. Another factor to consider is that frequently a church is located so that part of its congregation resides in an adjacent city or town.

Table 3 shows the number of marriages occurring in each city or town with the rates per 1,000 estimated population occurring in that area. The highest rate (49.8) was recorded in New Shoreham. Among those municipalities with an estimated population greater than 5,000, three had rates one-third or more higher than the state rate(10.5 or more): Newport, 16.3; South Kingstown, 11.5; and Westerly, 10.7. Three towns with greater than 5,000 estimated population had rates one-third or more lower than the state rate (5.3 or less): Glocester, 3.6; Middletown, 4.7; and North Providence, 4.8.

Table 36 shows the number of times previously married for each party. Sixty-four per cent of marriages involved those in which both parties were marrying for the first time. Marriages in which one party was marrying for the first time and the other was marrying for the second time added only 19 per cent; 12 per cent had both parties marrying for the second time; and in 6 per cent of the cases, both parties were marrying for the third time or more.

FIGURE 12 - MARRIAGE RATES PER 1,000 POPULATION: RHODE ISLAND AND THE UNITED STATES, OCCURRENCE DATA, 1972 - 1980



FIGURE 13 - DIVORCE RATES PER 1,000 POPULATION: RHODE ISLAND AND THE UNITED STATES OCCURRENCE DATA 1972 - 1981



A breakdown of previous marital status is shown in Table 37. Marriages between one previously unmarried and one divorced partner accounted for 19 per cent of the total; marriages between two divorced individuals accounted for 13 per cent; between two widowed parties, two per cent; and where only one of the two parties was widowed, three per cent.

The age distribution of brides and grooms by previous marital status is shown in Table 35. Twenty-one per cent of all the brides (who were marrying for the first time) in 1981 were under 20 years of age, the same as in 1980. Five per cent of the grooms, compared with six per cent in 1980, were under age 20. There were seven brides under the age of 20 who had been previously married; whereas there were no grooms under the age of 20 who had previous marriages. Forty-one per cent of all brides and 36 per cent of all grooms were in the age group 20-24 years. The percentage of teen-age brides and grooms has decreased over the last several years.

The median age at first marriage was 22.9 years for brides and 24.5 years for grooms. The median age for remarried persons was much higher than for single persons: for brides whose previous marital status was "divorced", it was 32.1 years; for previously divorced grooms, it was 34.7 years. The median age at remarriage for the widowed was 53.8 years for brides and 60.7 years for grooms. The median age in Rhode Island for all marriages was 24.2 years for brides and 26.6 years for grooms.

Educational achievement for brides and grooms is shown in Table 38. Twenty per cent of the brides and 26 per cent of the grooms were college graduates (the 1980 figures were 20 and 24 per cent, respectively). Four per cent of all the brides and five per cent of all grooms had completed eight or less years of schooling.

The race of the vast majority (95 per cent) of the 1981 marital partners was white, 94 per cent of marriages were between two white persons, and four per cent were between two non-white persons. Marriages between white brides and non-white grooms were one per cent of the total; between non-white brides and white grooms, slightly less than one-half of one per cent.

DIVORCE

Reports of 3,413 final divorces were received by the Division of Vital Statistics in 1981 from the state's Family Courts. The rate of 3.6 per 1,000 estimated population was five per cent lower than the 1980 rate of 3.8. The 1977-1981 average rate of 3.7 was 164 per cent higher than the 1967-1971 rate of 1.4 (Table A).

The 1981 provisional national rate of 5.3 was 47 per cent above the state rate. The provisional national rates for the three previous years were 5.3, 5.3, and 5.2. Rhode Island's rate has been consistently below the national rate for the past 10 years (Figure 13).

The total population is a poor base for determining the divorce rate. A more precise measure of divorce is the number of divorces per 1,000 married females aged 15 and over. This rate is accurately known only in decennial census years. The Rhode Island rate for 1980 was 16.7 divorces per 1,000 married females aged 15 and over. The rates for the previous ten year intervals, 1970, 1960, 1950,1940, and 1930 were: 8.1, 5.0, 4.7, 4.2, and 5.0, respectively.

The highest daily average for divorces, (10.9 per day) occurred in January when 339 decrees were finalized. The lowest daily average (7.4 per day) occurred in November when 222 decrees became final. The daily average for the year was 9.3.

Rhode Island law does not provide for annulment, but there were thirteen divorces on the grounds of "void marriage" in 1981. The most frequent grounds for obtaining a final decree was "irreconcilable differences", accounting for 90 per cent of all divorces. Eight per cent were granted on the grounds of "living separate and apart three years" and one per cent on grounds of "extreme cruelty". The remaining divorces were distributed among the following grounds: "wilful desertion", "continued drunkenness", "neglect and refusal to provide", and "other gross misbehavior".

The 1981 data on duration of marriage show that 42 per cent of the marriages had endured ten years or more; 32 per cent, five to nine years; and 26 per cent, one to four years. Only five final decrees were entered before the couple had been married a full year.

Age of husband and wife at the time of divorce are cross tabulated for all 1981 divorces in Table 39 and are tabulated by age according to previous marital status for husband and wife in Table 41. The median age at time of divorce for all men was 31.4 years and for all women, 33.7. The median age at time of divorce after a first marriage was 32.4 for husbands and 30.0 for wives. The median age of person for whom the 1981 divorce terminated a remarriage was 39.8 for men and 36.2 for women. Among those terminating a remarriage, 21 per cent of the husbands and 15 per cent of the wives were 50 years of age or older. On those records where previous marital status was stated, eighty-two per cent of husbands and 81 per cent of wives were terminating a first marriage; 18 per cent of husbands and 19 per cent of wives were terminating a remarriage. Previous marital status was not statedfor five per cent of the husbands and six per cent of the wives.

At least 3,599 children under 18 years of age were affected by a 1981 divorce decree. There were 363 records with the information regarding children not stated (eleven per cent) (See Table 43). Thirty-one per cent of the divorces in 1981 involved no children; 26 per cent involved one child; 22 per cent involved two children; eight per cent, three children; and three per cent, four or more children.

Education is one of the most poorly reported items on the divorce record. Education was not stated for 11 per cent of both husbands and wives divorced in 1981. In those cases where the item was reported, 17 per cent of the husbands and 12 per cent of the wives were college graduates; eight per cent of the husbands and five per cent of the wives had completed eight years or less of schooling. A breakdown of educational achievement is shown in Table 44.

The race of the vast majority of people divorced in 1981 was white. Ninety-one per cent of husbands and 90 per cent of wives were stated to be white; four per cent of both husbands and wives were stated to be non-white; and the race item was not specified for five per cent of each.

Table 1 - United States Census Population of Rhode Island by Race and Sex, and Age by Sex, 1970 and 1980

	Total Population*			Male			Female		
Characteristic	1980	1970	Per Cent Change	1980	1970	Per Cent Change	1980	1970	Per Cent Change
RACE									
Total	947,154	949,723	- 0.3	451,251	464,291	- 2.8	495,903	482,434	+ 2.8
White	896,692	914,757	- 2.0	426,601	447,892	- 4.8	470,091	466,865	+ 0.7
Non-White	50,462	31,968	+ 57.9	24,650	16,399	+ 50.3	25,812	15,569	+ 65.8
Black	27,584	25,338	+ 8.9	13,351	12,825	+ 4.1	14,233	12,513	+ 13.7
Other Races	22,878	6,630	+245.1	11,299	3,574	+216.1	11,579	3,056	+278.9
AGE IN YEARS									
All Ages	947,154	949,723	- 0.3	451,251	464,291	- 2.8	495,903	482,434	+ 2.8
Under 5	56,692	76,035	- 25.4	28,887	38,878	- 25.7	27,805	37,157	- 25.2
Under 1	12,075	15,096	- 20.0	6,215	7,712	- 19.4	5,860	7,384	- 20.6
1 - 4	44,617	60,939	- 26.8	22,672	31,166	- 27.3	21,945	29,773	- 26.3
5 - 9	61,465	85,874	- 28.4	31,458	43,903	- 28.3	30,007	41,971	- 28.5
10 - 14	74,170	88,289	- 16.0	37,965	44,935	- 15.5	36,205	43,354	- 16.5
15 - 19	89,773	85,680	+ 4.8	44,771	44,181	+ 1.3	45,002	41,499	+ 8.4
20 - 24	90,231	87,963	+ 2.6	44,292	49,076	- 9.7	45,939	38,887	+ 18.1
25 - 29	76,215	59,319	+ 28.5	37,646	30,154	+ 24.8	38,569	29,165	+ 32.2
30 - 34	69,820	47,276	+ 47.7	34,583	23,586	+ 46.6	35,237	23,690	+ 48.7
35 - 39	54,393	47,465	+ 14.6	26,577	23,374	+ 13.7	27,816	24,091	+ 15.5
40 - 44	44,470	56,237	- 21.0	21,513	27,220	- 21.0	22,957	29,017	- 20.9
45 - 49	44,708	59,557	- 24.9	21,438	28,677	- 25.2	23,270	30,880	- 24.6
50 - 54	53,096	55,598	- 4.5	25,210	26,266	- 4.0	27,886	29,332	- 4.9
55 - 59	55,748	50,268	+ 10.9	26,182	23,523	+ 11.3	29,566	26,745	+ 10.5
60 - 64	49,451	43,232	+ 14.4	22,460	19,278	+ 16.5	26,991	23,954	+ 12.7
65 - 69	42,414	35,251	+ 20.3	16,346	14,947	+ 9.4	24,068	20,304	+ 18.5
70 - 74	33,148	28,665	+ 15.6	12,994	11,498	+ 13.0	20,154	17,167	+ 17.4
75 - 79	23,891	20,268	+ 17.9	8,619	7,892	+ 9.2	12,272	12,376	+ 23.4
80 - 84	15,491	12,030	+ 28.8	4,947	4,375	+ 13.1	10,544	7,655	+ 37.7
85 & Over	11,978	7,718	+ 55.2	3,363	2,528	+ 33.0	8,615	5,190	+ 66.0
Median Age	31.7	29.2	+ 8.6	30.1	26.9	+ 11.9	33.3	31.9	+ 4.4
65 Years & Over	126,922	103,932	+ 22.1	46,269	41,240	+ 12.2	78,653	62,692	+ 25.5

* The 1970 figures in this table add to 946,725 -- the original total. This total was later corrected to 949,723, but no corrections for age, sex, or race have been received.

Table 2 - Population of Rhode Island Cities and Towns by County: Census of 1970, 1980, and 1981 Estimate

City or Town by County	1970	1980	1981 Estimate*
STATE TOTAL	949,723	947,154	952,000
BRISTOL COUNTY	45,937	46,942	47,182
Barrington	17,554	16,174	16,257
Bristol	17,860	20,128	20,231
Warren	10,523	10,640	10,694
KENT COUNTY	142,382	154,163	154,952
Coventry	22,947	27,065	27,203
East Greenwich	9,577	10,211	10,263
Warwick	83,694	87,123	87,569
West Greenwich	1,841	2,738	2,752
West Warwick	24,323	27,026	27,164
NEWPORT COUNTY	94,228	81,383	81,799
Jamestown	2,911	4,040	4,061
Little Compton	2,385	3,085	3,101
Middletown	29,290	17,216	17,304
Newport	34,562	29,259	29,409
Portsmouth	12,521	14,257	14,330
Tiverton	12,559	13,526	13,595
PROVIDENCE COUNTY	581,470	571,349	574,272
Burrillville	10,087	13,164	13,231
Central Falls	18,716	16,995	17,082
Cranston	74,287	71,992	72,360
Cumberland	26,605	27,069	27,207
East Providence	48,207	50,980	51,241
Foster	2,626	3,370	3,387
Glocester	5,160	7,550	7,589
Johnston	22,037	24,907	25,034
Lincoln	16,182	16,949	17,036
North Providence	24,337	29,188	29,337
North Smithfield	9,349	9,972	10,023
Pawtucket	76,984	71,204	71,568
Providence	179,116	156,804	157,606
Scituate	7,489	8,405	8,448
Smithfield	13,468	16,886	16,972
Woonsocket	46,820	45,914	46,149
WASHINGTON COUNTY	85,706	93,317	93,795
Charlestown	2,863	4,800	4,825
Exeter	3,245	4,453	4,476
Hopkinton	5,392	6,406	6,439
Narragansett	7,138	12,088	12,150
New Shoreham	489	620	623
North Kingstown	29,793	21,938	22,050
Richmond	2,625	4,018	4,039
South Kingstown	16,913	20,414	20,518
Westerly	17,248	18,580	18,675

* Estimates obtained by extrapolation, using the 1981 statewide estimate obtained from Current Population Report Series, July 1, 1981, Series P-25, No. 913, and the 1980 U.S. Census Population.

Table 3 - Number of Live Births, Deaths, and Marriages with Rates by City and Town - Rhode Island, 1981
(Rates per 1,000 Population)

	LIVE BIRTHS			DEATHS			MARRIAGES	
	Number		Resident	Number		Resident	Occurrences	
City or Town	Occurrences	Residents	Rate	Occurrences	Residents	Rate	Number	Rate
STATE TOTAL	12,866	12,430	13.1	9,391	9,138	9.6	7,559	7.9
Barrington	0	162	10.0	20	97	6.0	122	7.5
Bristol	0	227	11.2	117	180	8.9	196	9.7
Burrillville	1	183	13.8	144	109	8.2	105	7.9
Central Falls	0	308	18.0	161	213	12.5	114	6.7
Charlestown	1	79	16.4*	11	39	8.1*	37	7.7*
Coventry	1	351	12.9	29	189	6.9	167	6.1
Cranston	1	656	9.1	489	759	10.5	432	6.0
Cumberland	1	264	9.7	89	225	8.3	244	9.0
East Greenwich	0	111	10.8	15	77	7.5	95	9.3
East Providence	3	595	11.6	211	534	10.4	315	6.1
Exeter	1	65	14.5*	7	31	6.9*	20	4.5*
Foster	1	43	12.7*	6	26	7.7*	36	10.6*
Glocester	0	110	14.5	7	42	5.5	27	3.6
Hopkinton	3	94	14.6	11	51	7.9	47	7.3
Jamestown	1	49	12.1*	8	46	11.3*	55	13.5*
Johnston	0	299	11.9	117	216	8.6	140	5.6
Lincoln	0	173	10.2	36	174	10.2	96	5.6
Little Compton	0	34	11.0*	10	26	8.4*	40	12.9*
Middletown	1	266	15.4	89	98	5.7	82	4.7
Narragansett	0	138	11.4	24	91	7.5	99	8.1
Newport	898	404	13.7	357	290	9.9	479	16.3
New Shoreham	0	14	22.5*	5	6	9.6*	31	49.8*
North Kingstown	0	333	15.1	69	134	6.1	139	6.3
North Providence	0	282	9.6	381	256	8.7	142	4.8
North Smithfield	0	90	9.0	225	97	9.7	60	6.0
Pawtucket	945	999	14.0	830	862	12.0	532	7.4
Portsmouth	4	233	16.3	22	92	6.4	96	6.7
Providence	7,281	2,539	16.1	3,524	1,819	11.5	1,415	9.0
Richmond	0	69	17.1*	5	33	8.2*	12	3.0*
Scituate	1	128	15.2	15	63	7.5	79	9.4
Smithfield	1	195	11.5	104	123	7.2	107	6.3
South Kingstown	515	264	12.9	247	143	7.0	236	11.5
Tiverton	2	145	10.7	42	121	8.9	123	9.0
Warren	1	143	13.4	64	105	9.8	86	8.0
Warwick	1,777	955	10.9	989	805	9.2	728	8.3
Westerly	648	250	13.4	293	163	8.7	199	10.7
West Greenwich	1	40	14.5*	7	14	5.1*	14	5.1*
West Warwick	0	412	15.2	57	266	9.8	227	8.4
Woonsocket	777	728	15.8	554	523	11.3	385	8.3

* Rate based on less than 5,000 population and may be statistically unreliable.

Table 4 - Population, Live Births, Deaths, Marriages and Divorces with Rates per 1,000 Population: Rhode Island, 1952-1981

		Resident Live Births		Resident Total Deaths		Rhode Island Occurrences Marriages		Divorces	
Year	Population Estimates (Except Census Years)	Number	Rate	Number	Rate	Number	Rate	Number	Rate
1952	797,000	17,098	21.5	8,240	10.3	6,952	8.3	1,026	1.3
1953	814,000	17,472	21.5	8,286	10.2	6,422	7.9	797	1.0
1954	817,000	18,046	22.1	8,191	10.0	6,110	7.5	823	1.0
1955	825,000	17,895	21.7	8,697	10.5	6,357	7.7	827	1.0
1956	843,000	18,174	21.6	8,415	10.0	6,325	7.5	913	1.1
1957	854,000	18,846	22.1	8,512	10.0	5,884	6.9	933	1.1
1958	860,000	18,295	21.3	8,737	10.2	5,659	6.6	946	1.1
1959	854,000	18,667	21.9	8,767	10.3	5,770	6.8	1,049	1.2
1960	859,488	18,386	21.4	8,984	10.5	5,817	6.8	1,055	1.2
1961	869,000	18,326	21.1	8,814	10.1	5,640	6.5	1,040	1.2
1962	877,600	18,320	20.9	9,127	10.4	5,575	6.4	921	1.0
1963	885,600	18,121	20.5	9,520	10.7	5,967	6.7	1,055	1.2
1964	893,500	18,010	20.2	9,319	10.4	6,103	6.8	1,100	1.2
1965	892,709	17,270	19.3	9,614	10.8	6,321	7.1	1,193	1.3
1966	898,000	16,314	18.2	9,454	10.5	6,122	6.8	1,273	1.4
1967	900,000	15,803	17.6	9,370	10.4	6,536	7.3	871	1.0
1968	914,000	15,211	16.6	9,717	10.6	7,311	8.0	971	1.1
1969	938,000	15,463	16.5	9,288	9.9	7,548	8.0	1,267	1.4
1970	949,723	15,821	16.7	9,497	10.0	7,531	7.9	1,687	1.8
1971	960,000	14,903	15.5	9,377	9.8	7,589	7.9	1,803	1.9
1972	968,000	13,288	13.7	9,519	9.8	7,858	8.1	2,018	2.1
1973	967,000	12,275	12.7	9,476	9.8	7,715	8.0	2,409	2.5
1974	940,300	11,337	12.1	9,089	9.7	7,255	7.7	2,522	2.7
1975	927,000	10,724	11.6	8,866	9.6	6,695	7.2	2,658	2.9
1976	927,000	10,786	11.6	9,168	9.9	6,905	7.4	3,276	3.5
1977	935,000	11,617	12.4	9,034	9.7	7,114	7.6	3,420	3.7
1978	935,000	11,515	12.3	8,847	9.5	7,277	7.8	3,475	3.7
1979	929,300	11,860	12.8	9,060	9.7	7,366	7.9	3,603	3.9
1980	947,154	12,166	12.8	9,300	9.8	7,490	7.9	3,593	3.8
1981	952,000	12,430	13.1	9,138	9.6	7,559	7.9	3,413	3.6

1952-1956 Data from Vital Statistics of the United States, U.S. Government Publications.

Table 5 - Number of Infant, Neonatal and Perinatal Deaths with Rates
Rhode Island Residents, 1952 - 1981

	INFANT DEATHS (Under One Year)		NEONATAL DEATHS (Under 28 Days)		PERINATAL DEATHS						MATERNAL DEATHS	
					Early Infants (Under 7 Days)		Late Fetal Deaths (28 Weeks & Over)		Total Perinatal			
Year	Number	Rate*	Number	Rate*	Number	Rate*	Number	Rate*	Number	Rate**	Number	Rate#
1952	390	22.8	305	17.8	272	15.9	196	11.5	468	27.1	8	4.7
1953	434	24.8	334	19.1	304	17.4	184	10.5	488	27.6	6	3.4
1954	416	23.1	332	18.4	295	16.3	199	11.0	494	27.1	11	6.1
1955	419	23.4	321	17.9	295	16.5	222	12.4	517	28.5	2	1.1
1956	439	24.2	332	18.3	304	16.7	223	12.3	527	28.6	3	1.7
1957	450	23.9	345	18.3	311	16.5	228	12.1	539	28.3	5	2.7
1958	388	21.2	287	15.7	257	14.0	208	11.4	465	25.1	5	2.7
1959	444	23.8	336	18.0	301	16.1	191	10.2	492	26.1	3	1.6
1960	423	23.0	300	16.3	280	15.2	195	10.6	475	25.6	6	3.3
1961	412	22.5	310	16.9	286	15.6	198	10.8	484	26.1	2	1.1
1962	468	25.5	350	19.1	311	17.0	202	11.0	513	27.7	1	0.5
1963	438	24.2	342	18.9	315	17.4	208	11.5	523	28.5	5	2.8
1964	449	24.9	342	19.0	310	17.2	196	10.9	506	27.8	2	1.1
1965	385	22.3	299	17.3	274	15.9	188	10.9	462	26.5	2	1.2
1966	359	22.0	269	16.5	247	15.1	151	9.3	398	24.2	2	1.2
1967	306	19.4	244	15.4	219	13.9	155	9.8	374	23.4	2	1.3
1968	326	21.4	252	16.6	236	15.5	131	8.6	267	23.9	-	-
1969	304	19.7	235	15.2	214	13.8	151	9.8	365	23.4	4	2.6
1970	312	19.7	241	15.2	218	13.8	135	8.5	353	22.1	4	2.5
1971	289	19.4	231	15.5	210	14.1	113	7.6	323	21.5	2	1.3
1972	257	19.3	194	14.6	176	13.2	93	7.0	269	20.1	-	-
1973	206	16.8	164	13.4	154	12.5	72	5.9	226	18.3	1	0.8
1974	176	15.5	137	12.1	124	10.9	79	7.0	203	17.8	1	0.9
1975	156	14.5	108	10.1	93	8.7	81	7.6	174	16.1	1	0.9
1976	155	14.4	121	11.2	106	9.8	74	6.9	180	16.6	1	0.9
1977	139	12.0	94	8.1	77	6.6	70	6.0	147	12.6	-	-
1978	158	13.7	121	10.5	99	8.6	61	5.3	160	13.8	2	1.7
1979	167	14.1	119	10.0	101	8.5	74	6.2	175	14.7	-	-
1980	133	10.9	102	8.4	86	7.1	72	5.9	158	12.9	2	1.6
1981	145	11.7	114	9.2	96	7.7	63	5.1	159	12.7	-	-

* Rate per 1,000 Live Births
** Rate per 1,000 Live Births Combined with Late Fetal Deaths
# Rate per 10,000 Live Births

TABLE 6 - RESIDENT DEATHS BY CITY OR TOWN OF RESIDENCE BY AGE, RACE, AND SEX
TOTAL RHODE ISLAND, 1981

CITY TOWN	TOTAL	UNDER ONE	1-4*	5-9	10-14	15-19	20-24	25-34*	35-44*	45-54*	55-59*	60-64	65-69	70-74*	75-79	80-84	85-99*	100+
RHODE ISLAND	9138	145	21	10	13	41	78	156	186	516	514	752	986	1193	1347	1261	1884	35
BARRINGTON	97	3	0	0	0	3	0	1	4	9	7	8	12	10	8	10	22	0
BRISTOL	180	4	2	0	1	1	0	5	3	14	8	14	15	25	22	25	40	1
BURRILLVILLE	109	1	1	0	2	0	2	1	1	3	9	11	12	15	13	22	16	0
CENTRAL FALLS	213	4	0	0	0	1	1	5	5	7	16	11	19	32	39	34	37	2
CHARLESTOWN	39	0	0	1	0	0	0	0	1	0	5	6	5	3	4	8	5	1
COVENTRY	189	5	0	0	0	0	3	5	7	13	18	21	22	30	22	19	23	1
CRANSTON	759	9	2	0	1	0	5	12	9	30	37	54	88	108	104	90	208	2
CUMBERLAND	225	1	0	0	0	5	2	5	4	12	17	29	24	30	31	26	39	0
EAST GREENWICH	77	1	0	1	0	0	0	0	4	6	4	4	4	5	16	9	22	1
EAST PROVIDENCE	534	4	3	1	1	2	1	9	8	25	26	65	51	58	88	89	102	1
EXETER	31	1	0	0	0	0	1	2	1	2	1	4	2	4	5	3	5	0
FOSTER	26	0	0	0	0	0	0	2	2	3	2	1	6	2	0	3	5	0
GLOCESTER	42	0	0	0	1	1	0	0	1	4	3	4	6	6	7	6	3	0
HOPKINTON	51	0	0	0	0	0	2	0	1	1	7	0	4	7	9	11	9	0
JAMESTOWN	46	2	0	0	0	0	0	3	1	3	1	3	3	10	6	7	7	0
JOHNSTON	216	5	1	0	0	2	5	6	5	9	16	15	30	33	22	30	37	0
LINCOLN	174	1	0	1	0	0	0	2	2	10	8	15	15	23	28	30	39	0
LITTLE COMPTON	26	0	0	0	0	1	0	1	0	4	0	3	1	4	6	1	5	0
MIDDLETOWN	98	2	0	2	0	1	1	2	2	6	6	7	12	8	12	10	26	1
NARRAGANSETT	91	3	1	0	0	1	1	0	4	5	5	4	15	17	13	12	9	1
NEWPORT	290	2	1	0	0	0	2	7	6	16	18	30	24	37	45	39	62	1
NEW SHOREHAM	6	0	0	0	0	0	0	0	0	0	0	1	1	0	1	0	3	0
NORTH KINGSTOWN	134	5	0	0	0	0	1	4	5	16	6	8	20	17	18	11	22	1
NORTH PROVIDENCE	256	1	0	0	0	0	5	2	9	14	12	25	35	42	25	44	42	0
NORTH SMITHFIELD	97	2	0	0	0	2	1	1	1	1	5	1	10	9	27	11	24	2
PAWTUCKET	662	16	4	1	1	2	3	13	15	51	49	59	101	117	124	115	189	2
PORTSMOUTH	92	1	0	1	0	0	0	2	0	7	11	7	10	12	13	15	13	0
PROVIDENCE	1819	28	2	2	1	6	18	37	36	93	93	141	164	224	289	266	410	9
RICHMOND	33	2	0	0	0	0	0	0	1	4	0	6	4	5	2	5	4	0
SCITUATE	63	1	0	0	0	0	1	0	1	2	4	6	8	5	9	13	13	0
SMITHFIELD	123	2	0	0	0	1	2	4	5	11	6	10	20	10	15	11	26	0
SOUTH KINGSTOWN	143	4	0	0	0	1	2	3	4	7	2	6	23	13	26	18	31	3
TIVERTON	121	1	0	0	2	2	3	0	0	10	11	16	15	18	17	13	12	1
WARREN	105	2	1	0	0	0	0	0	2	6	3	9	12	17	24	3	26	0
WARWICK	805	9	1	0	2	5	9	9	17	48	52	70	92	98	116	123	151	3
WESTERLY	163	4	0	0	0	1	1	2	2	10	9	17	22	24	14	23	34	0
WEST GREENWICH	14	0	0	0	0	1	0	0	1	3	1	1	0	3	3	0	1	0
WEST WARWICK	266	8	1	0	0	0	4	8	6	20	11	21	27	37	41	37	45	0
WOONSOCKET	523	11	1	0	1	2	2	3	10	31	25	39	52	75	83	69	117	2

* Includes one or more deaths with race and/or sex unknown.

TABLE 6 - RESIDENT DEATHS BY CITY OR TOWN OF RESIDENCE BY AGE, RACE, AND SEX
WHITE MALES RHODE ISLAND, 1981

CITY TOWN	TOTAL	UNDER ONE	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	85-99	100+
RHODE ISLAND	4609	70	14	4	6	26	56	100	111	295	329	468	589	692	682	545	615	7
BARRINGTON	52	2	0	0	0	2	0	0	1	3	6	4	10	8	4	5	7	0
BRISTOL	109	0	2	0	0	0	0	3	2	8	4	11	10	22	14	11	22	0
BURRILLVILLE	49	1	1	0	1	0	2	0	1	1	4	6	6	6	8	9	3	0
CENTRAL FALLS	107	1	0	0	0	1	1	3	3	3	14	6	11	23	15	17	9	0
CHARLESTOWN	24	0	0	0	0	0	0	0	0	0	3	4	4	2	3	5	3	0
COVENTRY	102	2	0	0	0	0	3	4	5	7	10	10	14	16	15	11	5	0
CRANSTON	379	5	1	0	1	0	4	8	5	17	26	38	53	60	52	36	73	0
CUMBERLAND	125	0	0	0	0	3	1	3	3	9	11	17	17	22	19	8	12	0
EAST GREENWICH	35	0	0	1	0	0	0	0	2	3	4	1	2	2	10	4	6	0
EAST PROVIDENCE	270	2	1	0	0	2	1	7	5	16	19	42	25	34	45	44	27	0
EXETER	20	0	0	0	0	0	0	2	1	2	1	3	2	2	4	3	0	0
FOSTER	16	0	0	0	0	0	0	0	2	2	2	1	4	1	0	1	3	0
GLOCESTER	20	0	0	0	0	1	0	0	0	1	3	1	2	6	5	1	0	0
HOPKINTON	25	0	0	0	0	0	0	0	1	1	5	0	2	5	5	4	2	0
JAMESTOWN	24	0	0	0	0	0	0	1	0	2	0	2	2	6	5	4	2	0
JOHNSTON	138	5	1	0	0	2	5	6	4	5	9	11	24	22	15	12	17	0
LINCOLN	83	0	0	1	0	0	0	0	0	6	3	12	6	12	14	16	13	0
LITTLE COMPTON	14	0	0	0	0	1	0	1	0	2	0	1	0	2	2	1	4	0
MIDDLETOWN	51	2	0	1	0	1	0	2	1	3	3	7	5	3	4	6	13	0
NARRAGANSETT	50	1	0	0	0	0	1	0	3	3	3	1	8	11	8	8	2	1
NEWPORT	138	1	1	0	0	0	2	7	2	6	11	16	16	21	25	16	14	0
NEW SHOREHAM	3	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0	1	0
NORTH KINGSTOWN	69	3	0	0	0	0	1	3	4	12	3	6	13	7	9	4	4	0
NORTH PROVIDENCE	125	1	0	0	0	0	4	1	3	8	8	14	22	23	10	21	10	0
NORTH SMITHFIELD	48	2	0	0	0	2	0	1	1	1	3	0	7	5	15	5	5	1
PAWTUCKET	453	9	3	0	1	2	2	9	11	35	36	34	62	73	67	46	61	2
PORTSMOUTH	47	1	0	0	0	0	0	1	0	6	5	5	4	8	8	6	3	0
PROVIDENCE	789	10	2	1	0	2	12	21	16	38	49	78	82	116	122	98	142	0
RICHMOND	21	1	0	0	0	0	0	0	1	2	0	4	1	5	2	4	1	0
SCITUATE	32	1	0	0	0	0	0	0	1	1	3	4	4	4	2	7	5	0
SMITHFIELD	68	1	0	0	0	1	2	3	4	6	3	5	14	6	9	7	7	0
SOUTH KINGSTOWN	71	1	0	0	0	0	1	2	4	5	1	3	14	7	12	6	14	1
TIVERTON	70	1	0	0	1	1	1	0	0	7	8	11	8	8	13	7	4	0
WARREN	57	0	1	0	0	0	0	0	1	6	2	5	10	12	11	1	8	0
WARWICK	421	6	1	0	1	1	8	5	11	31	36	48	60	52	54	51	55	1
WESTERLY	81	1	0	0	0	1	1	0	1	4	7	14	13	8	10	11	10	0
WEST GREENWICH	10	0	0	0	0	1	0	0	1	2	1	0	0	2	2	0	1	0
WEST WARWICK	143	4	0	0	0	0	2	6	4	12	9	13	18	25	20	15	15	0
WOONSOCKET	270	6	0	0	1	2	2	1	7	19	14	29	33	45	44	34	32	1

TABLE 6 - RESIDENT DEATHS BY CITY OR TOWN OF RESIDENCE BY AGE, RACE, AND SEX
WHITE FEMALES RHODE ISLAND, 1981

CITY TOWN	TOTAL	UNDER ONE	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-94	85-99	100+
RHODE ISLAND	4280	56	6	6	5	11	18	41	64	190	170	255	379	475	636	706	1237	25
BARRINGTON	45	1	0	0	0	1	0	1	3	6	1	4	2	2	4	5	15	0
BRISTOL	70	4	0	0	1	1	0	1	1	6	4	3	5	3	8	14	18	1
BURRILLVILLE	60	0	0	0	1	0	0	1	0	2	5	5	6	9	5	13	13	0
CENTRAL FALLS	106	3	0	0	0	0	0	2	2	4	2	5	8	9	24	17	26	2
CHARLESTOWN	14	0	0	1	0	0	0	0	1	0	2	2	1	1	1	3	2	0
COVENTRY	87	3	0	0	0	0	0	1	2	6	8	11	8	14	7	8	18	1
CRANSTON	377	3	1	0	0	0	1	4	4	12	11	16	35	47	52	54	135	2
CUMBERLAND	98	1	0	0	0	2	1	2	1	3	6	11	7	8	11	18	27	0
EAST GREENWICH	42	1	0	0	0	0	0	0	2	3	0	3	2	3	6	5	16	1
EAST PROVIDENCE	254	0	2	1	1	0	0	1	3	9	7	22	24	24	42	44	73	1
EXETER	11	1	0	0	0	0	1	0	0	0	0	1	0	2	1	0	5	0
FOSTER	10	0	0	0	0	0	0	2	0	1	0	0	2	1	0	2	2	0
GLOCESTER	22	0	0	0	1	0	0	0	1	3	0	3	4	0	2	5	3	0
HOPKINTON	24	0	0	0	0	0	1	0	0	0	1	0	2	2	4	7	7	0
JAMESTOWN	20	2	0	0	0	0	0	2	1	1	1	0	1	3	1	3	5	0
JOHNSTON	78	0	0	0	0	0	0	0	1	4	7	4	6	11	7	18	20	0
LINCOLN	90	0	0	0	0	0	0	2	2	4	5	3	9	11	14	14	26	0
LITTLE COMPTON	12	0	0	0	0	0	0	0	0	2	0	2	1	2	4	0	1	0
MIDDLETOWN	45	0	0	1	0	0	1	0	1	3	3	0	7	5	7	4	13	0
NARRAGANSETT	39	2	1	0	0	0	0	0	1	2	2	3	7	6	5	4	6	0
NEWPORT	131	1	0	0	0	0	0	0	4	3	6	11	6	13	18	22	46	1
NEW SHOREHAM	3	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	2	0
NORTH KINGSTOWN	63	2	0	0	0	0	0	1	1	4	3	2	7	10	9	6	17	1
NORTH PROVIDENCE	130	0	0	0	0	0	1	1	6	6	4	10	13	19	15	23	32	0
NORTH SMITHFIELD	49	0	0	0	0	0	1	0	0	0	2	1	3	4	12	6	19	1
PAWTUCKET	400	6	1	1	0	0	1	3	4	13	12	25	38	43	57	69	127	0
PORTSMOUTH	45	0	0	1	0	0	0	1	0	1	6	2	6	4	5	9	10	0
PROVIDENCE	868	8	0	1	0	1	4	5	11	36	33	42	70	93	147	162	246	9
RICHMOND	12	1	0	0	0	0	0	0	0	2	0	2	3	0	0	1	3	0
SCITUATE	31	0	0	0	0	0	1	0	0	1	1	2	4	1	7	6	8	0
SMITHFIELD	55	1	0	0	0	0	0	1	1	5	3	5	6	4	6	4	19	0
SOUTH KINGSTOWN	64	2	0	0	0	1	0	0	0	2	1	2	8	6	13	11	17	1
TIVERTON	51	0	0	0	1	1	2	0	0	3	3	5	7	10	4	6	8	1
WARREN	46	2	0	0	0	0	0	0	1	0	1	4	2	4	12	2	18	0
WARWICK	379	3	0	0	0	4	1	4	6	17	15	22	32	44	62	72	95	2
WESTERLY	78	3	0	0	0	0	0	2	0	6	2	3	9	14	4	12	23	0
WEST GREENWICH	4	0	0	0	0	0	0	0	0	1	0	1	0	1	1	0	0	0
WEST WARWICK	119	3	0	0	0	0	2	2	2	8	2	8	9	12	20	22	29	0
WOONSOCKET	248	3	1	0	0	0	0	2	2	11	11	10	19	30	38	35	85	1

TABLE 6 - RESIDENT DEATHS BY CITY OR TOWN OF RESIDENCE BY AGE, RACE, AND SEX

NON-WHITE MALES RHODE ISLAND, 1981

CITY TOWN	TOTAL	UNDER ONE	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	85-99	100+
RHODE ISLAND	115	8	1	0	2	2	4	5	6	18	5	15	13	8	11	3	13	1
BARRINGTON	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
BRISTOL	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
BURRILLVILLE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
CENTRAL FALLS	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
CHARLESTOWN	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
COVENTRY	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
CRANSTON	1	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0
CUMBERLAND	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
EAST GREENWICH	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
EAST PROVIDENCE	6	0	0	0	0	0	0	0	0	0	0	1	2	0	1	1	1	0
EXETER	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
FOSTER	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
GLOCESTER	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
HOPKINTON	1	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0
JAMESTOWN	1	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0
JOHNSTON	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LINCOLN	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LITTLE COMPTON	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
MIDDLETOWN	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NARRAGANSETT	2	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	1	0
NEWPORT	6	0	0	0	0	0	0	0	0	4	0	1	0	0	1	0	0	0
NEW SHOREHAM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NORTH KINGSTOWN	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0
NORTH PROVIDENCE	1	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0
NORTH SMITHFIELD	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PAWTUCKET	7	1	0	0	0	0	0	0	0	2	1	0	1	1	0	0	1	0
PORTSMOUTH	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PROVIDENCE	76	5	0	0	1	1	2	5	5	11	3	12	9	5	7	1	9	0
RICHMOND	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SCITUATE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SMITHFIELD	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SOUTH KINGSTOWN	5	1	0	0	0	0	1	0	0	0	0	0	1	0	1	0	0	1
TIVERTON	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
WARREN	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0
WARWICK	2	0	0	0	1	0	0	0	0	0	1	0	0	0	0	0	0	0
WESTERLY	2	0	0	0	0	0	0	0	1	0	0	0	0	1	0	0	0	0
WEST GREENWICH	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
WEST WARWICK	1	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
WOONSOCKET	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

TABLE 6 - RESIDENT DEATHS BY CITY OR TOWN OF RESIDENCE BY AGE, RACE, AND SEX
NON-WHITE FEMALES RHODE ISLAND, 1981

CITY TOWN	TOTAL	UNDER ONE	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	85-99	100+
RHODE ISLAND	124	10	0	0	0	2	0	8	3	12	9	14	5	16	18	7	18	2
BARRINGTON	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
BRISTOL	1	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0
BURRILLVILLE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
CENTRAL FALLS	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
CHARLESTOWN	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
COVENTRY	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
CRANSTON	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
CUMBERLAND	2	0	0	0	0	0	0	0	0	0	0	1	0	0	1	0	0	0
EAST GREENWICH	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
EAST PROVIDENCE	4	2	0	0	0	0	0	1	0	0	0	0	0	0	0	0	1	0
EXETER	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
FOSTER	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
GLOCESTER	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
HOPKINTON	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
JAMESTOWN	1	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0
JOHNSTON	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LINCOLN	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LITTLE COMPTON	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
MIDDLETOWN	2	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1
NARRAGANSETT	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NEWPORT	14	0	0	0	0	0	0	0	0	2	1	2	2	3	1	1	2	0
NEW SHOREHAM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NORTH KINGSTOWN	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NORTH PROVIDENCE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NORTH SMITHFIELD	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PAWTUCKET	1	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0
PORTSMOUTH	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PROVIDENCE	84	5	0	0	0	2	0	5	3	8	8	9	3	10	13	5	13	0
RICHMOND	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SCITUATE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SMITHFIELD	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SOUTH KINGSTOWN	3	0	0	0	0	0	0	1	0	0	0	1	0	0	0	1	0	0
TIVERTON	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
WARREN	1	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0
WARWICK	2	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1	0
WESTERLY	1	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0
WEST GREENWICH	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
WEST WARWICK	3	1	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0
WOONSOCKET	3	1	0	0	0	0	0	0	0	1	0	0	0	0	1	0	0	0

Table 7 - Deaths and Death Rates for Leading Causes in 1981 with Comparability Ratios* and for Comparable Causes in 1972-1980
(Rhode Island Residents, Rate per 100,000 Population)

1981 Rank	Cause of Death(ICDA)	1981* Number	1981* Rate	1980* Number	1980* Rate	1979* Number	1979* Rate	Comparability Ratio	1978 Number	1978 Rate	1977 Number	1977 Rate	1976 Number	1976 Rate	1975 Number	1975 Rate	1974 Number	1974 Rate	1973 Number	1973 Rate	1972 Number	1972 Rate
1.	Diseases of Heart(390-398,402,404-429)	3813	400.5	3831	404.5	3798	408.7	1.0126	3754	401.5	3757	401.8	3833	413.5	3778	407.6	4060	431.8	4051	418.9	4077	421.2
2.	Malignant Neoplasms# (140-208)	2152	226.1	2127	224.6	2124	228.6	1.0026	2159	230.9	2237	239.3	2117	228.4	2025	218.4	1926	204.8	1946	201.2	1939	200.3
3.	Cerebrovascular Diseases (430-438)	622	65.3	723	76.3	708	76.2	1.0049	698	74.7	769	82.2	761	82.1	770	83.1	713	75.8	834	86.2	881	91.0
4.	Accidents and Adverse Effects(E800-E949)	293	30.8	328	34.6	309	33.3	0.9970	262	28.0	335	35.8	287	31.0	290	31.3	336	35.7	399	41.3	353	36.5
.	Chronic Obstructive Pulmonary Diseases and Allied Conditions(490-496)	275	28.9	279	29.5	239	25.7	N.A.	211	22.6	169	18.1	222	23.9	177	19.1	186	19.8	169	17.5	174	18.0
5.	Pneumonia and Influenza (480-487)	235	24.7	206	21.7	149	16.0	0.9264	171	18.3	130	13.9	212	22.9	149	16.1	232	24.7	303	31.3	289	29.9
7.	Diabetes Mellitus(250)	181	19.0	199	21.0	198	21.3	0.9991	205	21.9	185	19.8	209	22.5	223	24.1	202	21.5	257	26.6	250	25.8
8.	Chronic Liver Disease and Cirrhosis(571)	135	14.2	148	15.6	139	15.0	1.0110	136	14.5	163	17.4	161	17.4	185	20.0	172	18.3	146	15.1	166	17.1
9.	Atherosclerosis(440)	124	13.0	135	14.3	166	17.9	1.0649	132	14.1	129	13.8	137	14.8	129	13.9	104	11.1	122	12.6	112	11.6
10.	Suicide(E950-E959)	105	11.0	108	11.4	115	12.4	1.0032	110	11.8	142	15.2	112	12.1	102	11.0	104	11.1	79	8.2	63	6.5
11.	Nephritis, Nephrotic Syndrome, and Nephrosis(580-589)	85	8.9	81	8.6	80	8.6	1.7397	32	3.4	43	4.6	43	4.6	49	5.3	30	3.2	33	3.4	38	3.9
2.	Certain Conditions Originating in the Perinatal Period(760-779)	77	8.1	69	7.3	93	10.0	1.0765	81	8.7	62	6.6	82	8.8	75	8.1	104	11.1	114	11.8	145	15.0
3.	Congenital Anomalies(740-759)	63	6.6	58	6.1	60	6.5	0.9984	65	7.0	59	6.3	61	6.6	45	4.9	51	5.4	69	7.1	67	6.9
3.	Septicemia(038)	63	6.6	37	3.9	37	4.0	0.8500	26	2.8	19	2.0	29	3.1	12	1.3	22	2.3	21	2.2	20	2.1
5.	Homicide and Legal Intervention(E960-E978)	48	5.0	55	5.8	37	4.0	1.0057	41	4.4	41	4.4	27	2.9	36	3.9	36	3.8	37	3.8	23	2.4
6.	Hypertension with or without Renal Disease(401,403)	35	3.7	32	3.4	37	4.0	1.2703	33	3.5	21	2.2	36	3.9	23	2.5	26	2.8	31	3.2	37	3.8
7.	Hernia and Intestinal Obstruction(550-553,560)	27	2.8	33	3.5	21	2.3	0.9432	16	1.7	31	3.3	27	2.9	25	2.7	39	4.1	32	3.3	26	2.7
8.	Benign Neoplasms#(210-239)	25	2.6	31	3.3	24	2.6	1.2085	22	2.4	29	3.1	24	2.6	15	1.6	30	3.2	31	3.2	20	2.1
8.	Ulcer of Stomach and Duodenum(531-533)	25	2.6	38	4.0	27	2.9	1.1192	26	2.8	30	3.2	34	3.7	32	3.5	25	2.7	40	4.1	33	3.4
0.	Cholelithiasis=(574-575)	15	1.6	10	1.1	14	1.5	1.0494	24	2.6	20	2.1	14	1.5	17	1.8	18	1.9	17	1.8	18	1.9

Caution should be observed in comparing 1979, 1980, and 1981 causes with previous years because of major changes resulting in the adoption of the Ninth Revision of the International Classification of Diseases in 1979. See Introduction for a discussion of comparability ratios.

For complete category title, see Ninth Revision, International Classification of Diseases, 1975.

.A. Comparability ratio not available for categories 490-496. See discussion of this category on Page 22.

Table 8 - Selected Health Characteristics for Rhode Island Residents by Neighborhood and City or Town: Five-Year Totals* with Average Rates, 1977-1981

Neighborhood by City or Town	Census Tracts	1980 Population	Total Deaths		Infant Deaths		Live Births		Births Out of Wedlock		Low Birth Weight	
			Number	Average Rate**	Number	Average Rate#	Number	Average Rate **	Number	Ratio#	Number	Ratio#
RHODE ISLAND		947,154	45,379	9.6	742	12.5	59,588	12.6	8,774	147.2	3,850	64.6
Barrington	301-304	16,174	547	6.8	6	7.5	803	9.9	22	27.4	37	46.1
Bristol	307-309	20,128	898	8.9	10	8.7	1,150	11.4	84	73.0	69	60.0
Burrillville	129,130	13,164	541	8.2	6	6.8	876	13.3	70	79.9	54	61.6
Central Falls	108-111	16,995	1,054	12.4	21	14.7	1,425	16.8	303	212.6	118	82.8
Charlestown	511	4,800	163	6.8(a)	4	11.0(a)	364	15.2(a)	40	109.9(a)	20	54.9(a)
Coventry	206,207	27,065	912	6.7	24	13.5	1,782	13.2	158	88.7	92	51.6
Cranston	134-148	71,992	3,647	10.1	29	8.7	3,321	9.2	279	84.0	178	53.6
Edgewood-Pawtuxet	134-136	13,382	747	11.2	4	5.3	760	11.4	90	118.4	43	56.6
Auburn	137,138,140	18,402	1,114	12.1	8	8.4	948	10.3	55	58.0	42	44.3
Garden City-Dean Estates	139,143,144	12,077	562	9.3	2	6.0	334	5.5(a)	18	53.9(a)	16	47.9(a)
Arlington-Knightsville	141,147	11,017	716	13.0	8	12.8	624	11.3	73	117.0	39	62.5
West Cranston	145,146,148	13,165	396	6.0	7	12.5	558	8.5	32	57.3	30	53.8
State Institutions-Pettaconsett	142	3,949	104	5.3(a)	0	0.0(a)	95	4.8(a)	11	115.8(a)	8	84.2(a)
Cumberland	112-114	27,069	1,072	7.9	20	15.7	1,277	9.4	100	78.3	55	43.1
North	114	14,290	515	7.2	9	15.2	593	8.3	35	59.0	26	43.8
South	112,113	12,779	557	8.7	11	16.1	682	10.7	65	95.3	29	42.5
East Greenwich	209	10,211	416	8.1	7	13.9	502	9.8	49	97.6	36	71.7
East Providence	101-107	50,980	2,524	9.9	29	10.0	2,913	11.4	278	95.4	163	56.0
North	101	7,463	383	10.3	5	13.0(a)	384	10.3	26	67.7(a)	22	57.3(a)
North Center	102,103	11,694	635	10.9	9	11.8	762	13.0	86	112.9	45	59.1
South Center	104,105	17,076	798	9.3	8	8.4	958	11.2	84	87.7	51	53.2
South	106,107	14,747	708	9.6	7	8.6	810	11.0	82	101.2	45	55.6
Exeter	505	4,453	120	5.4(a)	5	14.8(a)	338	15.2(a)	29	85.8(a)	20	59.2(a)
Foster	133	3,370	125	7.4(a)	1	4.9(a)	203	12.0(a)	10	49.3(a)	14	69.0(a)
Glocester	131	7,550	267	7.1	5	10.2(a)	492	13.0	34	69.1(a)	31	63.0(a)
Hopkinton	507	6,406	251	7.8	9	20.6(a)	437	13.6	47	107.6(a)	26	59.5(a)
Jamestown	413	4,040	218	10.8(a)	6	22.1(a)	272	13.4(a)	19	69.9(a)	13	47.9(a)
Johnston	122-125	24,907	926	7.4	11	8.5	1,292	10.4	80	61.9	64	49.5
Lincoln	115-117	16,949	860	10.1	8	10.2	788	9.3	55	69.8	28	35.5
North	115	4,717	266	11.3(a)	1	4.2(a)	237	10.0(a)	11	46.4(a)	10	42.2(a)
South	116,117	12,232	594	9.7	7	12.7	550	9.0	44	80.0	18	32.7
Little Compton	414	3,085	151	9.8(a)	2	11.6(a)	173	11.2(a)	20	115.6(a)	6	34.7(a)
Middletown	402-404	17,186	530	6.2	19	14.2	1,340	15.6	106	79.1	73	54.5
Narragansett	515	12,088	404	6.7	6	8.0	749	12.4	59	78.8	34	45.4
Newport	405-412	29,259	1,517	10.4	29	13.7	2,118	14.5	499	235.6	164	77.4
North	405,406,410-412	16,421	790	9.6	20	15.9	1,260	15.3	371	294.4	112	88.9
South	407-409	12,838	684	10.7	7	10.1	693	10.8	99	142.9	39	56.3
New Shoreham	415	620	46	14.8(a)	0	0.0	54	17.4(a)	5	92.6(a)	2	37.0(a)
North Kingstown	501-504	21,938	772	7.0	9	5.4	1,657	15.1	132	79.7	82	49.5
North Providence	118-121	29,188	1,300	8.9	4	2.9	1,374	9.4	65	47.3	70	50.9
North Smithfield	128	9,972	415	8.3	8	16.4(a)	489	9.8	30	61.3(a)	31	63.4(a)
Pawtucket	149-171	71,204	4,286	12.0	63	13.5	4,664	13.1	702	150.5	308	66.0
Fairlawn	150-163	7,139	367	10.3	2	5.3(a)	379	10.6	27	71.2(a)	19	50.1(a)
Woodlawn-Downtown	149,151,152,161, 162,164	16,254	1,208	14.9	16	12.1	1,320	16.2	309	234.1	94	71.2
Oakhill	165,166	5,658	323	11.4	2	5.8(a)	343	12.1	27	78.7(a)	19	55.4(a)

Table 8 - Selected Health Characteristics for Rhode Island Residents by Neighborhood and City or Town: Five-Year Totals* with Average Rates, 1977-1981

Neighborhood by City or Town	Census Tracts	1980 Population	Total Deaths		Infant Deaths		Live Births		Births Out of Wedlock		Low Birth Weight	
			Number	Average Rate**	Number	Average Rate#	Number	Average Rate **	Number	Ratio#	Number	Ratio#
(Pawt. cont'd)												
Pleasant View-East Side	153,154,160, 167, 171	14,874	824	11.1	28	23.3	1,204	16.2	219	181.9	89	73.9
North Darlington	155-159	17,638	993	11.3	10	9.4	1,062	12.0	98	92.3	65	61.2
South Darlington	168-170	9,641	566	11.7	5	14.2(a)	352	7.3	21	59.7(a)	21	59.7(a)
Portsmouth	401	14,257	459	6.4	7	6.7	1,049	14.7	70	66.7	46	43.9
Providence	001-037	156,804	9,443	12.0	192	16.5	11,607	14.8	3,452	297.4	1,045	90.0
Washington Park	001	7,763	376	9.7	6	8.6	697	18.0	170	243.9	43	61.7
Elmwood	002,003	14,219	844	11.9	36	21.2	1,701	23.9	653	383.9	169	99.4
South Providence***	004-007	9,271	533	11.5	33	27.7	1,190	25.7	677	568.9	142	119.3
Federal Hill-Olneyville	008-011,019	14,041	1,312	18.7	13	14.8	880	12.5	281	319.3	83	94.3
West End	012-015	13,968	898	12.9	31	19.3	1,608	23.0	613	381.2	165	102.6
Annex-Manton	016-018,020	17,630	1,071	12.1	22	15.6	1,412	16.0	329	233.0	111	78.6
Elmhurst-Upper Mt. Pleasand	021,023,024	20,755	1,144	11.0	5	5.7	877	8.5	87	99.2	56	63.9
Smith Hill-Lower Mt. Pleasant	022,025,026	9,404	667	14.2	11	14.1	779	16.6	203	260.6	56	71.9
Eagle Park-Wanskuck	027-029	14,791	829	11.2	12	14.0	859	11.6	174	202.6	64	74.5
Hope	030-033	12,299	858	14.0	13	16.7	780	12.7	190	243.6	90	115.4
East Side	034,035	10,185	596	11.7	5	12.4(a)	402	7.9	19	47.3(a)	27	67.2(a)
College Hill-Fox Point	036,037	12,278	308	5.0	5	12.3(a)	408	6.6	48	117.6(a)	37	90.7(a)
Inner City#	003-007,009-014, 019,025,026,031, 037	51,673	3,456	13.4	112	21.7	5,162	20.0	2,134	413.4	561	108.7
Richmond	506	4,018	121	6.0(a)	6	18.7(a)	321	16.0	42	130.8(a)	9	28.0(a)
Scituate	132	8,405	334	7.9	4	7.8	512	12.2	36	70.3	24	46.9
Smithfield	126,127	16,886	543	6.4	8	9.3	859	10.2	55	64.0	52	60.5
South Kingstown	512-514	20,414	652	6.4	10	8.3	1,203	11.8	158	131.3	69	57.4
Tiverton	416,417	13,526	535	7.9	6	8.4	713	10.5	59	82.7	37	51.9
Warren	305,306	10,640	512	9.6	10	15.3	653	12.3	57	87.3	39	59.7
Warwick	210-224	87,123	3,984	9.1	47	9.8	4,790	11.0	440	91.9	276	57.6
Lakewood-Spring Green	210,212,213	17,633	1,036	11.8	6	7.0	852	9.7	58	68.1	45	52.8
Norwood-Hillsgrove	211,214	14,830	649	8.8	5	6.2	803	10.8	58	72.2	42	52.3
Greenwood-Pontiac	221,223	9,155	450	9.8	1	2.4(a)	414	9.0	28	67.6(a)	14	33.8(a)
Buttonwoods	219	12,407	516	8.3	10	13.5	740	11.9	45	60.8	45	60.8
Oakland Beach-Warwick Neck	215-218	18,433	796	8.6	12	10.1	1,191	12.9	200	167.9	83	69.7
Cowesett-Potowamut	220,222,224	14,395	537	7.5	13	16.5	789	11.0	51	64.6	47	59.6
Westerly	508,510	18,580	865	9.3	17	13.0	1,310	14.1	144	109.9	63	48.1
West Greenwich	208	2,738	78	5.7(a)	1	5.2(a)	193	14.1(a)	12	62.2(a)	10	51.8(a)
West Warwick	201-205	27,026	1,166	8.6	31	15.2	2,039	15.1	251	123.1	126	61.8
Woonsocket	172-185	45,914	2,725	11.9	62	17.8	3,486	15.2	723	207.4	266	76.3
Fairmount-Central	172,174,176	8,844	437	9.9	11	13.5	812	18.4	262	322.7	66	81.3
Globe-North End	173,175	7,305	432	11.8	8	15.2	528	14.5	49	92.8	30	56.8
Bernon	177-179	10,177	606	11.9	14	18.3	767	15.1	148	193.0	66	86.0
Social	180-183	8,983	762	17.0	17	21.5	789	17.6	180	228.1	65	82.4
East Woonsocket	184,185	10,605	487	9.2	12	20.5	586	11.1	81	138.2	39	66.6

* Many city and town totals include items with census tract unknown; thus the sum of neighborhood figures will not always equal the city or town total.

** Average rate per 1,000 population according to the 1980 Census.

*** South Providence is also referred to as "Model City Area".

= Average ratio per 1,000 live births, 1977-1981.

=# Providence "Inner City" grouping includes census tracts that also appear in other neighborhood groupings.

(a)Rate based on fewer than 500 live births and/or less than 5,000 population and may be statistically unreliable.

Table 9 - Number of Births Out of Wedlock with Ratio per 1,000 Live Births: Rhode Island, 1958-1981 (Rhode Island Residents)

BIRTHS OUT OF WEDLOCK					
Year	Number	Ratio	Year	Number	Ratio
1958	576	31.5	1970	1,148	72.6
1959	614	32.9	1971	1,116	74.9
1960	611	33.2	1972	1,064	80.1
1961	611	33.3	1973	1,140	92.9
1962	528	28.8	1974	1,133	99.9
1963	580	21.0	1975	1,244	116.0
1964	662	36.8	1976	1,352	125.3
1965	694	40.2	1977	1,577	135.7
1966	778	47.7	1978	1,623	140.9
1967	847	53.6	1979	1,704	143.7
1968	911	59.9	1980	1,904	156.5
1969	1,022	66.1	1981	1,966	158.2

Table 10 - Resident Births Out of Wedlock with Ratio per 1,000 Total Births in Specified Age Group: Rhode Island 1972-1981

			AGE OF MOTHER IN YEARS				
Year		Total	Under 20	20-24	25-29	30-34	35 and Over
1972	Number	1,064	520	335	111	57	41
	Ratio	80.1	281.8	68.2	27.0	35.3	51.6
1973	Number	1,140	567	380	112	53	27
	Ratio	92.9	304.3	87.8	29.0	34.6	39.4
1974	Number	1,133*	585	331	142	53	19
	Ratio	99.9	336.8	85.4	37.3	38.1	37.0
1975	Number	1,244	618	379	163	53	31
	Ratio	116.0	385.5	103.6	44.5	40.0	66.1
1976	Number	1,352*	632	430	192	66	31
	Ratio	125.3	401.3	116.5	51.8	48.2	70.0
1977	Number	1,577	700	589	181	72	35
	Ratio	135.7	431.6	147.4	46.3	45.1	71.4
1978	Number	1,623*	693	583	215	95	36
	Ratio	140.9	467.0	150.6	55.5	53.2	72.6
1979	Number	1,704*	715	605	260	90	34
	Ratio	143.7	477.9	154.7	64.3	47.0	68.8
1980	Number	1,904	764	726	269	102	43
	Ratio	156.5	510.0	176.9	66.9	50.3	83.2
1981	Number	1,966*	768	743	286	127	40
	Ratio	158.2	526.7	183.7	67.6	59.3	72.3

* Includes one or more items with age not stated.

TABLE 11 - RESIDENT LIVE BIRTHS BY AGE OF MOTHER, SEX OF CHILD, RACE AND LIVE BIRTH ORDER, RHODE ISLAND, 1981

RACE, SEX, AND AGE OF MOTHER	TOTAL	LIVE BIRTH ORDER FIRST	SECOND	THIRD	FOURTH	FIFTH	SIXTH	SEVENTH	EIGHTH & OVER	UNKNOWN
ALL AGES										
TOTAL	12430	5668	4124	1730	529	207	74	39	36	23
WHITE MALE	5878	2742	1957	810	232	79	29	15	7	7
WHITE FEMALE	5249	2444	1809	687	193	65	20	10	13	8
NON-WHITE MALE	665	245	193	113	56	34	9	4	10	1
NON-WHITE FEMALE	584	209	157	111	46	29	14	10	5	3
UNKNOWN MALE	24	17	1	3	0	0	0	0	1	2
UNKNOWN FEMALE	30	11	7	6	2	0	2	0	0	2
UNDER 15 YEARS										
TOTAL	18	18	0	0	0	0	0	0	0	0
WHITE MALE	6	6	0	0	0	0	0	0	0	0
WHITE FEMALE	7	7	0	0	0	0	0	0	0	0
NON-WHITE MALE	2	2	0	0	0	0	0	0	0	0
NON-WHITE FEMALE	2	2	0	0	0	0	0	0	0	0
UNKNOWN FEMALE	1	1	0	0	0	0	0	0	0	0
15 YEARS										
TOTAL	61	59	2	0	0	0	0	0	0	0
WHITE MALE	20	19	1	0	0	0	0	0	0	0
WHITE FEMALE	22	21	1	0	0	0	0	0	0	0
NON-WHITE MALE	10	10	0	0	0	0	0	0	0	0
NON-WHITE FEMALE	8	8	0	0	0	0	0	0	0	0
UNKNOWN MALE	1	1	0	0	0	0	0	0	0	0
16 YEARS										
TOTAL	143	136	7	0	0	0	0	0	0	0
WHITE MALE	67	65	2	0	0	0	0	0	0	0
WHITE FEMALE	51	49	2	0	0	0	0	0	0	0
NON-WHITE MALE	10	10	0	0	0	0	0	0	0	0
NON-WHITE FEMALE	15	12	3	0	0	0	0	0	0	0
17 YEARS										
TOTAL	285	246	36	3	0	0	0	0	0	0
WHITE MALE	132	116	15	1	0	0	0	0	0	0
WHITE FEMALE	104	89	14	1	0	0	0	0	0	0
NON-WHITE MALE	24	18	5	1	0	0	0	0	0	0
NON-WHITE FEMALE	24	23	1	0	0	0	0	0	0	0
UNKNOWN MALE	1	0	1	0	0	0	0	0	0	0

TABLE 11 - RESIDENT LIVE BIRTHS BY AGE OF MOTHER, SEX OF CHILD, RACE AND LIVE BIRTH ORDER, RHODE ISLAND, 1981

RACE, SEX, AND AGE OF MOTHER	LIVE BIRTH ORDER									
	TOTAL	FIRST	SECOND	THIRD	FOURTH	FIFTH	SIXTH	SEVENTH	EIGHTH & OVER	UNKNOWN
18 YEARS										
TOTAL	337	273	55	6	1	0	0	0	0	2
WHITE MALE	149	126	21	2	0	0	0	0	0	0
WHITE FEMALE	132	108	21	1	1	0	0	0	0	1
NON-WHITE MALE	28	21	6	1	0	0	0	0	0	0
NON-WHITE FEMALE	24	15	7	2	0	0	0	0	0	0
UNKNOWN MALE	2	2	0	0	0	0	0	0	0	0
UNKNOWN FEMALE	2	1	0	0	0	0	0	0	0	1
19 YEARS										
TOTAL	614	454	130	28	2	0	0	0	0	0
WHITE MALE	293	230	54	9	0	0	0	0	0	0
WHITE FEMALE	237	174	56	6	1	0	0	0	0	0
NON-WHITE MALE	41	22	11	7	1	0	0	0	0	0
NON-WHITE FEMALE	39	24	9	6	0	0	0	0	0	0
UNKNOWN MALE	1	1	0	0	0	0	0	0	0	0
UNKNOWN FEMALE	3	3	0	0	0	0	0	0	0	0
20 YEARS										
TOTAL	691	447	201	30	9	2	0	0	0	2
WHITE MALE	325	217	90	12	5	0	0	0	0	1
WHITE FEMALE	272	186	76	9	0	1	0	0	0	0
NON-WHITE MALE	43	19	18	3	3	0	0	0	0	0
NON-WHITE FEMALE	44	19	17	5	1	1	0	0	0	1
UNKNOWN MALE	3	3	0	0	0	0	0	0	0	0
UNKNOWN FEMALE	4	3	0	1	0	0	0	0	0	0
21 YEARS										
TOTAL	758	435	247	59	12	4	0	0	0	1
WHITE MALE	357	214	119	22	1	1	0	0	0	0
WHITE FEMALE	297	178	94	19	4	1	0	0	0	1
NON-WHITE MALE	61	31	20	5	5	0	0	0	0	0
NON-WHITE FEMALE	40	10	14	12	2	2	0	0	0	0
UNKNOWN MALE	2	2	0	0	0	0	0	0	0	0
UNKNOWN FEMALE	1	0	0	1	0	0	0	0	0	0
22 YEARS										
TOTAL	798	434	256	83	19	4	2	0	0	0
WHITE MALE	359	197	117	36	7	1	1	0	0	0
WHITE FEMALE	339	199	108	25	5	2	0	0	0	0
NON-WHITE MALE	48	16	19	9	3	1	0	0	0	0
NON-WHITE FEMALE	45	17	11	12	4	0	1	0	0	0
UNKNOWN MALE	5	4	0	1	0	0	0	0	0	0
UNKNOWN FEMALE	2	1	1	0	0	0	0	0	0	0

TABLE 11 - RESIDENT LIVE BIRTHS BY AGE OF MOTHER, SEX OF CHILD, RACE AND LIVE BIRTH ORDER, RHODE ISLAND, 1981

RACE, SEX, AND AGE OF MOTHER	TOTAL	LIVE BIRTH ORDER FIRST	SECOND	THIRD	FOURTH	FIFTH	SIXTH	SEVENTH	EIGHTH & OVER	UNKNOWN
23 YEARS										
TOTAL	858	436	273	122	21	4	1	0	0	1
WHITE MALE	408	227	124	47	9	0	0	0	0	1
WHITE FEMALE	365	182	127	51	3	1	1	0	0	0
NON-WHITE MALE	48	16	11	13	6	2	0	0	0	0
NON-WHITE FEMALE	35	11	10	11	2	1	0	0	0	0
UNKNOWN FEMALE	2	0	1	0	1	0	0	0	0	0
24 YEARS										
TOTAL	939	452	329	114	30	10	1	0	0	3
WHITE MALE	442	212	164	46	13	5	0	0	0	2
WHITE FEMALE	400	205	143	44	7	1	0	0	0	0
NON-WHITE MALE	47	18	12	12	2	2	1	0	0	0
NON-WHITE FEMALE	48	16	9	12	8	2	0	0	0	1
UNKNOWN FEMALE	2	1	1	0	0	0	0	0	0	0
25-29 YEARS										
TOTAL	4231	1657	1667	639	182	61	16	4	0	5
WHITE MALE	2012	795	795	309	77	27	7	1	0	1
WHITE FEMALE	1865	775	756	255	59	16	1	1	0	2
NON-WHITE MALE	195	44	67	42	24	12	3	2	0	1
NON-WHITE FEMALE	149	40	47	29	21	6	5	0	0	1
UNKNOWN MALE	4	3	0	1	0	0	0	0	0	0
UNKNOWN FEMALE	6	0	2	3	1	0	0	0	0	0
30-34 YEARS										
TOTAL	2140	534	788	507	186	69	28	12	10	6
WHITE MALE	1069	275	395	258	94	27	12	3	4	1
WHITE FEMALE	913	233	348	215	80	21	7	3	3	3
NON-WHITE MALE	74	15	22	17	7	7	2	2	2	0
NON-WHITE FEMALE	76	9	21	16	5	14	6	4	1	0
UNKNOWN MALE	3	1	0	1	0	0	0	0	0	1
UNKNOWN FEMALE	5	1	2	0	0	0	1	0	0	1
35-39 YEARS										
TOTAL	476	80	122	124	59	40	18	18	14	1
WHITE MALE	203	39	54	61	23	13	5	8	0	0
WHITE FEMALE	213	37	58	54	29	17	8	5	4	1
NON-WHITE MALE	29	2	2	2	4	9	3	0	7	0
NON-WHITE FEMALE	28	2	8	6	3	1	1	5	2	0
UNKNOWN MALE	1	0	0	0	0	0	0	0	1	0
UNKNOWN FEMALE	2	0	0	1	0	0	1	0	0	0

TABLE 11 - RESIDENT LIVE BIRTHS BY AGE OF MOTHER, SEX OF CHILD, RACE AND LIVE BIRTH ORDER, RHODE ISLAND, 1981

RACE, SEX, AND AGE OF MOTHER	TOTAL	LIVE BIRTH ORDER								
		FIRST	SECOND	THIRD	FOURTH	FIFTH	SIXTH	SEVENTH	EIGHTH & OVER	UNKNOWN
40-44 YEARS										
TOTAL	71	5	10	14	8	10	8	3	12	1
WHITE MALE	34	3	6	7	3	5	4	2	3	1
WHITE FEMALE	28	1	4	6	4	3	3	1	6	0
NON-WHITE MALE	4	1	0	1	1	0	0	0	1	0
NON-WHITE FEMALE	5	0	0	0	0	2	1	0	2	0
45-49 YEARS										
TOTAL	6	0	0	1	0	3	0	2	0	0
WHITE MALE	1	0	0	0	0	0	0	1	0	0
WHITE FEMALE	3	0	0	1	0	2	0	0	0	0
NON-WHITE MALE	1	0	0	0	0	1	0	0	0	0
NON-WHITE FEMALE	1	0	0	0	0	0	0	1	0	0
AGE UNKNOWN										
TOTAL	4	2	1	0	0	0	0	0	0	1
WHITE MALE	1	1	0	0	0	0	0	0	0	0
WHITE FEMALE	1	0	1	0	0	0	0	0	0	0
NON-WHITE FEMALE	1	1	0	0	0	0	0	0	0	0
UNKNOWN MALE	1	0	0	0	0	0	0	0	0	1

TABLE 12 - RESIDENT BIRTHS OUT OF WEDLOCK BY AGE OF MOTHER, SEX OF CHILD, RACE AND LIVE BIRTH ORDER, RHODE ISLAND, 1981

RACE, SEX, AND AGE OF MOTHER	TOTAL	LIVE BIRTH ORDER FIRST	SECOND	THIRD	FOURTH	FIFTH	SIXTH	SEVENTH	EIGHTH & OVER	UNKNOWN
ALL AGES										
TOTAL	1966	1209	403	191	100	34	15	8	3	3
WHITE MALE	779	519	138	63	34	12	7	3	2	1
WHITE FEMALE	678	451	134	52	30	6	2	2	1	0
NON-WHITE MALE	247	104	73	40	19	8	2	1	0	0
NON-WHITE FEMALE	234	116	55	32	16	8	3	2	0	2
UNKNOWN MALE	13	12	0	1	0	0	0	0	0	0
UNKNOWN FEMALE	15	7	3	3	1	0	1	0	0	0
UNDER 15 YEARS										
TOTAL	18	18	0	0	0	0	0	0	0	0
WHITE MALE	6	6	0	0	0	0	0	0	0	0
WHITE FEMALE	7	7	0	0	0	0	0	0	0	0
NON-WHITE MALE	2	2	0	0	0	0	0	0	0	0
NON-WHITE FEMALE	2	2	0	0	0	0	0	0	0	0
UNKNOWN FEMALE	1	1	0	0	0	0	0	0	0	0
15 YEARS										
TOTAL	53	52	1	0	0	0	0	0	0	0
WHITE MALE	17	17	0	0	0	0	0	0	0	0
WHITE FEMALE	20	19	1	0	0	0	0	0	0	0
NON-WHITE MALE	8	8	0	0	0	0	0	0	0	0
NON-WHITE FEMALE	7	7	0	0	0	0	0	0	0	0
UNKNOWN MALE	1	1	0	0	0	0	0	0	0	0
16 YEARS										
TOTAL	110	107	3	0	0	0	0	0	0	0
WHITE MALE	52	52	0	0	0	0	0	0	0	0
WHITE FEMALE	38	37	1	0	0	0	0	0	0	0
NON-WHITE MALE	9	9	0	0	0	0	0	0	0	0
NON-WHITE FEMALE	11	9	2	0	0	0	0	0	0	0
17 YEARS										
TOTAL	181	162	17	2	0	0	0	0	0	0
WHITE MALE	83	75	8	0	0	0	0	0	0	0
WHITE FEMALE	62	56	5	1	0	0	0	0	0	0
NON-WHITE MALE	18	13	4	1	0	0	0	0	0	0
NON-WHITE FEMALE	18	18	0	0	0	0	0	0	0	0

TABLE 12 - RESIDENT BIRTHS OUT OF WEDLOCK BY AGE OF MOTHER, SEX OF CHILD, RACE AND LIVE BIRTH ORDER, RHODE ISLAND, 1981

RACE, SEX, AND AGE OF MOTHER	TOTAL	LIVE BIRTH ORDER								
		FIRST	SECOND	THIRD	FOURTH	FIFTH	SIXTH	SEVENTH	EIGHTH & OVER	UNKNOWN
18 YEARS										
TOTAL	175	144	26	4	1	0	0	0	0	0
WHITE MALE	72	62	9	1	0	0	0	0	0	0
WHITE FEMALE	64	54	8	1	1	0	0	0	0	0
NON-WHITE MALE	18	13	4	1	0	0	0	0	0	0
NON-WHITE FEMALE	19	13	5	1	0	0	0	0	0	0
UNKNOWN MALE	1	1	0	0	0	0	0	0	0	0
UNKNOWN FEMALE	1	1	0	0	0	0	0	0	0	0
19 YEARS										
TOTAL	231	177	38	16	0	0	0	0	0	0
WHITE MALE	89	75	11	3	0	0	0	0	0	0
WHITE FEMALE	78	61	14	3	0	0	0	0	0	0
NON-WHITE MALE	30	16	7	7	0	0	0	0	0	0
NON-WHITE FEMALE	30	21	6	3	0	0	0	0	0	0
UNKNOWN MALE	1	1	0	0	0	0	0	0	0	0
UNKNOWN FEMALE	3	3	0	0	0	0	0	0	0	0
20 YEARS										
TOTAL	202	129	51	16	4	1	0	0	0	1
WHITE MALE	89	59	21	7	2	0	0	0	0	0
WHITE FEMALE	64	49	12	2	0	1	0	0	0	0
NON-WHITE MALE	17	7	7	2	1	0	0	0	0	0
NON-WHITE FEMALE	28	11	11	4	1	0	0	0	0	1
UNKNOWN MALE	2	2	0	0	0	0	0	0	0	0
UNKNOWN FEMALE	2	1	0	1	0	0	0	0	0	0
21 YEARS										
TOTAL	157	91	53	10	1	2	0	0	0	0
WHITE MALE	59	40	17	2	0	0	0	0	0	0
WHITE FEMALE	52	33	17	2	0	0	0	0	0	0
NON-WHITE MALE	28	14	11	2	1	0	0	0	0	0
NON-WHITE FEMALE	17	3	8	4	0	2	0	0	0	0
UNKNOWN MALE	1	1	0	0	0	0	0	0	0	0
22 YEARS										
TOTAL	153	81	44	20	7	0	1	0	0	0
WHITE MALE	49	28	12	7	2	0	0	0	0	0
WHITE FEMALE	59	36	18	5	0	0	0	0	0	0
NON-WHITE MALE	17	5	8	2	2	0	0	0	0	0
NON-WHITE FEMALE	23	9	5	5	3	0	0	0	0	0
UNKNOWN MALE	4	3	0	1	0	0	1	0	0	0
UNKNOWN FEMALE	1	0	1	0	0	0	0	0	0	0

TABLE 12 - RESIDENT BIRTHS OUT OF WEDLOCK BY AGE OF MOTHER, SEX OF CHILD, RACE AND LIVE BIRTH ORDER, RHODE ISLAND, 1981

RACE, SEX, AND AGE OF MOTHER	TOTAL	LIVE BIRTH ORDER								
		FIRST	SECOND	THIRD	FOURTH	FIFTH	SIXTH	SEVENTH	EIGHTH & OVER	UNKNOWN
23 YEARS										
TOTAL	112	49	26	23	11	2	1	0	0	0
WHITE MALE	43	20	9	9	5	0	0	0	0	0
WHITE FEMALE	39	22	8	7	1	0	1	0	0	0
NON-WHITE MALE	20	7	5	3	3	2	0	0	0	0
NON-WHITE FEMALE	9	0	4	4	1	0	0	0	0	0
UNKNOWN FEMALE	1	0	0	0	1	0	0	0	0	0
24 YEARS										
TOTAL	119	50	36	14	11	5	1	0	0	2
WHITE MALE	41	17	14	2	5	2	0	0	0	1
WHITE FEMALE	36	19	14	2	1	0	0	0	0	0
NON-WHITE MALE	20	5	5	7	1	1	1	0	0	0
NON-WHITE FEMALE	21	8	3	3	4	2	0	0	0	1
UNKNOWN FEMALE	1	1	0	0	0	0	0	0	0	0
25-29 YEARS										
TOTAL	286	102	81	55	32	10	4	2	0	0
WHITE MALE	102	42	26	16	9	4	3	0	0	0
WHITE FEMALE	98	43	25	18	9	2	0	1	0	0
NON-WHITE MALE	44	4	19	11	7	2	0	1	0	0
NON-WHITE FEMALE	37	11	10	6	7	2	1	0	0	0
UNKNOWN MALE	2	2	0	0	0	0	0	0	0	0
UNKNOWN FEMALE	3	0	1	2	0	0	0	0	0	0
30-34 YEARS										
TOTAL	127	36	22	27	26	10	6	0	0	0
WHITE MALE	56	20	10	11	9	3	3	0	0	0
WHITE FEMALE	49	12	8	10	16	3	0	0	0	0
NON-WHITE MALE	12	1	3	4	1	2	1	0	0	0
NON-WHITE FEMALE	7	2	0	2	0	2	1	0	0	0
UNKNOWN MALE	1	1	0	0	0	0	0	0	0	0
UNKNOWN FEMALE	2	0	1	0	0	0	1	0	0	0
35-39 YEARS										
TOTAL	32	8	5	3	6	4	1	4	1	0
WHITE MALE	15	4	1	2	2	3	1	2	0	0
WHITE FEMALE	10	3	3	1	2	0	0	0	1	0
NON-WHITE MALE	3	0	0	0	2	1	0	0	0	0
NON-WHITE FEMALE	4	1	1	0	0	0	0	2	0	0

TABLE 12 - RESIDENT BIRTHS OUT OF WEDLOCK BY AGE OF MOTHER, SEX OF CHILD, RACE AND LIVE BIRTH ORDER, RHODE ISLAND, 1981

RACE, SEX, AND AGE OF MOTHER	TOTAL	LIVE BIRTH ORDER								
		FIRST	SECOND	THIRD	FOURTH	FIFTH	SIXTH	SEVENTH	EIGHTH & OVER	UNKNOWN
40-44 YEARS										
TOTAL	7	1	0	1	1	0	1	1	2	0
WHITE MALE	4	1	0	1	0	0	0	0	2	0
WHITE FEMALE	2	0	0	0	0	0	1	1	0	0
NON-WHITE MALE	1	0	0	0	1	0	0	0	0	0
45-49 YEARS										
TOTAL	1	0	0	0	0	0	0	1	0	0
WHITE MALE	1	0	0	0	0	0	0	1	0	0
AGE UNKNOWN										
TOTAL	2	2	0	0	0	0	0	0	0	0
WHITE MALE	1	1	0	0	0	0	0	0	0	0
NON-WHITE FEMALE	1	1	0	0	0	0	0	0	0	0

TABLE 13 - RESIDENT LIVE BIRTHS BY AGE OF MOTHER, RACE, AND BIRTH WEIGHT
RHODE ISLAND, 1981

RACE AND AGE OF MOTHER	TOTAL	LOW BIRTH WEIGHT*	BIRTH WEIGHT IN GRAMS*									
			1000 OR LESS	1001-1500	1501-2000	2001-2500	2501-3000	3001-3500	3501-4000	4001-4500	4501-5000	5001-& OVER
ALL AGES												
TOTAL	12430**	736	82	55	130	469	2012	4628	3676	1116	209	32
WHITE	11127	603	69	44	103	387	1699	4116	3413	1046	201	30
NON-WHITE	1249	129	12	9	27	81	301	494	250	65	8	2
RACE UNKNOWN	54	4	1	2	0	1	12	18	13	5	0	0
UNDER 15 YEARS												
TOTAL	18	3	1	0	0	2	5	5	5	0	0	0
WHITE	13	3	1	0	0	2	3	2	5	0	0	0
NON-WHITE	4	0	0	0	0	0	2	2	0	0	0	0
RACE UNKNOWN	1	0	0	0	0	0	0	1	0	0	0	0
15 YEARS												
TOTAL	61	7	0	2	3	2	13	26	8	5	2	0
WHITE	42	6	0	2	2	2	8	15	7	4	2	0
NON-WHITE	18	1	0	0	1	0	5	11	1	0	0	0
RACE UNKNOWN	1	0	0	0	0	0	0	0	0	1	0	0
16 YEARS												
TOTAL	143	10	0	2	0	8	37	50	34	10	1	0
WHITE	118	8	0	2	0	6	30	42	27	9	1	0
NON-WHITE	25	2	0	0	0	2	7	8	7	1	0	0
17 YEARS												
TOTAL	285	22	3	1	4	14	70	112	61	17	2	0
WHITE	236	17	1	1	4	11	54	91	54	17	2	0
NON-WHITE	48	4	2	0	0	2	16	21	7	0	0	0
RACE UNKNOWN	1	1	0	0	0	1	0	0	0	0	0	0
18 YEARS												
TOTAL	337	29	5	3	4	17	70	135	86	16	0	0
WHITE	281	19	4	2	1	12	56	115	77	14	0	0
NON-WHITE	52	9	1	0	3	5	14	19	8	2	0	0
RACE UNKNOWN	4	1	0	1	0	0	0	1	1	0	0	0

TABLE 13 - RESIDENT LIVE BIRTHS BY AGE OF MOTHER, RACE, AND BIRTH WEIGHT
RHODE ISLAND, 1981

RACE AND AGE OF MOTHER	TOTAL	LOW BIRTH WEIGHT*	BIRTH WEIGHT IN GRAMS* 1000 OR LESS	1001-1500	1501-2000	2001-2500	2501-3000	3001-3500	3501-4000	4001-4500	4501-5000	5001- & OVER
19 YEARS												
TOTAL	614	44	5	4	7	28	116	239	156	47	7	4
WHITE	530	33	4	2	5	22	92	207	142	44	7	4
NON-WHITE	80	11	1	2	2	6	24	30	13	2	0	0
RACE UNKNOWN	4	0	0	0	0	0	0	2	1	1	0	0
20 YEARS												
TOTAL	691	44	3	5	7	29	126	258	210	42	9	1
WHITE	597	33	3	1	4	25	106	218	190	39	9	1
NON-WHITE	87	10	0	3	3	4	17	38	20	2	0	0
RACE UNKNOWN	7	1	0	1	0	0	3	2	0	1	0	0
21 YEARS												
TOTAL	758	43	2	1	14	26	138	295	218	58	5	0
WHITE	654	37	2	1	13	21	113	251	193	54	5	0
NON-WHITE	101	6	0	0	1	5	24	44	23	4	0	0
RACE UNKNOWN	3	0	0	0	0	0	1	0	2	0	0	0
22 YEARS												
TOTAL	798	54	6	4	12	32	146	272	238	69	14	3
WHITE	698	39	6	1	8	24	110	242	223	66	13	3
NON-WHITE	93	15	0	3	4	8	34	29	12	2	1	0
RACE UNKNOWN	7	0	0	0	0	0	2	1	3	1	0	0
23 YEARS												
TOTAL	858	59	5	6	7	41	139	325	253	67	10	2
WHITE	773	49	5	6	5	33	119	288	238	64	10	2
NON-WHITE	83	10	0	0	2	8	19	37	14	3	0	0
RACE UNKNOWN	2	0	0	0	0	0	1	0	1	0	0	0
24 YEARS												
TOTAL	939	36	4	3	3	26	162	357	273	90	16	0
WHITE	842	31	4	3	3	21	132	330	250	79	15	0
NON-WHITE	95	5	0	0	0	5	30	27	22	10	1	0
RACE UNKNOWN	2	0	0	0	0	0	0	0	1	1	0	0

TABLE 13 - RESIDENT LIVE BIRTHS BY AGE OF MOTHER, RACE, AND BIRTH WEIGHT
RHODE ISLAND, 1981

RACE AND AGE OF MOTHER	TOTAL	LOW BIRTH WEIGHT#	BIRTH WEIGHT IN GRAMS* 1000 OR LESS	1001-1500	1501-2000	2001-2500	2501-3000	3001-3500	3501-4000	4001-4500	4501-5000	5001- & OVER
25-29 YEARS												
TOTAL	4231	237	29	14	38	156	617	1603	1272	416	71	11
WHITE	3877	200	24	14	30	132	540	1463	1198	392	70	10
NON-WHITE	344	37	5	0	8	24	73	136	72	24	1	1
RACE UNKNOWN	10	0	0	0	0	0	4	4	2	0	0	0
30-34 YEARS												
TOTAL	2140	106	13	8	24	61	293	755	693	231	53	7
WHITE	1982	96	10	7	24	55	264	690	657	219	48	6
NON-WHITE	150	10	3	1	0	6	28	59	35	12	5	1
RACE UNKNOWN	8	0	0	0	0	0	1	6	1	0	0	0
35-39 YEARS												
TOTAL	476	33	4	1	5	23	64	177	142	43	12	4
WHITE	416	26	3	1	4	18	58	148	126	41	12	4
NON-WHITE	57	6	0	0	1	5	6	28	15	2	0	0
RACE UNKNOWN	3	1	1	0	0	0	0	1	1	0	0	0
40-44 YEARS												
TOTAL	71	8	2	1	1	4	13	17	24	5	4	0
WHITE	62	6	2	1	0	3	12	13	23	4	4	0
NON-WHITE	9	2	0	0	1	1	1	4	1	1	0	0
45-49 YEARS												
TOTAL	6	1	0	0	1	0	2	1	2	0	0	0
WHITE	4	0	0	0	0	0	2	0	2	0	0	0
NON-WHITE	2	1	0	0	1	0	0	1	0	0	0	0
AGE UNKNOWN												
TOTAL	4	0	0	0	0	0	1	1	1	0	0	0
WHITE	2	0	0	0	0	0	0	1	1	0	0	0
NON-WHITE	1	0	0	0	0	0	1	0	0	0	0	0
RACE UNKNOWN	1	0	0	0	0	0	0	0	0	0	0	0

* THE EQUIVALENT OF THE GRAM WEIGHTS IN TERMS OF POUNDS AND OUNCES ARE AS FOLLOWS:

1000 GR OR LESS - 2 LB 3 OZ OR LESS
1001 - 1500 GR - 2 LB 4 OZ - 3 LB 4 OZ
1501 - 2000 GR - 3 LB 5 OZ - 4 LB 6 OZ
2001 - 2500 GR - 4 LB 7 OZ - 5 LB 8 OZ
2501 - 3000 GR - 5 LB 9 OZ - 6 LB 9 OZ
3001 - 3500 GR - 6 LB 10 OZ - 7 LB 11 OZ
3501 - 4000 GR - 7 LB 12 OZ - 8 LB 13 OZ
4001 - 4500 GR - 8 LB 14 OZ - 9 LB 14 OZ
4501 - 5000 GR - 9 LB 15 OZ - 11 LB 0 OZ
5001 GR OR MORE - 11 LB 1 OZ OR MORE

** TOTALS MAY INCLUDE BIRTHS OF UNKNOWN WEIGHT

# LOW BIRTH WEIGHT REFERS TO INFANTS WHO WEIGHED 2500 GRAMS (5 LB 8 OZ) OR LESS

TABLE 14 - RESIDENT PLURAL LIVE BIRTHS BY AGE OF MOTHER, RACE, AND BIRTH WEIGHT
RHODE ISLAND, 1981

RACE AND AGE OF MOTHER	TOTAL	LOW BIRTH WEIGHT*	BIRTH WEIGHT IN GRAMS* 1000 OR LESS	1001-1500	1501-2000	2001-2500	2501-3000	3001-3500	3501-4000	4001-4500	4501-5000	5001- & OVER
ALL AGES												
TOTAL	240**	100	9	4	24	63	81	48	8	0	0	0
WHITE	224	95	9	2	24	60	70	48	8	0	0	0
NON-WHITE	16	5	0	2	0	3	11	0	0	0	0	0
UNDER 15 YEARS												
TOTAL	0	0	0	0	0	0	0	0	0	0	0	0
15 YEARS												
TOTAL	0	0	0	0	0	0	0	0	0	0	0	0
16 YEARS												
TOTAL	0	0	0	0	0	0	0	0	0	0	0	0
17 YEARS												
TOTAL	4	2	0	0	0	2	1	1	0	0	0	0
WHITE	4	2	0	0	0	2	1	1	0	0	0	0
18 YEARS												
TOTAL	2	1	0	0	0	1	1	0	0	0	0	0
WHITE	2	1	0	0	0	1	1	0	0	0	0	0

TABLE 14 - RESIDENT PLURAL LIVE BIRTHS BY AGE OF MOTHER, RACE, AND BIRTH WEIGHT
RHODE ISLAND, 1981

RACE AND AGE OF MOTHER	TOTAL	LOW BIRTH WEIGHT#	1000 OR LESS	1001-1500	1501-2000	2001-2500	2501-3000	3001-3500	3501-4000	4001-4500	4501-5000	5001-& OVER
			BIRTH WEIGHT IN GRAMS*									
19 YEARS												
TOTAL	8	5	0	0	1	4	1	2	0	0	0	0
WHITE	8	5	0	0	1	4	1	2	0	0	0	0
20 YEARS												
TOTAL	10	4	0	2	1	1	4	1	1	0	0	0
WHITE	8	2	0	0	1	1	4	1	1	0	0	0
NON-WHITE	2	2	0	2	0	0	0	0	0	0	0	0
21 YEARS												
TOTAL	13	7	1	0	2	4	6	0	0	0	0	0
WHITE	11	7	1	0	2	4	4	0	0	0	0	0
NON-WHITE	2	0	0	0	0	0	2	0	0	0	0	0
22 YEARS												
TOTAL	18	7	2	0	2	3	6	4	1	0	0	0
WHITE	18	7	2	0	2	3	6	4	1	0	0	0
23 YEARS												
TOTAL	22	12	0	0	2	10	6	3	0	0	0	0
WHITE	22	12	0	0	2	10	6	3	0	0	0	0
24 YEARS												
TOTAL	16	3	0	0	0	3	9	4	0	0	0	0
WHITE	14	3	0	0	0	3	7	4	0	0	0	0
NON-WHITE	2	0	0	0	0	0	2	0	0	0	0	0

TABLE 14 - RESIDENT PLURAL LIVE BIRTHS BY AGE OF MOTHER, RACE, AND BIRTH WEIGHT
RHODE ISLAND, 1981

RACE AND AGE OF MOTHER	TOTAL	LOW BIRTH WEIGHT#	BIRTH WEIGHT IN GRAMS* 1000 OR LESS	1001-1500	1501-2000	2001-2500	2501-3000	3001-3500	3501-4000	4001-4500	4501-5000	5001-& OVER
25-29 YEARS												
TOTAL	101	39	6	1	9	23	35	21	4	0	0	0
WHITE	95	38	6	1	9	22	30	21	4	0	0	0
NON-WHITE	6	1	0	0	0	1	5	0	0	0	0	0
30-34 YEARS												
TOTAL	38	18	0	1	7	10	6	12	2	0	0	0
WHITE	34	16	0	1	7	8	4	12	2	0	0	0
NON-WHITE	4	2	0	0	0	2	2	0	0	0	0	0
35-39 YEARS												
TOTAL	4	2	0	0	0	2	2	0	0	0	0	0
WHITE	4	2	0	0	0	2	2	0	0	0	0	0
40-44 YEARS												
TOTAL	4	0	0	0	0	0	4	0	0	0	0	0
WHITE	4	0	0	0	0	0	4	0	0	0	0	0
45-49 YEARS												
AGE UNKNOWN												

* SEE TABLE 13 FOR EQUIVALENT WEIGHT IN POUNDS AND OUNCES

** TOTALS MAY INCLUDE BIRTHS OF UNKNOWN WEIGHT

# LOW BIRTH WEIGHT REFERS TO INFANTS WHO WEIGHED 2500 GRAMS (5 LB 8 OZ) OR LESS

TABLE 15 - RESIDENT LIVE BIRTHS OUT OF WEDLOCK BY AGE OF MOTHER, RACE, AND BIRTH WEIGHT
RHODE ISLAND, 1981

RACE AND AGE OF MOTHER	TOTAL	LOW BIRTH WEIGHT#	BIRTH WEIGHT IN GRAMS* 1000 OR LESS	1001-1500	1501-2000	2001-2500	2501-3000	3001-3500	3501-4000	4001-4500	4501-5000	5001-& OVER
ALL AGES												
TOTAL	1966**	197	23	19	39	116	449	744	444	107	16	4
WHITE	1457	133	16	13	26	78	316	546	352	88	14	3
NON-WHITE	481	63	7	5	13	38	126	186	87	16	2	1
RACE UNKNOWN	28	1	0	1	0	0	7	12	5	3	0	0
UNDER 15 YEARS												
TOTAL	18	3	1	0	0	2	5	5	5	0	0	0
WHITE	13	3	1	0	0	2	3	2	5	0	0	0
NON-WHITE	4	0	0	0	0	0	2	2	0	0	0	0
RACE UNKNOWN	1	0	0	0	0	0	0	1	0	0	0	0
15 YEARS												
TOTAL	53	6	0	2	3	1	10	22	8	5	2	0
WHITE	37	5	0	2	2	1	7	12	7	4	2	0
NON-WHITE	15	1	0	0	1	0	3	10	1	0	0	0
RACE UNKNOWN	1	0	0	0	0	0	0	0	0	1	0	0
16 YEARS												
TOTAL	110	6	0	2	0	4	26	42	24	10	1	0
WHITE	90	4	0	2	0	2	23	34	18	9	1	0
NON-WHITE	20	2	0	0	0	2	3	8	6	1	0	0
17 YEARS												
TOTAL	181	13	2	1	2	8	49	69	36	12	1	0
WHITE	145	9	0	1	2	6	36	55	31	12	1	0
NON-WHITE	36	4	2	0	0	2	13	14	5	0	0	0
18 YEARS												
TOTAL	175	16	2	2	3	9	40	75	35	9	0	0
WHITE	136	10	1	2	1	6	31	60	28	7	0	0
NON-WHITE	37	6	1	0	2	3	9	14	6	2	0	0
RACE UNKNOWN	2	0	0	0	0	0	0	1	1	0	0	0

TABLE 15 - RESIDENT LIVE BIRTHS OUT OF WEDLOCK BY AGE OF MOTHER, RACE, AND BIRTH WEIGHT
RHODE ISLAND, 1981

RACE AND AGE OF MOTHER	TOTAL	LOW BIRTH WEIGHT*	BIRTH WEIGHT IN GRAMS* 1000 OR LESS	1001-1500	1501-2000	2001-2500	2501-3000	3001-3500	3501-4000	4001-4500	4501-5000	5001- & OVER
19 YEARS TOTAL	231	19	3	1	4	11	52	99	46	12	1	1
WHITE	167	12	2	0	3	7	34	74	35	9	1	1
NON-WHITE	60	7	1	1	1	4	18	23	10	2	0	0
RACE UNKNOWN	4	0	0	0	0	0	0	2	1	1	0	0
20 YEARS TOTAL	202	18	3	2	3	10	47	81	43	10	3	0
WHITE	153	13	3	0	1	9	37	58	33	9	3	0
NON-WHITE	45	4	0	1	2	1	9	21	10	1	0	0
RACE UNKNOWN	4	1	0	1	0	0	1	2	0	0	0	0
21 YEARS TOTAL	157	10	1	1	2	6	29	66	42	8	1	0
WHITE	111	7	1	1	1	4	18	45	32	7	1	0
NON-WHITE	45	3	0	0	1	2	11	21	9	1	0	0
RACE UNKNOWN	1	0	0	0	0	0	0	0	1	0	0	0
22 YEARS TOTAL	153	23	2	3	3	15	44	42	38	4	0	1
WHITE	108	15	2	1	2	10	26	31	30	4	0	1
NON-WHITE	40	8	0	2	1	5	16	10	6	0	0	0
RACE UNKNOWN	5	0	0	0	0	0	2	1	2	0	0	0
23 YEARS TOTAL	112	17	1	3	3	10	28	40	22	3	2	0
WHITE	82	13	1	3	3	6	17	28	20	2	2	0
NON-WHITE	29	4	0	0	0	4	10	12	2	1	0	0
RACE UNKNOWN	1	0	0	0	0	0	1	0	0	0	0	0
24 YEARS TOTAL	119	9	1	1	1	6	27	43	27	11	2	0
WHITE	77	5	1	1	1	2	14	33	19	5	1	0
NON-WHITE	41	4	0	0	0	4	13	10	8	5	1	0
RACE UNKNOWN	1	0	0	0	0	0	0	0	0	1	0	0

TABLE 15 - RESIDENT LIVE BIRTHS OUT OF WEDLOCK BY AGE OF MOTHER, RACE, AND BIRTH WEIGHT
RHODE ISLAND, 1981

RACE AND AGE OF MOTHER	TOTAL	LOW BIRTH WEIGHT#	BIRTH WEIGHT IN GRAMS* 1000 OR LESS	1001-1500	1501-2000	2001-2500	2501-3000	3001-3500	3501-4000	4001-4500	4501-5000	5001-& OVER
25-29 YEARS												
TOTAL	286	39	4	0	7	28	56	101	70	18	0	2
WHITE	200	23	2	0	2	19	38	68	55	15	0	1
NON-WHITE	81	16	2	0	5	9	15	31	15	3	0	1
RACE UNKNOWN	5	0	0	0	0	0	3	2	0	0	0	0
30-34 YEARS												
TOTAL	127	12	2	1	7	2	28	43	38	3	3	0
WHITE	105	9	1	0	7	1	26	33	32	3	2	0
NON-WHITE	19	3	1	1	0	1	2	7	6	0	1	0
RACE UNKNOWN	3	0	0	0	0	0	0	3	0	0	0	0
35-39 YEARS												
TOTAL	32	5	0	0	1	4	5	13	8	1	0	0
WHITE	25	4	0	0	1	3	4	11	5	1	0	0
NON-WHITE	7	1	0	0	0	1	1	2	3	0	0	0
40-44 YEARS												
TOTAL	7	1	1	0	0	0	2	3	0	1	0	0
WHITE	6	1	1	0	0	0	2	2	0	1	0	0
NON-WHITE	1	0	0	0	0	0	0	1	0	0	0	0
45-49 YEARS												
TOTAL	1	0	0	0	0	0	0	0	1	0	0	0
WHITE	1	0	0	0	0	0	0	0	1	0	0	0
AGE UNKNOWN												
TOTAL	2	0	0	0	0	0	1	0	1	0	0	0
WHITE	1	0	0	0	0	0	0	0	1	0	0	0
NON-WHITE	1	0	0	0	0	0	1	0	0	0	0	0

* SEE TABLE 13 FOR EQUIVALENT WEIGHT IN POUNDS AND OUNCES

** TOTALS MAY INCLUDE BIRTHS OF UNKNOWN WEIGHT   # LOW BIRTH WEIGHT REFERS TO INFANTS WHO WEIGHED 2500 GRAMS (5 LB 8 OZ) OR LESS

TABLE 16 - BIRTHS BY CITY OR TOWN BY SELECTED CHARACTERISTICS, RHODE ISLAND, 1981

	ALL RACES				WHITE				NON-WHITE				UN-KNOWN
CITY OR TOWN	TOTAL BIRTHS	BORN IN HOSPITAL	BORN OUT OF WEDLOCK	LOW BIRTH WEIGHT	TOTAL BIRTHS	BORN IN HOSPITAL	BORN OUT OF WEDLOCK	LOW BIRTH WEIGHT	TOTAL BIRTHS	BORN IN HOSPITAL	BORN OUT OF WEDLOCK	LOW BIRTH WEIGHT	TOTAL
RHODE ISLAND	12430	12334	1966	736	11127	11064	1457	603	1249	1216	481	123	54
BARRINGTON	162	161	4	7	158	157	4	7	4	4	0	0	0
BRISTOL	227	227	17	11	222	222	17	10	5	5	0	1	0
BURRILLVILLE	183	182	14	8	183	182	14	8	0	0	0	0	0
CENTRAL FALLS	308	308	66	26	292	292	63	26	16	16	3	0	0
CHARLESTOWN	79	79	10	4	74	74	7	3	5	5	3	1	0
COVENTRY	351	350	39	18	349	348	39	18	2	2	0	0	0
CRANSTON	656	655	62	33	633	632	57	31	21	21	4	2	2
CUMBERLAND	264	262	22	13	260	259	22	13	3	2	0	0	1
EAST GREENWICH	111	109	13	11	108	107	13	11	3	2	0	0	0
EAST PROVIDENCE	595	592	66	29	535	533	49	24	54	53	14	5	6
EXETER	65	64	5	1	64	63	5	1	1	1	0	0	0
FOSTER	43	41	5	3	42	40	4	3	1	1	1	0	0
GLOCESTER	110	109	10	5	109	108	9	5	0	0	0	0	1
HOPKINTON	94	91	13	7	91	88	13	7	3	3	0	0	0
JAMESTOWN	49	48	3	3	49	48	3	3	0	0	0	0	0
JOHNSTON	299	298	24	12	298	297	24	12	1	1	0	0	0
LINCOLN	173	173	18	2	171	171	17	2	2	2	1	0	0
LITTLE COMPTON	34	34	4	1	34	34	4	1	0	0	0	0	0
MIDDLETOWN	266	264	28	18	242	241	23	15	24	23	5	3	0
NARRAGANSETT	138	137	11	3	136	135	11	3	2	2	0	0	0
NEWPORT	404	398	94	23	354	349	65	13	50	49	29	10	0
NEW SHOREHAM	14	14	2	1	14	14	2	1	0	0	0	0	0
NORTH KINGSTOWN	333	330	27	14	325	322	24	14	8	8	3	0	0
NORTH PROVIDENCE	282	282	21	11	274	274	19	11	8	8	2	0	0
NORTH SMITHFIELD	90	90	4	7	90	90	4	7	0	0	0	0	0
PAWTUCKET	999	996	136	58	893	890	130	50	96	96	[illegible]	8	10
PORTSMOUTH	233	229	21	7	223	219	21	7	7	7	0	0	3
PROVIDENCE	2539	2507	750	198	1682	1676	374	106	828	802	357	92	29
RICHMOND	69	69	8	3	68	68	8	3	0	0	0	0	1
SCITUATE	128	126	11	6	128	126	11	6	0	0	0	0	0
SMITHFIELD	195	193	12	13	193	191	12	12	2	2	0	1	0
SOUTH KINGSTOWN	264	258	34	12	235	230	20	10	28	27	13	2	1
TIVERTON	145	143	13	7	144	142	13	7	1	1	0	0	0
WARREN	143	141	13	10	140	138	13	10	3	3	0	0	0
WARWICK	955	951	106	51	937	933	105	51	18	18	1	0	0
WESTERLY	250	249	25	16	248	247	24	16	2	2	1	0	0
WEST GREENWICH	40	39	3	1	38	38	3	1	2	1	0	0	0
WEST WARWICK	412	412	48	23	402	402	48	22	10	10	0	1	0
WOONSOCKET	728	723	184	60	689	684	163	53	39	39	21	7	0

TABLE 17 - RESIDENT LIVE BIRTHS BY CITY OR TOWN BY MONTH
RHODE ISLAND, 1981

CITY OR TOWN	TOTAL	JAN	FEB	MARCH	APR	MAY	JUNE	JULY	AUG	SEPT	OCT	NOV	DEC
RHODE ISLAND	12430	962	933	1008	1013	1031	1017	1113	1210	1063	1044	1031	1003
BARRINGTON	162	18	13	10	14	6	13	4	18	20	16	15	15
BRISTOL	227	23	20	19	13	26	15	26	17	14	21	16	17
BURRILLVILLE	183	15	14	21	9	19	13	18	11	13	17	14	19
CENTRAL FALLS	308	18	24	25	26	22	19	30	30	28	34	22	30
CHARLESTOWN	79	5	6	6	9	8	10	6	8	4	5	7	5
COVENTRY	351	27	26	31	25	23	30	32	36	33	31	31	26
CRANSTON	656	45	40	49	48	67	54	54	55	48	66	63	67
CUMBERLAND	264	15	25	23	27	26	21	29	25	24	21	18	10
EAST GREENWICH	111	11	6	7	7	13	9	11	10	13	5	8	11
EAST PROVIDENCE	595	54	45	45	53	38	44	59	63	49	54	55	36
EXETER	65	3	8	4	4	6	5	8	6	6	8	2	5
FOSTER	43	3	1	6	8	4	5	2	5	1	2	2	4
GLOCESTER	110	14	7	6	9	8	5	11	11	7	13	11	8
HOPKINTON	94	6	8	6	5	9	6	12	11	13	10	3	5
JAMESTOWN	49	5	2	4	3	1	3	7	4	5	3	6	6
JOHNSTON	299	16	19	24	25	36	30	23	27	33	33	14	19
LINCOLN	173	15	16	12	8	12	15	18	15	20	17	14	11
LITTLE COMPTON	34	2	0	3	1	6	1	6	2	6	3	1	3
MIDDLETOWN	266	21	26	27	29	20	20	24	16	15	17	23	28
NARRAGANSETT	138	10	17	14	10	13	5	13	14	9	9	9	15
NEWPORT	404	33	27	34	41	33	33	31	33	32	32	41	34
NEW SHOREHAM	14	0	3	1	1	0	1	1	3	0	2	1	1
NORTH KINGSTOWN	333	33	28	28	28	22	30	27	24	29	28	30	26
NORTH PROVIDENCE	282	21	15	21	26	28	22	20	38	24	26	26	15
NORTH SMITHFIELD	90	4	6	9	6	6	12	11	6	5	10	10	5
PAWTUCKET	999	66	68	88	74	72	79	87	101	102	71	89	102
PORTSMOUTH	233	16	19	14	27	18	28	25	19	23	16	15	13
PROVIDENCE	2539	205	166	210	198	219	224	217	267	208	206	203	216
RICHMOND	69	3	8	4	7	9	2	10	7	4	4	6	5
SCITUATE	128	3	6	10	10	14	14	16	14	9	15	11	6
SMITHFIELD	195	12	21	21	9	16	18	25	18	13	15	10	17
SOUTH KINGSTOWN	264	22	19	23	17	18	28	16	29	25	24	21	22
TIVERTON	145	7	20	11	10	11	9	16	21	16	9	4	11
WARREN	143	10	14	9	17	6	10	9	10	15	11	21	11
WARWICK	955	71	73	67	88	71	83	80	89	81	89	89	74
WESTERLY	250	21	19	17	15	23	16	24	22	24	18	28	23
WEST GREENWICH	40	4	4	3	4	6	3	3	4	5	1	1	2
WEST WARWICK	412	34	34	34	43	36	37	39	38	32	30	33	22
WOONSOCKET	728	71	60	62	59	60	45	63	83	57	52	58	58

TABLE 16 - SELECTED NATALITY DATA BY CITY OR TOWN BY CENSUS TRACT
RHODE ISLAND RESIDENTS, 1981

CITY OR TOWN AND CENSUS TRACT	TOTAL BIRTHS	BIRTHS OUT OF WEDLOCK	LOW BIRTH WEIGHT	WITH MAL-FORMATION *	PRENATAL CARE BEGAN 1ST-3RD MONTH	4TH-7TH MONTH	8TH-9TH MONTH	NO CARE	NOT STATED
RHODE ISLAND	12430	1966	736	64	10010	1210	55	51	1104
BARRINGTON	162	4	7	0	146	9	1	0	6
301	40	1	3	0	38	1	0	0	1
302	35	1	2	0	31	2	0	0	2
303	50	0	1	0	48	1	0	0	1
304	36	1	1	0	29	4	1	0	2
UNKNOWN	1	1	0	0	0	1	0	0	0
BRISTOL	227	17	11	0	195	19	1	2	10
307	71	8	4	0	58	8	1	1	3
308	45	5	1	0	37	4	0	1	3
309	111	4	6	0	100	7	0	0	4
UNKNOWN	0	0	0	0	0	0	0	0	0
BURRILLVILLE	183	14	8	0	164	14	0	1	4
129	86	8	2	0	75	8	0	0	3
130	97	6	6	0	89	6	0	1	1
CENTRAL FALLS	308	66	26	4	219	49	2	0	38
108	77	19	8	2	57	10	1	0	9
109	83	10	7	1	65	10	0	0	8
110	76	24	7	0	49	13	0	0	14
111	72	13	4	1	48	16	1	0	7
UNKNOWN	0	0	0	0	0	0	0	0	0
CHARLESTOWN-511	79	10	4	1	66	8	0	2	3
COVENTRY	351	39	18	1	318	26	0	1	6
206	266	30	14	1	244	17	0	1	4
207	85	9	4	0	74	9	0	0	2
CRANSTON	656	62	33	6	559	42	2	0	53
134	47	7	3	1	37	5	0	0	5
135	64	14	3	1	47	8	0	0	9
136	30	5	0	0	23	1	0	0	6
137	92	7	8	0	79	3	0	0	10

* From 1978 to 1981, these figures were mistakenly reported as births "with injury", rather than "with malformation".

TABLE 18 - SELECTED NATALITY DATA BY CITY OR TOWN BY CENSUS TRACT
RHODE ISLAND RESIDENTS, 1981

CITY OR TOWN AND CENSUS TRACT	TOTAL BIRTHS	BIRTHS OUT OF WEDLOCK	LOW BIRTH WEIGHT	WITH MAL-FORMATION	PRENATAL CARE BEGAN 1ST-3RD MONTH	4TH-7TH MONTH	8TH-9TH MONTH	NO CARE	NOT STATED
CRANSTON(CONT.)									
138	51	2	2	1	41	6	0	0	4
139	15	0	0	0	15	0	0	0	0
140	50	3	3	1	47	2	0	0	1
141	52	5	6	0	42	7	0	0	3
142	23	4	1	0	18	3	0	0	2
143	27	1	0	0	24	1	0	0	2
144	21	1	0	0	17	0	0	0	4
145	55	4	1	0	50	2	0	0	3
146	23	0	1	1	22	0	1	0	0
147	70	7	1	1	63	4	1	0	2
148	34	2	4	0	32	0	0	0	2
UNKNOWN	2	0	0	0	2	0	0	0	0
CUMBERLAND	264	22	13	1	233	21	1	0	9
112	72	2	6	0	59	9	1	0	3
113	68	9	3	1	62	4	0	0	2
114	122	11	4	0	111	7	0	0	4
UNKNOWN	2	0	0	0	1	1	0	0	0
EAST GREENWICH-209	111	13	11	1	100	7	0	0	4
EAST PROVIDENCE	595	66	29	1	490	39	1	0	65
101	74	10	4	1	68	5	0	0	1
102	103	9	6	0	66	8	1	0	28
103	59	6	2	0	48	2	0	0	9
104	101	12	4	0	83	7	0	0	11
105	93	10	5	0	79	5	0	0	9
106	90	15	4	0	77	8	0	0	5
107	75	4	4	0	69	4	0	0	2
UNKNOWN	0	0	0	0	0	0	0	0	0
EXETER-505	65	5	1	1	60	2	1	0	2
FOSTER-133	43	5	3	0	34	7	0	0	2
GLOCESTER-131	110	10	5	0	99	6	0	0	5

TABLE 18 - SELECTED NATALITY DATA BY CITY OR TOWN BY CENSUS TRACT
RHODE ISLAND RESIDENTS, 1981

CITY OR TOWN AND CENSUS TRACT	TOTAL BIRTHS	BIRTHS OUT OF WEDLOCK	LOW BIRTH WEIGHT	WITH MAL-FORMATION	PRENATAL CARE BEGAN 1ST-3RD MONTH	4TH-7TH MONTH	8TH-9TH MONTH	NO CARE	NOT STATED
HOPKINTON-507	94	13	7	4	78	14	0	2	0
JAMESTOWN-413	49	3	3	0	43	3	0	0	3
JOHNSTON	299	24	12	1	258	17	3	0	21
122	54	2	1	1	48	3	0	0	3
123	99	7	2	0	90	2	1	0	6
124	109	11	5	0	89	8	2	0	10
125	36	4	4	0	30	4	0	0	2
UNKNOWN	1	0	0	0	1	0	0	0	0
LINCOLN	173	18	2	1	149	20	0	0	4
115	61	7	1	0	54	7	0	0	0
116	28	2	1	0	25	3	0	0	0
117	84	9	0	1	70	10	0	0	4
UNKNOWN	0	0	0	0	0	0	0	0	0
LITTLE COMPTON-414	34	4	1	0	27	4	1	1	1
MIDDLETOWN	266	28	18	5	229	28	1	2	6
402	13	1	0	0	10	2	0	0	1
403	194	18	16	4	167	21	0	1	5
404	59	9	2	1	52	5	1	1	0
UNKNOWN	0	0	0	0	0	0	0	0	0
NARRAGANSETT-515	138	11	3	0	123	10	1	1	3
NEWPORT	404	94	23	1	318	63	4	3	16
405	121	49	10	1	83	30	1	1	6
406	72	14	2	0	58	7	0	2	5
407	50	8	1	0	45	4	0	0	1
408	29	5	4	0	24	4	1	0	0
409	50	6	0	0	43	4	2	0	1
410	21	3	1	0	18	3	0	0	0
411	27	3	1	0	19	6	0	0	2
412	34	6	4	0	28	5	0	0	1
UNKNOWN	0	0	0	0	0	0	0	0	0

TABLE 18 - SELECTED NATALITY DATA BY CITY OR TOWN BY CENSUS TRACT
RHODE ISLAND RESIDENTS, 1981

CITY OR TOWN AND CENSUS TRACT	TOTAL BIRTHS	BIRTHS OUT OF WEDLOCK	LOW BIRTH WEIGHT	WITH MAL-FORMATION	PRENATAL CARE BEGAN 1ST-3RD MONTH	4TH-7TH MONTH	8TH-9TH MONTH	NO CARE	NOT STATED
NEW SHOREHAM-415	14	2	1	0	10	3	1	0	0
NORTH KINGSTOWN	333	27	14	5	296	28	3	2	4
501	162	12	10	2	145	13	0	1	3
502	13	0	0	1	13	0	0	0	0
503	83	11	2	1	69	10	3	1	0
504	74	4	2	1	68	5	0	0	1
UNKNOWN	1	0	0	0	1	0	0	0	0
NORTH PROVIDENCE	282	21	11	0	255	12	1	0	14
118	64	12	5	0	61	1	0	0	2
119	56	4	2	0	53	3	0	0	2
120	61	2	0	0	56	3	0	0	2
121	99	3	4	0	85	5	1	0	8
UNKNOWN	0	0	0	0	0	0	0	0	0
NORTH SMITHFIELD-128	90	4	7	0	80	6	0	0	4
PAWTUCKET	999	156	58	8	787	134	3	5	70
149	1	0	0	0	1	0	0	0	0
150	58	7	5	0	47	9	0	0	2
151	99	18	8	1	72	11	1	1	14
152	15	5	1	0	11	4	0	0	0
153	34	4	4	0	27	2	1	0	4
154	34	4	3	0	26	5	0	0	3
155	59	8	1	0	53	5	0	0	1
156	43	7	1	0	32	7	1	0	3
157	43	6	5	0	35	5	0	1	2
158	43	4	2	0	39	2	0	0	2
159	39	3	5	0	36	3	0	0	0
160	49	4	2	1	35	12	0	1	1
161 **	84	20	5	0	64	15	0	0	5
163	28	1	1	0	22	2	0	1	3
164 **	86	18	3	4	57	18	0	0	11

TABLE 18 - SELECTED NATALITY DATA BY CITY OR TOWN BY CENSUS TRACT
RHODE ISLAND RESIDENTS, 1981

CITY OR TOWN AND CENSUS TRACT	TOTAL BIRTHS	BIRTHS OUT OF WEDLOCK	LOW BIRTH WEIGHT	WITH MAL-FORMATION	PRENATAL CARE BEGAN				
					1ST-3RD MONTH	4TH-7TH MONTH	8TH-9TH MONTH	NO CARE	NOT STATED
PAWTUCKET (CONT.)									
165	49	6	2	0	41	5	0	0	3
166	36	5	0	0	25	8	0	0	3
167	47	9	5	0	39	4	0	0	4
168	27	2	1	0	26	1	0	0	0
169	16	1	0	0	13	3	0	0	0
170	34	1	0	0	30	2	0	0	2
171	73	22	4	2	54	11	0	1	7
UNKNOWN	2	1	0	0	2	0	0	0	0
PORTSMOUTH-401	233	21	7	0	200	26	2	0	5
PROVIDENCE	2539	750	198	5	1576	283	19	13	648
1	173	41	4	0	87	18	2	1	65
2	256	91	17	1	138	31	2	2	83
3	137	59	17	2	55	22	0	0	60
4	124	52	10	0	49	20	1	0	54
5	70	43	4	1	35	5	2	1	27
6	57	28	6	0	19	6	1	0	31
7	34	15	4	0	24	1	1	0	8
8	7	4	1	0	2	3	0	0	2
9	29	6	3	0	17	4	0	0	8
10	26	7	0	0	21	3	0	0	2
11	39	18	3	0	21	7	0	0	11
12	69	39	8	0	36	11	0	2	20
13	96	29	11	0	46	13	1	0	36
14	151	59	12	0	66	24	1	0	60
15	35	4	0	0	29	4	0	1	1
16	98	17	4	1	76	15	0	1	6
17	36	5	2	0	31	1	0	0	4
18	103	29	8	0	73	11	1	0	18
19	79	21	8	0	48	9	1	2	19
20	65	20	6	0	42	5	0	1	17

TABLE 18 - SELECTED NATALITY DATA BY CITY OR TOWN BY CENSUS TRACT
RHODE ISLAND RESIDENTS, 1981

CITY OR TOWN AND CENSUS TRACT	TOTAL BIRTHS	BIRTHS OUT OF WEDLOCK	LOW BIRTH WEIGHT	WITH MAL-FORMATION	PRENATAL CARE BEGAN				
					1ST-3RD MONTH	4TH-7TH MONTH	8TH-9TH MONTH	NO CARE	NOT STATED
PROVIDENCE(CONT.)									
21	89	12	5	0	73	6	1	0	9
22	68	13	2	0	49	7	1	0	11
23	59	8	4	0	53	1	1	0	4
24	48	6	3	0	41	3	0	0	4
25	52	7	3	0	34	5	0	0	13
26	60	23	5	0	32	13	1	1	13
27	51	21	4	0	38	6	1	0	6
28	51	10	4	0	41	2	0	0	8
29	60	8	5	0	49	3	0	0	8
30	0	0	0	0	0	0	0	0	0
31	44	17	7	0	32	2	0	0	10
32	61	14	12	0	43	9	1	1	7
33	49	4	3	0	45	2	0	0	2
34	41	2	1	0	38	0	0	0	3
35	37	2	3	0	35	1	0	0	1
36	23	3	0	0	21	0	0	0	2
37	58	11	8	0	35	10	0	0	13
UNKNOWN	4	2	1	0	2	0	0	0	2
INNER CITY	1125	434	109	3	570	155	9	6	385
RICHMOND-506	69	8	3	1	57	10	0	0	2
SCITUATE-132	126	11	6	1	106	8	0	0	14
SMITHFIELD	195	12	13	1	173	12	0	0	10
126	98	8	8	1	86	8	0	0	4
127	97	4	5	0	87	4	0	0	6
SOUTH KINGSTOWN	264	34	12	1	235	20	1	3	5
512	106	22	7	1	90	9	1	3	3
513	147	12	5	0	134	11	0	0	2
514	10	0	0	0	10	0	0	0	0
UNKNOWN	1	0	0	0	1	0	0	0	0
TIVERTON	145	13	7	0	129	14	0	1	1

TABLE 16 - SELECTED NATALITY DATA BY CITY OR TOWN BY CENSUS TRACT
RHODE ISLAND RESIDENTS, 1981

CITY OR TOWN AND CENSUS TRACT	TOTAL BIRTHS	BIRTHS OUT OF WEDLOCK	LOW BIRTH WEIGHT	WITH MALFORMATION	PRENATAL CARE BEGAN 1ST-3RD MONTH	4TH-7TH MONTH	8TH-9TH MONTH	NO CARE	NOT STATED
TIVERTON(CONT.)									
416	81	7	5	0	70	10	0	1	0
417	64	6	2	0	59	4	0	0	1
WARREN	143	13	10	0	119	11	2	1	10
305	59	7	1	0	44	6	2	1	6
306	84	6	9	0	75	5	0	0	4
WARWICK	955	106	51	7	847	68	3	7	30
210	96	11	6	1	82	8	0	2	4
211	70	6	1	1	64	3	0	0	3
212	35	5	3	0	29	2	1	1	2
213	37	0	2	1	36	0	0	0	1
214	102	8	6	0	93	6	0	0	3
215	105	16	9	1	88	13	0	1	3
216	10	0	1	0	10	0	0	0	0
217	76	19	2	0	60	11	0	0	5
218	49	4	2	0	45	4	0	0	0
219	128	12	3	1	119	5	1	2	1
220	54	6	6	1	48	5	0	0	1
221	55	4	1	0	51	1	1	0	2
222	61	5	3	1	57	2	0	0	2
223	43	5	3	0	35	4	0	1	3
224	34	3	3	0	30	4	0	0	0
UNKNOWN	0	0	0	0	0	0	0	0	0
WESTERLY	250	25	16	1	209	35	0	0	6
508	123	13	8	0	98	22	0	0	3
509	107	11	6	0	94	12	0	0	1
510	17	1	2	1	15	1	0	0	1
UNKNOWN	3	0	0	0	2	0	0	0	1
WEST GREENWICH-208	40	3	1	1	35	5	0	0	0
WEST WARWICK	412	48	23	3	349	55	0	2	6
201	144	11	8	0	127	13	0	2	2

TABLE 18 - SELECTED NATALITY DATA BY CITY OR TOWN BY CENSUS TRACT
RHODE ISLAND RESIDENTS, 1981

CITY OR TOWN AND CENSUS TRACT	TOTAL BIRTHS	BIRTHS OUT OF WEDLOCK	LOW BIRTH WEIGHT	WITH MAL-FORMATION	PRENATAL CARE BEGAN 1ST-3RD MONTH	4TH-7TH MONTH	8TH-9TH MONTH	NO CARE	NOT STATED
WEST WARWICK(CONT.)									
202	83	12	5	2	62	18	0	0	3
203	87	14	4	0	73	14	0	0	0
204	52	6	4	0	43	8	0	0	1
205	45	5	2	1	43	2	0	0	0
UNKNOWN	1	0	0	0	1	0	0	0	0
WOONSOCKET	728	184	60	2	639	72	1	2	14
172	22	6	7	0	19	3	0	0	0
173	55	6	0	0	49	5	1	0	0
174	73	27	6	0	60	11	0	0	2
175	57	5	3	0	52	3	0	0	2
176	83	27	6	1	70	11	0	0	2
177	53	9	4	0	47	5	0	0	1
178	43	13	3	0	40	2	0	0	1
179	67	20	4	0	60	6	0	0	1
180	23	13	4	0	23	0	0	0	0
181	55	19	8	0	46	8	0	0	1
182	39	8	1	0	33	5	0	0	1
183	31	6	4	0	27	2	0	1	1
184	78	19	6	1	69	6	0	1	2
185	46	4	4	0	43	3	0	0	0
UNKNOWN	3	2	0	0	1	2	0	0	0

** BETWEEN 1960 AND 1965, CENSUS TRACT 162 WAS DIVIDED BETWEEN TRACTS 161 AND 164.

Table 18A - Births and Births Out of Wedlock, 1981
All Ages and Teen-Ages by City or Town of Residence

	ALL BIRTHS	TEEN-AGE BIRTHS	ALL BIRTHS OUT OF WEDLOCK	TEEN-AGE OUT OF WEDLOCK
RHODE ISLAND	12,430	1,458	1,966	768
Barrington	162	8	4	2
Bristol	227	27	17	6
Burrillville	183	24	14	7
Central Falls	308	46	66	23
Charlestown	79	12	10	6
Coventry	351	40	39	19
Cranston	656	44	62	21
Cumberland	264	24	22	10
East Greenwich	111	7	13	4
East Providence	595	61	66	32
Exeter	65	8	5	4
Foster	43	5	5	2
Glocester	110	8	10	6
Hopkinton	94	13	13	7
Jamestown	49	1	3	0
Johnston	299	28	24	12
Lincoln	173	14	18	4
Little Compton	34	3	4	2
Middletown	266	21	28	10
Narragansett	138	10	11	3
Newport	404	55	94	33
New Shoreham	14	0	2	0
North Kingstown	333	22	27	12
North Providence	282	16	21	5
North Smithfield	90	4	4	2
Pawtucket	999	131	156	64
Portsmouth	233	18	21	10
Providence	2,539	416	750	270
Richmond	69	8	8	4
Scituate	128	6	11	2
Smithfield	195	6	12	3
South Kingstown	264	23	34	11
Tiverton	145	19	13	8
Warren	143	15	13	5
Warwick	955	83	106	47
Westerly	250	24	25	14
West Greenwich	40	4	3	2
West Warwick	412	72	48	25
Woonsocket	728	132	184	71

TABLE 19A - FETAL DEATHS OCCURRING IN RHODE ISLAND BY RACE OF FETUS, WEEKS OF UTEROGESTATION, AND MODE OF DELIVERY, 1981

MODE OF DELIVERY	TOTAL	RACE WHITE	 NON-WHITE	 UNKNOWN	WEEKS OF UTEROGESTATION UNDER 20	 20 - 27	 28 AND OVER	 UNKNOWN
TOTAL	8118	6906	635	577	7991	57	63	7
SPONTANEOUS	603	205	16	382	491	48	63	1
INDUCED	7515	6701	619	195	7500	9	0	6

TABLE 19B - FETAL DEATHS OCCURRING IN RHODE ISLAND BY MONTH OF DELIVERY BY WEEKS OF UTEROGESTATION 1981

MONTH	TOTAL	WEEKS OF UTEROGESTATION UNDER 20	 20 - 27	 28 AND OVER	 UNKNOWN
TOTAL	8118	7991	57	63	7
JANUARY	672	665	2	5	0
FEBRUARY	691	684	3	4	0
MARCH	748	738	2	7	1
APRIL	642	625	10	7	0
MAY	654	644	2	8	0
JUNE	696	686	4	4	2
JULY	699	689	3	6	1
AUGUST	673	656	10	5	2
SEPTEMBER	678	665	9	3	1
OCTOBER	684	675	5	4	0
NOVEMBER	612	608	3	1	0
DECEMBER	669	656	4	9	0

TABLE 20 - RESIDENT FETAL DEATHS OCCURRING IN RHODE ISLAND BY MODE OF DELIVERY BY CITY OR TOWN AND CENSUS TRACT OF MOTHER'S RESIDENCE BY MARITAL STATUS OF MOTHER 1981

	ALL FETAL DEATHS			SPONTANEOUS			INDUCED		
		MOTHER			MOTHER			MOTHER	
	TOTAL*	MARRIED	NOT MARRIED	TOTAL*	MARRIED	NOT MARRIED	TOTAL*	MARRIED	NOT MARRIED
RHODE ISLAND	6184	1674	4411	553	394	140	5631	1280	4271
BARRINGTON	88	29	58	8	8	0	80	21	58
301	29	12	17	4	4	0	25	8	17
302	22	10	12	2	2	0	20	8	12
303	24	5	18	2	2	0	22	3	18
304	12	2	10	0	0	0	12	2	10
UNKNOWN TRACT	1	0	1	0	0	0	1	0	1
BRISTOL	101	25	76	14	11	3	87	14	73
307	30	10	20	7	5	2	23	5	18
308	27	5	22	3	2	1	24	3	21
309	42	9	33	3	3	0	39	6	33
UNKNOWN TRACT	2	1	1	1	1	0	1	0	1
BURRILLVILLE	56	27	29	12	11	1	44	16	28
129	35	16	19	8	8	0	27	8	19
130	21	11	10	4	3	1	17	8	9
CENTRAL FALLS	137	45	90	15	7	7	122	38	83
108	39	12	26	7	1	5	32	11	21
109	25	10	15	1	1	0	24	9	15
110	33	10	23	3	1	2	30	9	21
111	37	12	24	3	3	0	34	9	24
UNKNOWN TRACT	3	1	2	1	1	0	2	0	2
CHARLESTOWN	24	3	21	0	0	0	24	3	21
511	24	3	21	0	0	0	24	3	21
COVENTRY	118	33	84	11	10	0	107	23	84
206	88	21	66	8	7	0	80	14	66
207	30	12	18	3	3	0	27	9	18
CRANSTON	448	130	312	41	32	9	407	98	303
134	33	10	23	1	1	0	32	9	23
135	29	11	18	2	2	0	27	9	18
136	20	4	16	1	0	1	19	4	15
137	52	14	37	4	3	1	48	11	36

TABLE 20 - RESIDENT FETAL DEATHS OCCURRING IN RHODE ISLAND BY MODE OF DELIVERY BY CITY OR TOWN AND CENSUS TRACT OF MOTHER'S RESIDENCE BY MARITAL STATUS OF MOTHER 1981

	ALL FETAL DEATHS			SPONTANEOUS			INDUCED		
		MOTHER			MOTHER			MOTHER	
	TOTAL*	MARRIED	NOT MARRIED	TOTAL*	MARRIED	NOT MARRIED	TOTAL*	MARRIED	NOT MARRIED
138	21	8	12	3	2	1	18	6	11
139	16	5	11	2	2	0	14	3	11
140	36	14	22	2	2	0	34	12	22
141	37	10	26	4	2	2	33	8	24
142	11	4	7	2	2	0	9	2	7
143	33	15	17	4	3	1	29	12	16
144	14	2	12	0	0	0	14	2	12
145	37	6	30	2	2	0	35	4	30
146	16	7	9	3	3	0	13	4	9
147	73	17	55	7	6	1	66	11	54
148	20	3	17	4	2	2	16	1	15
CUMBERLAND	122	23	96	7	4	1	115	19	95
112	30	11	18	2	0	1	28	11	17
113	39	5	34	1	1	0	38	4	34
114	53	7	44	4	3	0	49	4	44
EAST GREENWICH	76	15	59	5	4	1	71	11	58
209	76	15	59	5	4	1	71	11	58
EAST PROVIDENCE	334	102	229	50	40	10	284	62	219
101	37	11	26	5	5	0	32	6	26
102	52	22	30	11	10	1	41	12	29
103	37	15	21	5	4	1	32	11	20
104	59	18	41	8	8	0	51	10	41
105	66	17	49	9	5	4	57	12	45
106	56	14	40	9	5	4	47	9	36
107	25	4	21	3	3	0	22	1	21
UNKNOWN TRACT	2	1	1	0	0	0	2	1	1
EXETER	17	4	13	1	1	0	16	3	13
505	17	4	13	1	1	0	16	3	13
FOSTER	22	10	12	1	1	0	21	9	12
133	22	10	12	1	1	0	21	9	12

TABLE 20 - RESIDENT FETAL DEATHS OCCURRING IN RHODE ISLAND BY MODE OF DELIVERY BY CITY OR TOWN AND CENSUS TRACT OF MOTHER'S RESIDENCE BY MARITAL STATUS OF MOTHER 1981

	ALL FETAL DEATHS			SPONTANEOUS			INDUCED		
		MOTHER			MOTHER			MOTHER	
	TOTAL*	MARRIED	NOT MARRIED	TOTAL*	MARRIED	NOT MARRIED	TOTAL*	MARRIED	NOT MARRIED
GLOCESTER	37	14	23	6	6	0	31	8	23
131	37	14	23	6	6	0	31	8	23
HOPKINTON	29	11	15	3	0	0	26	11	15
507	29	11	15	3	0	0	26	11	15
JAMESTOWN	18	7	11	2	2	0	16	5	11
413	18	7	11	2	2	0	16	5	11
JOHNSTON	136	51	81	19	17	1	117	34	80
122	25	14	10	5	4	0	20	10	10
123	45	12	32	6	6	0	39	6	32
124	42	16	24	5	5	0	37	11	24
125	21	7	14	2	1	1	19	6	13
UNKNOWN TRACT	3	2	1	1	1	0	2	1	1
LINCOLN	93	33	59	11	9	2	82	24	57
115	36	15	21	6	5	1	30	10	20
116	13	2	10	0	0	0	13	2	10
117	43	16	27	5	4	1	38	12	26
UNKNOWN TRACT	1	0	1	0	0	0	1	0	1
LITTLE COMPTON	11	7	4	0	0	0	11	7	4
414	11	7	4	0	0	0	11	7	4
MIDDLETOWN	91	25	63	2	1	0	89	24	63
402	5	3	1	1	0	0	4	3	1
403	52	15	36	1	1	0	51	14	36
404	34	7	26	0	0	0	34	7	26
NARRAGANSETT	120	18	100	3	3	0	117	15	100
515	120	18	100	3	3	0	117	15	100
NEWPORT	269	44	218	10	3	4	259	41	214
405	47	10	33	3	1	1	44	9	32
406	50	7	42	2	1	0	48	6	42
407	44	4	39	0	0	0	44	4	39
408	29	6	23	1	1	0	28	5	23

TABLE 20 - RESIDENT FETAL DEATHS OCCURRING IN RHODE ISLAND BY MODE OF DELIVERY BY CITY OR TOWN AND CENSUS TRACT OF MOTHER'S RESIDENCE BY MARITAL STATUS OF MOTHER 1981

	ALL FETAL DEATHS			SPONTANEOUS			INDUCED		
		MOTHER			MOTHER			MOTHER	
	TOTAL*	MARRIED	NOT MARRIED	TOTAL*	MARRIED	NOT MARRIED	TOTAL*	MARRIED	NOT MARRIED
409	29	4	25	0	0	0	29	4	25
410	21	2	19	0	0	0	21	2	19
411	29	4	24	1	0	0	28	4	24
412	18	5	13	3	0	3	15	5	10
UNKNOWN TRACT	2	2	0	0	0	0	2	2	0
NEW SHOREHAM	12	0	12	0	0	0	12	0	12
415	12	0	12	0	0	0	12	0	12
NORTH KINGSTOWN	141	45	96	12	11	1	129	34	95
501	69	25	44	9	8	1	60	17	43
502	2	1	1	0	0	0	2	1	1
503	37	8	29	0	0	0	37	8	29
504	31	10	21	3	3	0	28	7	21
UNKNOWN TRACT	2	1	1	0	0	0	2	1	1
NORTH PROVIDENCE	185	47	133	17	13	4	168	34	129
118	42	7	34	5	3	2	37	4	32
119	42	18	23	4	4	0	38	14	23
120	37	12	25	2	2	0	35	10	25
121	64	10	51	6	4	2	58	6	49
NORTH SMITHFIELD	44	15	29	7	7	0	37	8	29
128	44	15	29	7	7	0	37	8	29
PAWTUCKET	524	147	364	31	19	11	493	128	353
149	2	0	2	0	0	0	2	0	2
150	31	5	25	2	1	1	29	4	24
151	49	20	27	5	1	3	44	19	24
152	14	5	8	0	0	0	14	5	8
153	20	8	11	2	1	1	18	7	10
154	23	5	18	2	2	0	21	3	18
155	17	5	12	1	1	0	16	4	12
156	17	5	12	1	1	0	16	4	12
157	16	3	12	0	0	0	16	3	12

TABLE 20 - RESIDENT FETAL DEATHS OCCURRING IN RHODE ISLAND BY MODE OF DELIVERY BY CITY OR TOWN AND CENSUS TRACT OF MOTHER'S RESIDENCE BY MARITAL STATUS OF MOTHER 1981

	ALL FETAL DEATHS			SPONTANEOUS			INDUCED		
		MOTHER			MOTHER			MOTHER	
	TOTAL*	MARRIED	NOT MARRIED	TOTAL*	MARRIED	NOT MARRIED	TOTAL*	MARRIED	NOT MARRIED
158	26	8	17	1	1	0	25	7	17
159	20	7	13	3	3	0	17	4	13
160	24	6	18	0	0	0	24	6	18
161	50	19	30	4	2	2	46	17	28
163	15	4	11	2	1	1	13	3	10
164	53	19	33	3	2	1	50	17	32
165	25	5	20	2	2	0	23	3	20
166	10	1	9	0	0	0	10	1	9
167	15	6	9	0	0	0	15	6	9
168	18	2	15	0	0	0	18	2	15
169	12	1	11	1	0	1	11	1	10
170	22	3	19	0	0	0	22	3	19
171	39	10	26	2	1	1	37	9	25
UNKNOWN TRACT	6	0	6	0	0	0	6	0	6
ORTSMOUTH	71	17	53	1	1	0	70	16	53
401	71	17	53	1	1	0	70	16	53
ROVIDENCE	1545	404	1117	148	96	52	1397	308	1065
1	76	21	53	6	5	1	70	16	52
2	113	37	71	11	9	2	102	28	69
3	60	28	32	6	2	4	54	26	28
4	39	4	31	1	0	1	38	4	30
5	37	13	23	3	2	1	34	11	22
6	16	3	13	3	0	3	13	3	10
7	19	7	12	1	0	1	18	7	11
8	17	0	17	0	0	0	17	0	17
9	25	4	21	3	2	1	22	2	20
10	14	3	11	2	2	0	12	1	11
11	20	5	15	0	0	0	20	5	15
12	37	14	23	2	0	2	35	14	21
13	45	13	32	5	2	3	40	11	29

TABLE 20 - RESIDENT FETAL DEATHS OCCURRING IN RHODE ISLAND BY

MODE OF DELIVERY BY CITY OR TOWN AND CENSUS TRACT OF MOTHER'S RESIDENCE BY

MARITAL STATUS OF MOTHER 1981

	ALL FETAL DEATHS			SPONTANEOUS			INDUCED		
		MOTHER			MOTHER			MOTHER	
	TOTAL*	MARRIED	NOT MARRIED	TOTAL*	MARRIED	NOT MARRIED	TOTAL*	MARRIED	NOT MARRIED
14	58	17	41	4	1	3	54	16	38
15	22	7	15	2	1	1	20	6	14
16	49	11	37	8	6	2	41	5	35
17	29	8	21	3	2	1	26	6	20
18	41	14	26	9	4	5	32	10	21
19	36	12	23	6	4	2	30	8	21
20	33	7	25	5	3	2	28	4	23
21	54	18	35	7	6	1	47	12	34
22	27	8	19	6	4	2	21	4	17
23	34	5	27	5	3	2	29	2	25
24	52	6	45	3	3	0	49	3	45
25	28	9	19	1	1	0	27	8	19
26	32	14	17	2	1	1	30	13	16
27	36	9	27	3	3	0	33	6	27
28	37	10	27	2	2	0	35	8	27
29	50	11	39	7	4	3	43	7	36
30	1	0	1	0	0	0	1	0	1
31	69	15	53	5	3	2	64	12	51
32	52	15	35	6	5	1	46	10	34
33	44	15	29	6	5	1	38	10	28
34	22	8	14	4	4	0	18	4	14
35	72	16	56	4	4	0	68	12	56
36	96	6	90	3	1	2	93	5	88
37	39	8	31	3	2	1	36	6	30
UNKNOWN TRACT	14	3	11	1	0	1	13	3	10
RICHMOND	7	3	3	1	0	0	6	3	3
506	7	3	3	1	0	0	6	3	3
SCITUATE	52	19	33	7	5	2	45	14	31
132	52	19	33	7	5	2	45	14	31
SMITHFIELD	90	23	67	11	10	1	79	13	66

TABLE 20 - RESIDENT FETAL DEATHS OCCURRING IN RHODE ISLAND BY MODE OF DELIVERY BY CITY OR TOWN AND CENSUS TRACT OF MOTHER'S RESIDENCE BY MARITAL STATUS OF MOTHER 1981

	ALL FETAL DEATHS			SPONTANEOUS			INDUCED		
		MOTHER			MOTHER			MOTHER	
	TOTAL*	MARRIED	NOT MARRIED	TOTAL*	MARRIED	NOT MARRIED	TOTAL*	MARRIED	NOT MARRIED
126	59	11	48	5	4	1	54	7	47
127	31	12	19	6	6	0	25	6	19
SOUTH KINGSTOWN	163	30	133	6	4	2	157	26	131
512	52	13	39	5	3	2	47	10	37
513	52	14	38	1	1	0	51	13	38
514	58	3	55	0	0	0	58	3	55
UNKNOWN TRACT	1	0	1	0	0	0	1	0	1
TIVERTON	39	8	31	1	1	0	38	7	31
416	24	5	19	0	0	0	24	5	19
417	15	3	12	1	1	0	14	2	12
WARREN	46	12	34	6	4	2	40	8	32
305	23	7	16	3	2	1	20	5	15
306	23	5	18	3	2	1	20	3	17
WARWICK	438	121	311	27	20	6	411	101	305
210	36	9	27	3	3	0	33	6	27
211	44	12	32	1	1	0	43	11	32
212	19	6	13	2	2	0	17	4	13
213	19	8	11	2	2	0	17	6	11
214	37	6	30	4	2	2	33	4	28
215	35	14	21	3	3	0	32	11	21
216	8	3	5	0	0	0	8	3	5
217	44	14	30	4	3	1	40	11	29
218	19	7	12	1	0	1	18	7	11
219	64	15	46	1	0	1	63	15	45
220	20	4	14	1	0	0	19	4	14
221	27	8	19	2	1	1	25	7	19
222	34	7	27	2	2	0	32	5	27
223	20	4	16	0	0	0	20	4	16
224	11	3	8	1	1	0	10	2	8
UNKNOWN TRACT	1	1	0	0	0	0	1	1	0

TABLE 20 - RESIDENT FETAL DEATHS OCCURRING IN RHODE ISLAND BY MODE OF DELIVERY BY CITY OR TOWN AND CENSUS TRACT OF MOTHER'S RESIDENCE BY MARITAL STATUS OF MOTHER 1981

	ALL FETAL DEATHS			SPONTANEOUS			INDUCED		
		MOTHER			MOTHER			MOTHER	
	TOTAL*	MARRIED	NOT MARRIED	TOTAL*	MARRIED	NOT MARRIED	TOTAL*	MARRIED	NOT MARRIED
WESTERLY	66	17	46	5	2	0	61	15	46
508	33	8	24	3	2	0	30	6	24
509	22	7	13	2	0	0	20	7	13
510	9	2	7	0	0	0	9	2	7
UNKNOWN TRACT	2	0	2	0	0	0	2	0	2
WEST GREENWICH	18	5	11	1	1	0	17	4	11
208	18	5	11	1	1	0	17	4	11
WEST WARWICK	156	38	116	5	5	0	151	33	116
201	44	12	31	2	2	0	42	10	31
202	27	5	22	1	1	0	26	4	22
203	40	9	30	0	0	0	40	9	30
204	18	7	11	0	0	0	18	7	11
205	24	5	19	2	2	0	22	3	19
UNKNOWN TRACT	3	0	3	0	0	0	3	0	3
WOONSOCKET	240	67	169	46	25	20	194	42	149
172	8	3	5	4	1	3	4	2	2
173	18	5	11	4	3	1	14	2	10
174	32	5	26	9	4	4	23	1	22
175	14	3	11	1	1	0	13	2	11
176	16	4	12	1	0	1	15	4	11
177	21	6	15	4	3	1	17	3	14
178	17	6	11	3	3	0	14	3	11
179	19	7	12	4	3	1	15	4	11
180	10	4	6	4	2	2	6	2	4
181	13	2	11	1	0	1	12	2	10
182	16	7	9	1	0	1	15	7	8
183	16	3	13	5	2	3	11	1	10
184	24	8	15	3	2	1	21	6	14
185	13	4	9	2	1	1	11	3	8
UNKNOWN TRACT	3	0	3	0	0	0	3	0	3

* TOTALS MAY INCLUDE ITEMS WITH UNKNOWN MARITAL STATUS

TABLE 21 - INDUCED FETAL DEATHS

BY AGE AND MARITAL STATUS OF MOTHER AND BY NUMBER AND
NATURE OF PREVIOUS DELIVERIES TO MOTHER. RHODE ISLAND OCCURRENCES 1981

			ALL AGES	AGE OF MOTHER IN YEARS																
				< 15	15	16	17	18	19	20	21	22	23	24	25-29	30-34	35-39	40-44	45-49	UNK-NOWN
TOTAL			7515	25	88	315	561	624	675	686	647	516	451	437	1391	655	329	105	9	1
MARITAL STATUS OF MOTHER																				
MARRIED			1650	0	0	4	10	31	44	65	89	85	92	126	488	335	202	72	7	0
UNMARRIED			5759	25	88	305	545	588	628	617	549	423	349	305	875	307	121	32	1	1
UNKNOWN			106	0	0	6	6	5	3	4	9	8	10	6	28	13	6	1	1	0
PREVIOUS DELIVERIES TO MOTHER NONE			3552	24	85	287	479	465	435	405	348	238	178	152	340	89	21	6	0	0
ONE			1751	1	3	26	74	123	179	193	170	144	131	140	379	133	47	5	2	1
PREVIOUS DELIVERIES WERE																				
*L.B.	S.F.D.	I.F.D.																		
0	0	1	1023	1	3	20	50	80	129	117	115	91	80	80	203	45	13	1	0	0
0	1	0	77	0	0	1	3	8	7	6	9	10	6	2	17	7	0	1	0	0
1	0	0	646	0	0	5	21	35	43	70	46	43	45	58	159	81	34	3	2	1
TWO			1072	0	0	2	7	29	42	63	73	89	87	84	321	162	83	24	1	0
PREVIOUS DELIVERIES WERE																				
*L.B.	S.F.D.	I.F.D.																		
0	0	2	190	0	0	2	3	9	15	14	13	29	23	20	47	12	1	2	0	0
0	1	1	28	0	0	0	0	2	3	6	1	2	2	3	7	1	0	1	0	0
0	2	0	5	0	0	0	0	1	0	0	0	1	1	0	1	1	0	0	0	0
1	0	1	300	0	0	0	2	6	13	23	37	26	27	32	97	24	12	1	0	0
1	1	0	80	0	0	0	1	3	4	11	8	5	5	6	19	10	5	3	0	0
2	0	0	469	0	0	0	1	8	7	14	14	26	29	23	150	114	65	17	1	0

NATURE OF PREVIOUS DELIVERIES TO MOTHER. RHODE ISLAND OCCURRENCES 1981

AGE OF MOTHER IN YEARS

			ALL AGES	< 15	15	16	17	18	19	20	21	22	23	24	25-29	30-34	35-39	40-44	45-49	UNK-NOWN
THREE			558	0	0	0	1	3	13	14	37	33	35	37	179	118	66	22	0	0
PREVIOUS DELIVERIES WERE																				
*L.B.	S.F.D.	I.F.D.																		
0	0	3	33	0	0	0	0	0	2	0	4	3	4	3	12	5	0	0	0	0
0	1	2	7	0	0	0	0	0	1	0	1	0	2	2	1	0	0	0	0	0
0	2	1	3	0	0	0	0	0	0	0	0	0	0	0	2	1	0	0	0	0
1	0	2	85	0	0	0	0	0	5	6	10	6	11	4	24	14	5	1	0	0
1	1	1	37	0	0	0	0	1	0	4	3	5	4	6	11	1	2	0	0	0
1	2	0	8	0	0	0	0	0	0	0	0	0	1	1	2	3	1	0	0	0
2	0	1	159	0	0	0	1	1	4	2	14	9	4	5	68	35	13	3	0	0
2	1	0	80	0	0	0	0	0	1	1	2	3	3	7	23	18	19	3	0	0
3	0	0	145	0	0	0	0	1	0	1	3	7	6	9	36	41	26	15	0	0
FOUR			277	0	0	0	0	3	2	5	14	6	14	15	88	80	36	12	2	0
PREVIOUS DELIVERIES WERE																				
*L.B.	S.F.D.	I.F.D.																		
0	0	4	6	0	0	0	0	0	0	1	1	0	2	1	0	1	0	0	0	0
0	1	3	3	0	0	0	0	0	0	0	0	0	1	0	2	0	0	0	0	0
1	0	3	23	0	0	0	0	0	2	0	3	1	2	2	9	3	1	0	0	0
1	1	2	9	0	0	0	0	2	0	1	1	0	1	0	4	0	0	0	0	0
1	2	1	5	0	0	0	0	0	0	0	0	1	0	1	2	1	0	0	0	0
1	3	0	2	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0	0	0
2	0	2	49	0	0	0	0	0	0	0	2	0	2	5	19	17	4	0	0	0
2	1	1	37	0	0	0	0	0	0	1	3	1	1	3	14	12	2	0	0	0
2	2	0	10	0	0	0	0	0	0	0	0	0	0	0	6	1	3	0	0	0
3	0	1	60	0	0	0	0	1	0	2	2	1	3	2	19	17	10	3	0	0
3	1	0	32	0	0	0	0	0	0	0	1	2	2	0	7	12	5	2	1	0
4	0	0	41	0	0	0	0	0	0	0	1	0	0	0	5	16	11	7	1	0

TABLE 21 - INDUCED FETAL DEATHS

BY AGE AND MARITAL STATUS OF MOTHER AND BY NUMBER AND NATURE OF PREVIOUS DELIVERIES TO MOTHER. RHODE ISLAND OCCURRENCES 1981

				AGE OF MOTHER IN YEARS																
			ALL AGES	< 15	15	16	17	18	19	20	21	22	23	24	25-29	30-34	35-39	40-44	45-49	UNK-NOWN
FIVE			146	0	0	0	0	0	1	1	3	4	2	6	43	37	38	10	1	0
PREVIOUS DELIVERIES WERE																				
*L.B.	S.F.D.	I.F.D.																		
0	5	0	1	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0
1	0	4	4	0	0	0	0	0	0	0	0	0	0	2	1	1	0	0	0	0
1	1	3	1	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0
1	3	1	1	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0
1	4	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0
2	0	3	19	0	0	0	0	0	0	1	0	2	0	1	3	8	4	0	0	0
2	1	2	9	0	0	0	0	0	1	0	0	1	0	0	5	2	0	0	0	0
2	2	1	1	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0
2	3	0	1	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0
3	0	2	23	0	0	0	0	0	0	0	0	1	2	0	10	4	6	0	0	0
3	1	1	13	0	0	0	0	0	0	0	1	0	0	1	5	3	2	1	0	0
3	2	0	7	0	0	0	0	0	0	0	1	0	0	1	3	1	1	0	0	0
4	0	1	21	0	0	0	0	0	0	0	1	0	0	0	5	6	8	1	0	0
4	1	0	17	0	0	0	0	0	0	0	0	0	0	1	3	2	7	3	1	0
5	0	0	27	0	0	0	0	0	0	0	0	0	0	0	7	6	9	5	0	0
SIX			65	0	0	0	0	0	1	0	0	1	1	2	22	17	11	8	2	0
PREVIOUS DELIVERIES WERE																				
*L.B.	S.F.D.	I.F.D.																		
1	0	5	1	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0
1	1	4	3	0	0	0	0	0	0	0	0	0	0	0	3	0	0	0	0	0
2	0	4	4	0	0	0	0	0	0	0	0	0	0	0	2	2	0	0	0	0
2	2	2	2	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1	0	0
3	0	3	8	0	0	0	0	0	1	0	0	0	0	0	6	1	0	0	0	0
3	1	2	1	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0

TABLE 21 - INDUCED FETAL DEATHS

BY AGE AND MARITAL STATUS OF MOTHER AND BY NUMBER AND NATURE OF PREVIOUS DELIVERIES TO MOTHER. RHODE ISLAND OCCURRENCES 1981

				AGE OF MOTHER IN YEARS																
SIX	(CONTINUED)		ALL AGES	< 15	15	16	17	18	19	20	21	22	23	24	25-29	30-34	35-39	40-44	45-49	UN-KNOWN
3	2	1	2	0	0	0	0	0	0	0	0	0	0	0	2	0	0	0	0	0
3	3	0	1	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0
4	0	2	7	0	0	0	0	0	0	0	0	0	0	1	3	2	1	0	0	0
4	1	1	4	0	0	0	0	0	0	0	0	1	0	0	1	0	2	0	0	0
4	2	0	2	0	0	0	0	0	0	0	0	0	0	1	0	1	0	0	0	0
5	0	1	13	0	0	0	0	0	0	0	0	0	0	0	3	3	4	3	0	0
5	1	0	9	0	0	0	0	0	0	0	0	0	0	0	0	4	3	1	1	0
6	0	0	8	0	0	0	0	0	0	0	0	0	1	0	0	2	1	3	1	0
SEVEN +			57	0	0	0	0	0	0	0	0	0	1	0	8	13	19	15	1	0
UNKNOWN			37	0	0	0	0	1	2	0	2	1	2	1	11	6	8	3	0	0

* L.B. REFERS TO PREVIOUS LIVE BIRTHS, S.F.D. TO PREVIOUS SPONTANEOUS FETAL DEATHS, AND I.F.D. TO PREVIOUS INDUCED FETAL DEATHS

TABLE 22A - SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE UTEROGESTATION OCCURRING IN RHODE ISLAND BY NUMBER OF CHILD IN TOTAL BIRTH ORDER NUMBER OF PREVIOUS FETAL DEATHS AND AGE OF MOTHER 1981

BIRTH ORDER OF THIS FETUS	TOTAL NUMBER	TOTAL PERCENT	AGE OF MOTHER IN YEARS UNDER 20	20 - 24	25 - 29	30 - 34	35 - 39	40 - 44	OVER 44	UNKNOWN
TOTAL FETAL DEATHS OF 20 WEEKS OR MORE	111	100.0	13	33	36	22	4	1	0	2
FIRST DELIVERY	35	31.5	5	16	11	1	0	0	0	2
SECOND DELIVERY	35	31.5	8	8	14	4	1	0	0	0
NO PREVIOUS FETAL DEATHS	24		4	5	12	2	1	0	0	0
ONE PREVIOUS FETAL DEATH	11		4	3	2	2	0	0	0	0
THIRD DELIVERY	8	7.2	0	4	1	3	0	0	0	0
NO PREVIOUS FETAL DEATHS	5		0	4	0	1	0	0	0	0
ONE PREVIOUS FETAL DEATH	3		0	0	1	2	0	0	0	0
TWO PREVIOUS FETAL DEATHS	0		0	0	0	0	0	0	0	0
FOURTH DELIVERY	9	8.1	0	3	2	3	1	0	0	0
NO PREVIOUS FETAL DEATHS	3		0	0	0	3	0	0	0	0
ONE PREVIOUS FETAL DEATH	3		0	1	2	0	0	0	0	0
TWO PREVIOUS FETAL DEATHS	2		0	1	0	0	1	0	0	0
THREE+ PREVIOUS FETAL DEATHS	1		0	1	0	0	0	0	0	0
FIFTH DELIVERY	6	5.4	0	1	2	1	2	0	0	0
NO PREVIOUS FETAL DEATHS	1		0	0	1	0	0	0	0	0
ONE PREVIOUS FETAL DEATH	1		0	1	0	0	0	0	0	0
TWO PREVIOUS FETAL DEATHS	4		0	0	1	1	2	0	0	0
THREE+ PREVIOUS FETAL DEATHS	0		0	0	0	0	0	0	0	0
SIXTH DELIVERY	1	0.9	0	0	0	1	0	0	0	0
NO PREVIOUS FETAL DEATHS	0		0	0	0	0	0	0	0	0
ONE PREVIOUS FETAL DEATH	1		0	0	0	1	0	0	0	0
TWO PREVIOUS FETAL DEATHS	0		0	0	0	0	0	0	0	0
THREE+ PREVIOUS FETAL DEATHS	0		0	0	0	0	0	0	0	0
SEVENTH DELIVERY	3	2.7	0	0	0	2	0	1	0	0
NO PREVIOUS FETAL DEATHS	1		0	0	0	0	0	1	0	0
ONE PREVIOUS FETAL DEATH	1		0	0	0	1	0	0	0	0
TWO PREVIOUS FETAL DEATHS	0		0	0	0	0	0	0	0	0
THREE+ PREVIOUS FETAL DEATHS	1		0	0	0	1	0	0	0	0
EIGHTH OR MORE DELIVERY	3	2.7	0	0	2	1	0	0	0	0
NO PREVIOUS FETAL DEATHS	0		0	0	0	0	0	0	0	0
ONE PREVIOUS FETAL DEATH	0		0	0	0	0	0	0	0	0
TWO PREVIOUS FETAL DEATHS	1		0	0	1	0	0	0	0	0
THREE+ PREVIOUS FETAL DEATHS	2		0	0	1	1	0	0	0	0
UNKNOWN BIRTH ORDER	11	9.9	0	1	4	6	0	0	0	0

TABLE 22B - SPONTANEOUS FETAL DEATHS OCCURRING IN RHODE ISLAND BY

NUMBER OF CHILD IN TOTAL BIRTH ORDER NUMBER OF PREVIOUS FETAL DEATHS AND AGE OF MOTHER 1981

BIRTH ORDER OF THIS FETUS	TOTAL NUMBER	TOTAL PERCENT	AGE OF MOTHER IN YEARS UNDER 20	20 - 24	25 - 29	30 - 34	35 - 39	40 - 44	OVER 44	UNKNOWN
TOTAL SPONTANEOUS FETAL DEATHS	603	100.0	56	174	214	106	33	13	4	3
FIRST DELIVERY	189	31.3	37	66	65	15	2	2	0	2
SECOND DELIVERY	176	29.2	14	52	75	27	7	1	0	0
NO PREVIOUS FETAL DEATHS	126		7	33	57	21	7	1	0	0
ONE PREVIOUS FETAL DEATH	50		7	19	18	6	0	0	0	0
THIRD DELIVERY	106	17.6	4	28	36	26	5	4	3	0
NO PREVIOUS FETAL DEATHS	53		0	15	17	12	4	2	3	0
ONE PREVIOUS FETAL DEATH	44		4	9	15	13	1	2	0	0
TWO PREVIOUS FETAL DEATHS	9		0	4	4	1	0	0	0	0
FOURTH DELIVERY	50	8.3	0	14	14	14	5	2	1	0
NO PREVIOUS FETAL DEATHS	18		0	2	5	7	2	1	1	0
ONE PREVIOUS FETAL DEATH	13		0	4	4	5	0	0	0	0
TWO PREVIOUS FETAL DEATHS	11		0	5	3	0	2	1	0	0
THREE+ PREVIOUS FETAL DEATHS	8		0	3	2	2	1	0	0	0
FIFTH DELIVERY	27	4.5	0	5	11	6	5	0	0	0
NO PREVIOUS FETAL DEATHS	3		0	0	1	1	1	0	0	0
ONE PREVIOUS FETAL DEATH	6		0	1	0	4	1	0	0	0
TWO PREVIOUS FETAL DEATHS	11		0	2	5	1	3	0	0	0
THREE+ PREVIOUS FETAL DEATHS	7		0	2	5	0	0	0	0	0
SIXTH DELIVERY	11	1.8	0	1	3	3	3	1	0	0
NO PREVIOUS FETAL DEATHS	2		0	0	0	0	1	1	0	0
ONE PREVIOUS FETAL DEATH	2		0	0	0	1	1	0	0	0
TWO PREVIOUS FETAL DEATHS	1		0	0	0	1	0	0	0	0
THREE+ PREVIOUS FETAL DEATHS	6		0	1	3	1	1	0	0	0
SEVENTH DELIVERY	9	1.5	0	0	0	5	3	1	0	0
NO PREVIOUS FETAL DEATHS	1		0	0	0	0	0	1	0	0
ONE PREVIOUS FETAL DEATH	3		0	0	0	2	1	0	0	0
TWO PREVIOUS FETAL DEATHS	1		0	0	0	1	0	0	0	0
THREE+ PREVIOUS FETAL DEATHS	4		0	0	0	2	2	0	0	0
EIGHTH OR MORE DELIVERY	9	1.5	0	0	3	1	3	2	0	0
NO PREVIOUS FETAL DEATHS	1		0	0	0	0	1	0	0	0
ONE PREVIOUS FETAL DEATH	1		0	0	0	0	0	1	0	0
TWO PREVIOUS FETAL DEATHS	1		0	0	1	0	0	0	0	0
THREE+ PREVIOUS FETAL DEATHS	6		0	0	2	1	2	1	0	0
UNKNOWN BIRTH ORDER	26	4.3	1	8	7	9	0	0	0	1

TABLE 23 - SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE UTEROGESTATION OCCURRING IN RHODE ISLAND BY WEIGHT OF FETUS AND AGE OF MOTHER 1981

	TOTAL		AGE OF MOTHER IN YEARS							
FETAL WEIGHT IN GRAMS	NUMBER	PER CENT	UNDER 20	20 - 24	25 - 29	30 - 34	35 - 39	40 - 44	45 AND OVER	UNKNOWN
TOTAL	111	100.0	13	33	36	22	4	1	0	2
1,000 OR LESS	37	33.3	5	12	14	5	1	0	0	0
1,001 - 1,500	10	9.0	1	4	3	2	0	0	0	0
1,501 - 2,000	8	7.2	1	2	1	2	1	0	0	1
2,001 - 2,500	6	5.4	1	3	1	1	0	0	0	0
LOW WEIGHT TOTAL	61	55.0	8	21	19	10	2	0	0	1
2,501 - 3,000	7	6.3	1	1	4	1	0	0	0	0
3,001 - 3,500	8	7.2	0	2	3	3	0	0	0	0
3,501 - 4,000	4	3.6	0	1	1	1	0	0	0	1
4,001 - 4,500	2	1.8	0	0	0	1	0	1	0	0
4,501 - 5,000	0	0.0	0	0	0	0	0	0	0	0
5,001 OR MORE	0	0.0	0	0	0	0	0	0	0	0
NOT STATED	29	26.1	4	8	9	6	2	0	0	0

TABLE 24 - FETAL DEATHS OCCURRING IN RHODE ISLAND BY

SELECTED CAUSE OF DEATH AND WEEKS OF UTEROGESTATION 1981

CAUSE OF FETAL DEATH (ICD, 1975)	FETAL DEATHS BY WEEKS OF UTEROGESTATION									
	TOTAL		UNDER 20		20 - 27		28 OR MORE		UNKNOWN	
	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT
ALL CAUSES	8118	100.0	7991	98.4	57	0.7	63	0.8	7	0.1
CONGENITAL ANOMALIES(740-759)	4	0.0	0	0.0	2	3.5	2	3.2	0	0.0
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD(760-779)	8114	100.0	7991	100.0	55	96.5	61	96.8	7	100.0
MATERNAL COMPLICATIONS WHICH MAY BE UNRELATED TO PRESENT PREGNANCY(760)	12	0.1	1	0.0	4	7.0	7	11.1	0	0.0
MATERNAL COMPLICATIONS OF PREGNANCY(761)	444	5.5	422	5.3	19	33.3	2	3.2	1	14.3
COMPLICATIONS OF PLACENTA, CORD, AND MEMBRANES(762)	67	0.8	37	0.5	5	8.8	25	39.7	0	0.0
SLOW FETAL GROWTH AND FETAL MALNUTRITION(764)	2	0.0	1	0.0	0	0.0	1	1.6	0	0.0
SHORT GESTATION AND UNSPECIFIED LOW BIRTHWEIGHT(765)	10	0.1	7	0.1	2	3.5	1	1.6	0	0.0
LONG GESTATION AND HIGH BIRTHWEIGHT(766)	1	0.0	0	0.0	0	0.0	1	1.6	0	0.0
INTRAUTERINE HYPOXIA AND BIRTH ASPHYXIA(768)	19	0.2	0	0.0	8	14.0	11	17.5	0	0.0
HAEMOLYTIC DISEASE, DUE TO ISOIMMUNIZATION	1	0.0	0	0.0	1	1.8	0	0.0	0	0.0
OTHER AND ILL-DEFINED CONDITIONS ORIGINATING IN THE PERINATAL PERIOD(779)	7558	93.1	7523	94.1	16	28.1	13	20.6	6	85.7

TABLE 25 - RESIDENT DEATHS FROM 72 SELECTED CAUSES BY RACE, AGE, AND SEX: RHODE ISLAND, 1981

CAUSE (ICD CODE) RACE AND SEX	TOTAL NUMBER	UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	85 & OVER
ALL CAUSES																	
TOTAL	9138*	145	21	10	13	41	78	156	186	516	514	752	986	1193	1347	1261	1919
WHITE MALE	4609	70	14	4	6	26	56	100	111	295	329	468	589	692	682	545	622
WHITE FEMALE	4280	56	6	6	5	11	18	41	64	190	170	255	379	475	636	706	1262
NON-WHITE MALE	115	8	1	0	2	2	4	5	6	18	5	15	13	8	11	3	14
NON-WHITE FEMALE	124	10	0	0	0	2	0	8	3	12	9	14	5	16	18	7	20
UNKNOWN MALE	7	1	0	0	0	0	0	2	2	0	1	0	0	1	0	0	0
UNKNOWN FEMALE	3	0	0	0	0	0	0	0	0	1	0	0	0	1	0	0	1
TUBERCULOSIS (010-018)																	
TOTAL	8	0	0	0	0	0	0	0	0	1	0	1	1	1	2	0	2
WHITE MALE	4	0	0	0	0	0	0	0	0	1	0	0	0	0	2	0	1
WHITE FEMALE	3	0	0	0	0	0	0	0	0	0	0	1	1	1	0	0	0
NON-WHITE FEMALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
TUBERCULOSIS OF RESPIRATORY SYSTEM (010-012)																	
TOTAL	8	0	0	0	0	0	[illegible]	0	0	1	0	1	1	1	2	0	2
WHITE MALE	4	0	0	0	0	0	0	0	0	1	0	0	0	0	2	0	1
WHITE FEMALE	3	0	0	0	0	0	0	0	0	0	0	1	1	1	0	0	0
NON-WHITE FEMALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
MENINGOCOCCAL INFECTION (036)																	
TOTAL	3	1	1	0	0	1	0	0	0	0	0	0	0	0	0	0	0
WHITE MALE	2	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0
WHITE FEMALE	1	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0
SEPTICEMIA (038)																	
TOTAL	63	2	0	0	0	0	0	0	0	1	1	4	6	6	10	14	19
WHITE MALE	30	2	0	0	0	0	0	0	0	0	0	1	5	2	6	5	9
WHITE FEMALE	32	0	0	0	0	0	0	0	0	1	1	3	1	4	4	9	9
NON-WHITE MALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
VIRAL HEPATITIS (070)																	
TOTAL	4	0	0	0	0	0	2	0	0	0	0	0	0	1	0	0	1
WHITE MALE	3	0	0	0	0	0	1	0	0	0	0	0	0	1	0	0	1
WHITE FEMALE	1	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0
SYPHILIS (090-097)																	
TOTAL	2	0	0	0	0	0	0	0	0	0	1	0	0	0	0	1	0
WHITE MALE	1	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0
NON-WHITE MALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0

TABLE 25 - RESIDENT DEATHS FROM 72 SELECTED CAUSES BY RACE, AGE, AND SEX: RHODE ISLAND, 1981

CAUSE (ICD CODE) RACE AND SEX	TOTAL NUMBER	UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	85 & OVER
ALL OTHER INFECTIOUS AND PARASITIC DISEASES(001-003,005,020-032,037, 039 -041,046-054,056-066,071-088,098-139																	
TOTAL	17	0	0	0	0	0	0	1	0	2	3	2	2	1	4	1	1
WHITE MALE	8	0	0	0	0	0	0	1	0	0	2	1	1	0	2	1	0
WHITE FEMALE	9	0	0	0	0	0	0	0	0	2	1	1	1	1	2	0	1
MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES (140-208)																	
TOTAL	2152	1	5	1	2	3	0	24	56	197	185	259	315	341	317	229	217
WHITE MALE	1118	1	2	1	1	1	0	12	23	94	103	136	186	192	163	122	81
WHITE FEMALE	960	0	3	0	1	2	0	9	29	91	78	110	125	135	146	102	129
NON-WHITE MALE	36	0	0	0	0	0	0	1	2	5	2	6	4	6	3	1	6
NON-WHITE FEMALE	37	0	0	0	0	0	0	2	2	7	2	7	0	7	5	4	1
UNKNOWN FEMALE	1	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0
MALIGNANT NEOPLASMS OF LIP, ORAL CAVITY, AND PHARYNX(140-149)																	
TOTAL	45	0	0	0	0	0	0	0	1	1	3	11	13	4	7	1	4
WHITE MALE	32	0	0	0	0	0	0	0	0	1	2	10	10	2	4	1	2
WHITE FEMALE	11	0	0	0	0	0	0	0	0	0	1	1	2	2	3	0	2
NON-WHITE MALE	1	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0
NON-WHITE FEMALE	1	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0
MALIGNANT NEOPLASMS OF DIGESTIVE ORGANS AND PERITONEUM(150-159)																	
TOTAL	640	1	0	0	0	0	0	4	6	40	42	67	87	119	109	82	83
WHITE MALE	324	1	0	0	0	0	0	2	4	24	25	34	55	64	52	40	23
WHITE FEMALE	290	0	0	0	0	0	0	1	2	13	16	29	31	50	51	39	58
NON-WHITE MALE	9	0	0	0	0	0	0	0	0	0	0	1	1	2	2	1	2
NON-WHITE FEMALE	17	0	0	0	0	0	0	1	0	3	1	3	0	3	4	2	0
MALIGNANT NEOPLASMS OF RESPIRATORY AND INTRATHORACIC ORGANS(160-165)																	
TOTAL	567	0	0	0	0	0	0	2	13	70	57	89	110	96	63	39	28
WHITE MALE	405	0	0	0	0	0	0	1	6	44	38	66	81	77	48	30	14
WHITE FEMALE	144	0	0	0	0	0	0	1	5	23	18	19	27	16	14	8	13
NON-WHITE MALE	15	0	0	0	0	0	0	0	2	2	1	4	2	2	1	0	1
NON-WHITE FEMALE	3	0	0	0	0	0	0	0	0	1	0	0	0	1	0	1	0

TABLE 25 - RESIDENT DEATHS FROM 72 SELECTED CAUSES BY RACE, AGE, AND SEX: RHODE ISLAND, 1981

CAUSE (ICD CODE) RACE AND SEX	TOTAL NUMBER	UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	85 & OVER
MALIGNANT NEOPLASMS OF BREAST (174-175)																	
TOTAL	190	0	0	0	0	0	0	1	15	32	22	20	17	24	26	18	15
WHITE MALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
WHITE FEMALE	185	0	0	0	0	0	0	1	15	32	21	19	17	23	26	17	14
NON-WHITE FEMALE	4	0	0	0	0	0	0	0	0	0	1	1	0	1	0	1	0
MALIGNANT NEOPLASMS OF GENITAL ORGANS (179-187)																	
TOTAL	206	0	0	0	0	0	0	2	3	9	11	20	29	27	49	28	28
WHITE MALE	102	0	0	0	0	0	0	1	1	1	6	6	11	12	27	21	16
WHITE FEMALE	95	0	0	0	0	0	0	1	1	7	5	12	18	13	21	7	10
NON-WHITE MALE	4	0	0	0	0	0	0	0	0	0	0	1	0	2	0	0	1
NON-WHITE FEMALE	5	0	0	0	0	0	0	0	1	1	0	1	0	0	1	0	1
MALIGNANT NEOPLASMS OF URINARY ORGANS (188-189)																	
TOTAL	96	0	0	0	0	0	0	0	1	9	6	6	12	18	20	8	16
WHITE MALE	58	0	0	0	0	0	0	0	1	6	5	1	8	9	12	7	9
WHITE FEMALE	36	0	0	0	0	0	0	0	0	2	1	5	4	8	8	1	7
NON-WHITE MALE	1	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0
NON-WHITE FEMALE	1	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0
MALIGNANT NEOPLASMS OF ALL OTHER AND UNSPECIFIED SITES (170-173, 190-199)																	
TOTAL	221	0	4	0	1	0	0	8	9	24	30	26	26	30	24	20	19
WHITE MALE	107	0	1	0	1	0	0	5	5	15	18	11	9	17	12	8	5
WHITE FEMALE	107	0	3	0	0	0	0	2	4	6	11	14	17	12	12	12	14
NON-WHITE MALE	4	0	0	0	0	0	0	1	0	2	1	0	0	0	0	0	0
NON-WHITE FEMALE	2	0	0	0	0	0	0	0	0	1	0	1	0	0	0	0	0
UNKNOWN FEMALE	1	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0
LEUKEMIA (204-208)																	
TOTAL	67	0	1	0	1	1	0	5	4	4	3	2	8	8	10	10	10
WHITE MALE	31	0	1	0	0	1	0	2	3	1	2	2	3	2	4	5	5
WHITE FEMALE	33	0	0	0	1	0	0	2	1	3	1	0	5	5	6	5	4
NON-WHITE MALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
NON-WHITE FEMALE	2	0	0	0	0	0	0	1	0	0	0	0	0	1	0	0	0
OTHER MALIGNANT NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES (200-203)																	
TOTAL	120	0	0	1	0	2	0	2	4	8	11	18	13	15	9	23	14
WHITE MALE	58	0	0	1	0	0	0	1	3	2	7	6	9	9	4	10	6
WHITE FEMALE	59	0	0	0	0	2	0	1	1	5	4	11	4	6	5	13	7
NON-WHITE MALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
NON-WHITE FEMALE	2	0	0	0	0	0	0	0	0	1	0	1	0	0	0	0	0

TABLE 25 - RESIDENT DEATHS FROM 72 SELECTED CAUSES BY RACE, AGE, AND SEX: RHODE ISLAND, 1981

CAUSE (ICD CODE) RACE AND SEX	TOTAL NUMBER	UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	85 & OVER
BENIGN NEOPLASMS, CARCINOMA IN SITU, AND NEOPLASMS OF UNCERTAIN BEHAVIOR AND OF UNSPECIFIED NATURE (210-239)																	
TOTAL	25	0	0	0	0	1	0	0	2	3	0	3	4	1	5	3	3
WHITE MALE	9	0	0	0	0	1	0	0	0	2	0	0	2	0	2	0	2
WHITE FEMALE	14	0	0	0	0	0	0	0	2	0	0	3	1	1	3	3	1
NON-WHITE MALE	1	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0
NON-WHITE FEMALE	1	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0
DIABETES MELLITUS (250)																	
TOTAL	181	0	0	0	0	0	0	3	4	11	11	19	18	33	31	26	25
WHITE MALE	79	0	0	0	0	0	0	0	4	4	8	14	7	18	10	7	7
WHITE FEMALE	100	0	0	0	0	0	0	2	0	7	3	5	11	15	20	19	18
NON-WHITE FEMALE	2	0	0	0	0	0	0	1	0	0	0	0	0	0	1	0	0
NUTRITIONAL DEFICIENCIES (260-269)																	
TOTAL	13	0	0	0	0	0	0	0	0	0	0	1	1	1	1	3	6
WHITE MALE	8	0	0	0	0	0	0	0	0	0	0	1	1	1	0	2	3
WHITE FEMALE	5	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	3
ANEMIAS (280-285)																	
TOTAL	13	0	1	0	0	1	1	0	1	0	0	0	0	2	2	0	5
WHITE MALE	6	0	1	0	0	0	1	0	0	0	0	0	0	1	1	0	2
WHITE FEMALE	6	0	0	0	0	1	0	0	1	0	0	0	0	1	1	0	2
NON-WHITE FEMALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
MENINGITIS (320-322)																	
TOTAL	3	1	0	0	0	0	0	0	0	0	1	0	0	0	0	1	0
WHITE MALE	2	1	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0
WHITE FEMALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0
MAJOR CARDIOVASCULAR DISEASES (390-448)																	
TOTAL	4711	0	2	0	0	1	4	9	44	172	221	354	499	617	746	761	1281
WHITE MALE	2294	0	2	0	0	0	3	5	32	124	154	247	308	361	365	304	389
WHITE FEMALE	2319	0	0	0	0	1	0	4	10	37	59	95	180	245	365	453	870
NON-WHITE MALE	40	0	0	0	0	0	1	0	2	6	2	6	8	2	6	1	6
NON-WHITE FEMALE	54	0	0	0	0	0	0	0	0	4	5	6	3	8	10	3	15
UNKNOWN MALE	2	0	0	0	0	0	0	0	0	0	1	0	0	1	0	0	0
UNKNOWN FEMALE	2	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	1

TABLE 25 - RESIDENT DEATHS FROM 72 SELECTED CAUSES BY RACE, AGE, AND SEX: RHODE ISLAND, 1981

CAUSE(ICD CODE) RACE AND SEX	TOTAL NUMBER	UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	85 & OVER
DISEASES OF THE HEART (390-398,402,404-429)																	
TOTAL	3813	0	1	0	0	0	2	4	39	150	201	300	425	515	599	606	971
WHITE MALE	1910	0	1	0	0	0	1	3	30	109	142	214	260	301	302	252	295
WHITE FEMALE	1824	0	0	0	0	0	0	1	7	30	52	76	156	204	285	350	663
NON-WHITE MALE	35	0	0	0	0	0	1	0	2	6	2	5	7	2	6	1	3
NON-WHITE FEMALE	40	0	0	0	0	0	0	0	0	4	4	5	2	7	6	3	9
UNKNOWN MALE	2	0	0	0	0	0	0	0	0	0	1	0	0	1	0	0	0
UNKNOWN FEMALE	2	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	1
RHEUMATIC FEVER AND RHEUMATIC HEART DISEASE(390-398)																	
TOTAL	43	0	0	0	0	0	0	0	0	3	4	6	5	11	4	6	4
WHITE MALE	13	0	0	0	0	0	0	0	0	1	3	1	0	3	3	1	1
WHITE FEMALE	29	0	0	0	0	0	0	0	0	2	1	4	5	8	1	5	3
NON-WHITE FEMALE	1	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0
HYPERTENSIVE HEART DISEASE(402)																	
TOTAL	69	0	0	0	0	0	0	0	3	10	1	5	7	7	5	12	19
WHITE MALE	19	0	0	0	0	0	0	0	2	7	1	3	2	1	0	2	1
WHITE FEMALE	47	0	0	0	0	0	0	0	1	1	0	2	5	6	4	10	18
NON-WHITE MALE	1	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0
NON-WHITE FEMALE	2	0	0	0	0	0	0	0	0	1	0	0	0	0	1	0	0
HYPERTENSIVE HEART AND RENAL DISEASE (404)																	
TOTAL	11	0	0	0	0	0	0	0	0	0	0	0	1	1	2	4	3
WHITE MALE	5	0	0	0	0	0	0	0	0	0	0	0	1	0	1	2	1
WHITE FEMALE	5	0	0	0	0	0	0	0	0	0	0	0	0	1	1	2	1
NON-WHITE MALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
ISCHEMIC HEART DISEASE (410-414)																	
TOTAL	3150	0	0	0	0	0	0	3	27	100	162	246	361	437	503	509	802
WHITE MALE	1602	0	0	0	0	0	0	2	22	74	117	182	226	257	258	219	245
WHITE FEMALE	1495	0	0	0	0	0	0	1	4	21	40	59	128	173	235	287	547
NON-WHITE MALE	27	0	0	0	0	0	0	0	1	4	1	3	7	2	6	1	2
NON-WHITE FEMALE	22	0	0	0	0	0	0	0	0	0	3	2	0	4	4	2	7
UNKNOWN MALE	2	0	0	0	0	0	0	0	0	0	1	0	0	1	0	0	0
UNKNOWN FEMALE	2	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	1

TABLE 25 - RESIDENT DEATHS FROM 72 SELECTED CAUSES BY RACE, AGE, AND SEX: RHODE ISLAND, 1981

CAUSE(ICD CODE) RACE AND SEX	TOTAL NUMBER	UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	85 & OVER
ACUTE MYOCARDIAL INFARCTION (410)																	
TOTAL	1644	0	0	0	0	0	0	2	16	63	99	172	220	285	280	239	268
WHITE MALE	911	0	0	0	0	0	0	1	14	46	68	128	136	170	153	110	85
WHITE FEMALE	701	0	0	0	0	0	0	1	2	12	29	39	77	111	123	129	178
NON-WHITE MALE	19	0	0	0	0	0	0	0	0	4	0	3	7	1	3	0	1
NON-WHITE FEMALE	10	0	0	0	0	0	0	0	0	0	2	2	0	2	1	0	3
UNKNOWN MALE	1	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0
UNKNOWN FEMALE	2	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	1
OTHER ACUTE AND SUBACUTE FORMS OF ISCHEMIC HEART DISEASE(411)																	
TOTAL	6	0	0	0	0	0	0	0	0	0	1	0	1	1	1	0	2
WHITE MALE	3	0	0	0	0	0	0	0	0	0	0	0	1	1	1	0	0
WHITE FEMALE	3	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	2
ANGINA PECTORIS(413)																	
TOTAL	2	0	0	0	0	0	0	0	0	1	0	0	0	1	0	0	0
WHITE MALE	2	0	0	0	0	0	0	0	0	1	0	0	0	1	0	0	0
OLD MYOCARDIAL INFARCTION AND OTHER FORMS OF CHRONIC ICHEMIC HEART DISEASE(412,414)																	
TOTAL	1498	0	0	0	0	0	0	1	11	36	62	74	140	150	222	270	532
WHITE MALE	686	0	0	0	0	0	0	1	8	27	49	54	89	85	104	109	160
WHITE FEMALE	791	0	0	0	0	0	0	0	2	9	10	20	51	62	112	158	367
NON-WHITE MALE	8	0	0	0	0	0	0	0	1	0	1	0	0	1	3	1	1
NON-WHITE FEMALE	12	0	0	0	0	0	0	0	0	0	1	0	0	2	3	2	4
UNKNOWN MALE	1	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0
OTHER DISEASES OF ENDOCARDIUM(424)																	
TOTAL	42	0	0	0	0	0	0	0	1	2	2	2	7	4	6	10	9
WHITE MALE	19	0	0	0	0	0	0	0	1	1	1	1	4	4	1	3	3
WHITE FEMALE	22	0	0	0	0	0	0	0	0	1	1	1	2	0	5	7	5
NON-WHITE FEMALE	1	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0
ALL OTHER FORMS OF HEART DISEASE (415-423,425-429)																	
TOTAL	498	0	1	0	0	0	2	1	8	35	32	41	44	55	79	65	135
WHITE MALE	252	0	1	0	0	0	1	1	5	26	20	27	27	36	39	25	44
WHITE FEMALE	226	0	0	0	0	0	0	0	2	5	10	10	16	16	39	39	89
NON-WHITE MALE	6	0	0	0	0	0	1	0	1	1	1	2	0	0	0	0	0
NON-WHITE FEMALE	14	0	0	0	0	0	0	0	0	3	1	2	1	3	1	1	2

TABLE 25 - RESIDENT DEATHS FROM 72 SELECTED CAUSES BY RACE, AGE, AND SEX: RHODE ISLAND, 1981

CAUSE(ICD CODE) RACE AND SEX	TOTAL NUMBER	UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	85 & OVER
HYPERTENSION WITH OR WITHOUT RENAL DISEASE(401,403)																	
TOTAL	35	0	0	0	0	0	0	1	1	0	1	1	4	4	10	3	10
WHITE MALE	14	0	0	0	0	0	0	1	0	0	1	0	3	3	2	1	3
WHITE FEMALE	18	0	0	0	0	0	0	0	1	0	0	1	0	1	7	2	6
NON-WHITE MALE	2	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	1
NON-WHITE FEMALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0
CEREBROVASCULAR DISEASES (430-438)																	
TOTAL	622	0	1	0	0	1	2	3	4	17	12	37	50	60	99	120	216
WHITE MALE	248	0	1	0	0	0	2	1	2	13	6	21	30	33	40	33	66
WHITE FEMALE	361	0	0	0	0	1	0	2	2	4	5	14	19	26	56	87	145
NON-WHITE MALE	2	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	1
NON-WHITE FEMALE	11	0	0	0	0	0	0	0	0	0	1	1	1	1	3	0	4
INTRACEREBRAL AND OTHER INTRACRANIAL HEMORRHAGE(431-432)																	
TOTAL	102	0	0	0	0	0	0	0	2	8	4	12	11	13	25	13	14
WHITE MALE	43	0	0	0	0	0	0	0	1	7	2	7	5	6	8	2	5
WHITE FEMALE	55	0	0	0	0	0	0	0	1	1	1	4	5	7	16	11	9
NON-WHITE MALE	1	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0
NON-WHITE FEMALE	3	0	0	0	0	0	0	0	0	0	1	0	1	0	1	0	0
CEREBRAL THROMBOSIS AND UNSPECIFIED OCCLUSION OF CEREBRAL ARTERIES (434.0,434.9)																	
TOTAL	166	0	0	0	0	0	0	0	0	2	1	9	13	16	22	33	70
WHITE MALE	69	0	0	0	0	0	0	0	0	2	1	4	10	9	9	11	23
WHITE FEMALE	93	0	0	0	0	0	0	0	0	0	0	4	3	7	12	22	45
NON-WHITE FEMALE	4	0	0	0	0	0	0	0	0	0	0	1	0	0	1	0	2
CEREBRAL EMBOLISM(434.1)																	
TOTAL	4	0	0	0	0	0	0	0	0	0	0	0	2	0	1	1	0
WHITE MALE	3	0	0	0	0	0	0	0	0	0	0	0	1	0	1	1	0
WHITE FEMALE	1	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0
ALL OTHER AND LATE EFFECTS OF CEREBROVASCULAR DISEASES (430,433,435-438)																	
TOTAL	350	0	1	0	0	1	2	3	2	7	7	16	24	31	51	73	132
WHITE MALE	133	0	1	0	0	0	2	1	1	4	3	10	14	18	22	19	38
WHITE FEMALE	212	0	0	0	0	1	0	2	1	3	4	6	10	12	28	54	91
NON-WHITE MALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
NON-WHITE FEMALE	4	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	2

TABLE 25 - RESIDENT DEATHS FROM 72 SELECTED CAUSES BY RACE, AGE, AND SEX: RHODE ISLAND, 1981

CAUSE (ICD CODE) RACE AND SEX	TOTAL NUMBER	UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	85 & OVER
ATHEROSCLEROSIS (440)																	
TOTAL	124	0	0	0	0	0	0	0	0	2	3	8	9	9	14	16	63
WHITE MALE	53	0	0	0	0	0	0	0	0	1	2	4	8	6	8	7	17
WHITE FEMALE	68	0	0	0	0	0	0	0	0	1	1	4	1	3	6	9	43
NON-WHITE MALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
NON-WHITE FEMALE	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2
OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES (441-448)																	
TOTAL	117	0	0	0	0	0	0	1	0	3	4	8	11	29	24	16	21
WHITE MALE	69	0	0	0	0	0	0	0	0	1	3	8	7	18	13	11	8
WHITE FEMALE	48	0	0	0	0	0	0	1	0	2	1	0	4	11	11	5	13
ACUTE BRONCHITIS AND BRONCHIOLITIS (466)																	
TOTAL	2	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0
WHITE FEMALE	2	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0
PNEUMONIA AND INFLUENZA (480-487)																	
TOTAL	235	7	1	0	0	0	0	1	0	2	1	3	11	15	31	45	118
WHITE MALE	92	4	1	0	0	0	0	1	0	1	0	2	6	7	17	18	35
WHITE FEMALE	141	2	0	0	0	0	0	0	0	1	1	1	5	8	14	27	82
NON-WHITE MALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
NON-WHITE FEMALE	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PNEUMONIA (480-486)																	
TOTAL	220	7	1	0	0	0	0	1	0	2	1	3	11	15	29	41	109
WHITE MALE	87	4	1	0	0	0	0	1	0	1	0	2	6	7	16	15	34
WHITE FEMALE	131	2	0	0	0	0	0	0	0	1	1	1	5	8	13	26	74
NON-WHITE MALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
NON-WHITE FEMALE	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
INFLUENZA (487)																	
TOTAL	15	0	0	0	0	0	0	0	0	0	0	0	0	0	2	4	9
WHITE MALE	5	0	0	0	0	0	0	0	0	0	0	0	0	0	1	3	1
WHITE FEMALE	10	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	8
CHRONIC OBSTRUCTIVE PULMONARY DISEASES AND ALLIED CONDITIONS (490-496)																	
TOTAL	275	0	0	0	0	0	0	0	2	8	10	23	38	47	60	42	45
WHITE MALE	198	0	0	0	0	0	0	0	1	4	6	21	26	39	46	28	27
WHITE FEMALE	77	0	0	0	0	0	0	0	1	4	4	2	12	8	14	14	18

TABLE 25 - RESIDENT DEATHS FROM 72 SELECTED CAUSES BY RACE, AGE, AND SEX: RHODE ISLAND, 1981

CAUSE (ICD CODE) RACE AND SEX	TOTAL NUMBER	UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	95 & OVER
BRONCHITIS, CHRONIC AND UNSPECIFIED (490-491)																	
TOTAL	23	0	C	0	0	0	0	0	0	1	1	2	4	1	5	4	5
WHITE MALE	14	0	C	0	0	0	0	0	0	1	0	2	2	1	4	3	1
WHITE FEMALE	9	0	C	0	0	0	0	0	0	0	1	0	2	0	1	1	4
EMPHYSEMA (492)																	
TOTAL	37	0	C	0	0	0	0	0	0	3	2	2	9	10	5	1	5
WHITE MALE	30	0	C	0	0	0	0	0	0	1	1	2	7	8	5	1	5
WHITE FEMALE	7	0	C	0	0	0	0	0	0	2	1	0	2	2	0	0	0
ASTHMA (493)																	
TOTAL	5	0	C	0	0	0	0	0	0	0	1	1	2	0	1	0	0
WHITE MALE	2	0	C	0	0	0	0	0	0	0	0	1	1	0	0	0	0
WHITE FEMALE	3	0	C	0	0	0	0	0	0	0	1	0	1	0	1	0	0
OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES AND ALLIED CONDITIONS (494-496)																	
TOTAL	210	0	C	0	0	0	0	0	2	4	6	18	23	36	49	37	35
WHITE MALE	152	0	C	0	0	0	0	0	1	2	5	16	16	30	37	24	21
WHITE FEMALE	58	0	C	0	0	0	0	0	1	2	1	2	7	6	12	13	14
ULCER OF STOMACH AND DUODENUM (531-533)																	
TOTAL	25	0	C	0	0	0	0	0	0	2	1	0	2	4	3	7	6
WHITE MALE	10	0	C	0	0	0	0	0	0	2	1	0	0	4	0	3	0
WHITE FEMALE	15	0	C	0	0	0	0	0	0	0	0	0	2	0	3	4	6
APPENDICITIS (540-543)																	
TOTAL	2	0	C	0	0	0	0	0	0	0	0	0	0	0	0	0	2
WHITE FEMALE	2	0	C	0	0	0	0	0	0	0	0	0	0	0	0	0	2
HERNIA OF ABDOMINAL CAVITY AND INTESTINAL OBSTRUCTION WITHOUT MENTION OF HERNIA (550-553,560)																	
TOTAL	27	0	C	0	0	0	0	0	0	1	1	0	1	4	3	5	12
WHITE MALE	11	0	C	0	0	0	0	0	0	1	0	0	0	2	1	2	5
WHITE FEMALE	16	0	C	0	0	0	0	0	0	0	1	0	1	2	2	3	7
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)																	
TOTAL	135	0	0	1	0	0	0	5	9	26	21	16	22	18	13	4	0
WHITE MALE	83	0	C	0	0	0	0	4	5	14	16	10	14	9	9	2	0
WHITE FEMALE	47	0	C	1	0	0	0	1	3	9	5	6	8	9	3	2	0
NON-WHITE MALE	4	0	C	0	0	0	0	0	1	2	0	0	0	0	1	0	0
NON-WHITE FEMALE	1	0	C	0	0	0	0	0	0	1	0	0	0	0	0	0	0

TABLE 25 - RESIDENT DEATHS FROM 72 SELECTED CAUSES BY RACE, AGE, AND SEX: RHODE ISLAND, 1981

CAUSE (ICD CODE) RACE AND SEX	TOTAL NUMBER	UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	85 & OVER
CHOLELITHIASIS AND OTHER DISORDERS OF GALLBLADDER (574-575)																	
TOTAL	15	0	0	0	0	0	0	0	0	1	1	0	5	2	1	0	5
WHITE MALE	7	0	0	0	0	0	0	0	0	0	1	0	2	1	1	0	2
WHITE FEMALE	8	0	0	0	0	0	0	0	0	1	0	0	3	1	0	0	3
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)																	
TOTAL	85	3	0	0	0	0	0	0	0	0	2	6	4	12	15	16	27
WHITE MALE	38	1	0	0	0	0	0	0	0	0	2	2	2	5	9	9	8
WHITE FEMALE	43	1	0	0	0	0	0	0	0	0	0	3	1	6	6	7	19
NON-WHITE MALE	2	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0	0
NON-WHITE FEMALE	2	1	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0
CHRONIC GLOMERULONEPHRITIS, NEPHRITIS, NEPHROPATHY, AND RENAL SCLEROSIS, UNSPECIFIED (582-583,587)																	
TOTAL	12	1	0	0	0	0	0	0	0	0	0	2	1	0	1	4	3
WHITE MALE	4	1	0	0	0	0	0	0	0	0	0	1	0	0	1	1	0
WHITE FEMALE	7	0	0	0	0	0	0	0	0	0	0	0	1	0	0	3	3
NON-WHITE MALE	1	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0
RENAL FAILURE, DISORDERS RESULTING FROM IMPAIRED RENAL FUNCTION, & SMALL KIDNEY OF UNKNOWN CAUSE (584-586,588-589)																	
TOTAL	73	2	0	0	0	0	0	0	0	0	2	4	3	12	14	12	24
WHITE MALE	34	0	0	0	0	0	0	0	0	0	2	1	2	5	8	8	8
WHITE FEMALE	36	1	0	0	0	0	0	0	0	0	0	3	0	6	6	4	16
NON-WHITE MALE	1	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0
NON-WHITE FEMALE	2	1	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0
INFECTIONS OF KIDNEY (590)																	
TOTAL	10	0	0	0	0	0	0	0	0	0	0	0	1	3	2	2	2
WHITE MALE	3	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	1
WHITE FEMALE	7	0	0	0	0	0	0	0	0	0	0	0	1	2	2	1	1
HYPERPLASIA OF PROSTATE (600)																	
TOTAL	4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	3	1
WHITE MALE	4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	3	1

TABLE 25 - RESIDENT DEATHS FROM 72 SELECTED CAUSES BY RACE, AGE, AND SEX: RHODE ISLAND, 1981

CAUSE (ICD CODE) RACE AND SEX	TOTAL NUMBER	UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	95 & OVER
CONGENITAL ANOMALIES(740-759)																	
TOTAL	63	37	4	0	1	2	2	3	2	3	2	3	0	2	0	0	2
WHITE MALE	34	22	3	0	0	2	1	2	0	1	0	2	0	1	0	0	0
WHITE FEMALE	23	11	1	0	1	0	1	1	2	1	2	0	0	1	0	0	2
NON-WHITE MALE	4	2	0	0	0	0	0	0	0	1	0	1	0	0	0	0	0
NON-WHITE FEMALE	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
UNKNOWN MALE	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD(760-779)																	
TOTAL	77	77	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
WHITE MALE	31	31	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
WHITE FEMALE	35	35	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NON-WHITE MALE	6	6	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NON-WHITE FEMALE	5	5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
BIRTH TRAUMA, INTRAUTERINE HYPOXIA, BIRTH ASPHYXIA, AND RESPIRATORY DISTRESS SYNDROME(767-769)																	
TOTAL	22	22	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
WHITE MALE	11	11	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
WHITE FEMALE	8	8	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NON-WHITE MALE	2	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NON-WHITE FEMALE	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
OTHER CONDITIONS ORIGINATING IN THE PERINATAL PERIOD(760-766,770-779)																	
TOTAL	55	55	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
WHITE MALE	20	20	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
WHITE FEMALE	27	27	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NON-WHITE MALE	4	4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NON-WHITE FEMALE	4	4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS(780-799)																	
TOTAL	16	7	0	0	0	0	2	1	0	2	0	0	0	2	0	0	2
WHITE MALE	4	2	0	0	0	0	0	0	0	0	0	0	0	2	0	0	0
WHITE FEMALE	9	4	0	0	0	0	1	0	0	2	0	0	0	0	0	0	2
NON-WHITE MALE	2	0	0	0	0	0	1	1	0	0	0	0	0	0	0	0	0
NON-WHITE FEMALE	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

TABLE 25 - RESIDENT DEATHS FROM 72 SELECTED CAUSES BY RACE, AGE, AND SEX: RHODE ISLAND, 1981

CAUSE (ICD CODE) RACE AND SEX	TOTAL NUMBER	UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	85 & OVER
ALL OTHER DISEASES (RESIDUAL)																	
TOTAL	511	4	3	3	1	1	6	18	16	48	33	32	42	60	78	69	97
WHITE MALE	247	3	1	1	0	1	3	10	14	26	22	18	20	32	34	31	31
WHITE FEMALE	251	1	2	2	0	0	2	6	1	21	10	14	21	28	41	38	64
NON-WHITE MALE	5	0	0	0	1	0	1	1	0	1	0	0	0	0	1	0	0
NON-WHITE FEMALE	8	0	0	0	0	0	0	1	1	0	1	0	1	0	2	0	2
ACCIDENTS AND ADVERSE EFFECTS (E800-E949)																	
TOTAL	293	4	3	5	5	17	38	48	23	19	3	18	9	13	22	26	40
WHITE MALE	168	2	3	2	2	11	29	33	12	14	1	7	7	9	13	6	17
WHITE FEMALE	113	1	0	3	2	5	8	12	8	5	2	9	2	4	9	20	23
NON-WHITE MALE	7	0	0	0	1	1	1	2	1	0	0	1	0	0	0	0	0
NON-WHITE FEMALE	3	1	0	0	0	0	0	1	0	0	0	1	0	0	0	0	0
UNKNOWN MALE	2	0	0	0	0	0	0	0	2	0	0	0	0	0	0	0	0
MOTOR VEHICLE ACCIDENTS (E810-E825)																	
TOTAL	116	0	0	4	3	10	27	30	14	8	1	7	1	3	4	3	1
WHITE MALE	71	0	0	2	1	7	20	19	8	7	0	2	1	2	2	0	0
WHITE FEMALE	40	0	0	2	2	2	7	9	4	1	1	5	0	1	2	3	1
NON-WHITE MALE	3	0	0	0	0	1	0	1	1	0	0	0	0	0	0	0	0
NON-WHITE FEMALE	1	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0
UNKNOWN MALE	1	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0
ALL OTHER ACCIDENTS AND ADVERSE EFFECTS (E800-E807,E826-E949)																	
TOTAL	177	4	3	1	2	7	11	18	9	11	2	11	8	10	18	23	39
WHITE MALE	97	2	3	0	1	4	9	14	4	7	1	5	6	7	11	6	17
WHITE FEMALE	73	1	0	1	0	3	1	3	4	4	1	4	2	3	7	17	22
NON-WHITE MALE	4	0	0	0	1	0	1	1	0	0	0	1	0	0	0	0	0
NON-WHITE FEMALE	2	1	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0
UNKNOWN MALE	1	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0
SUICIDE (E950-E959)																	
TOTAL	105	0	0	0	3	9	14	24	19	12	9	6	4	3	1	1	0
WHITE MALE	77	0	0	0	2	9	12	18	14	5	7	5	2	2	1	0	0
WHITE FEMALE	25	0	0	0	1	0	2	5	5	6	1	1	2	1	0	1	0
NON-WHITE MALE	2	0	0	0	0	0	0	0	0	1	1	0	0	0	0	0	0
NON-WHITE FEMALE	1	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0
HOMICIDE AND LEGAL INTERVENTION (E960-E978)																	
TOTAL	48	0	1	0	0	4	6	18	5	4	5	0	1	4	0	0	0
WHITE MALE	28	0	0	0	0	1	4	13	4	1	3	0	0	2	0	0	0
WHITE FEMALE	11	0	0	0	0	1	2	1	1	2	1	0	1	2	0	0	0
NON-WHITE MALE	3	0	1	0	0	1	0	0	0	1	0	0	0	0	0	0	0
NON-WHITE FEMALE	4	0	0	0	0	1	0	2	0	0	1	0	0	0	0	0	0
UNKNOWN MALE	2	0	0	0	0	0	0	2	0	0	0	0	0	0	0	0	0

TABLE 25 - RESIDENT DEATHS FROM 72 SELECTED CAUSES BY RACE, AGE, AND SEX: RHODE ISLAND, 1981

CAUSE(ICD CODE) RACE AND SEX	TOTAL NUMBER	UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	85 & OVER
ALL OTHER EXTERNAL CAUSES(E980-E999)																	
TOTAL	15	0	0	0	1	1	3	1	3	1	2	2	0	0	0	1	0
WHITE MALE	10	0	0	0	1	0	2	1	2	1	1	1	0	0	0	1	0
WHITE FEMALE	4	0	0	0	0	0	1	0	1	0	1	1	0	0	0	0	0
NON-WHITE FEMALE	1	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0

* TOTALS MAY INCLUDE DEATHS OF UNKNOWN AGE

TABLE 26 - RESIDENT DEATHS BY CITY OR TOWN BY MONTH
RHODE ISLAND, 1981

CITY OR TOWN	TOTAL	JAN	FEB	MARCH	APR	MAY	JUNE	JULY	AUG	SEPT	OCT	NOV	DEC
RHODE ISLAND	9138	1030	732	774	696	736	687	731	769	697	731	726	829
BARRINGTON	97	9	9	9	4	11	10	8	7	4	6	10	10
BRISTOL	180	23	16	11	15	18	14	14	14	15	14	14	12
BURRILLVILLE	109	10	10	3	9	6	16	10	10	10	14	7	4
CENTRAL FALLS	213	29	12	19	13	21	13	15	19	13	13	19	27
CHARLESTOWN	39	3	6	2	2	4	2	5	2	3	3	3	4
COVENTRY	189	14	11	15	11	16	11	17	17	19	16	16	26
CRANSTON	759	87	55	75	51	66	51	50	55	69	70	64	66
CUMBERLAND	225	26	21	20	15	19	13	16	17	10	19	28	21
EAST GREENWICH	77	7	6	6	12	8	5	5	8	3	2	6	9
EAST PROVIDENCE	534	59	41	36	34	50	46	51	48	42	45	30	52
EXETER	31	7	3	3	2	3	1	1	3	1	4	0	3
FOSTER	26	0	1	4	3	2	2	0	2	4	1	3	4
GLOCESTER	42	3	2	5	5	2	5	1	3	3	2	4	7
HOPKINTON	51	4	6	6	3	6	3	2	8	4	3	3	3
JAMESTOWN	46	4	6	2	4	3	3	4	5	4	6	0	5
JOHNSTON	216	28	18	18	23	21	5	14	20	21	19	11	18
LINCOLN	174	19	16	17	19	12	13	14	11	17	10	11	15
LITTLE COMPTON	26	3	1	1	5	1	1	3	0	3	1	3	4
MIDDLETOWN	98	10	8	10	3	9	8	12	7	5	11	10	5
NARRAGANSETT	91	12	7	8	1	7	5	9	11	9	5	8	9
NEWPORT	290	41	22	21	22	24	24	22	30	20	19	16	29
NEW SHOREHAM	6	0	1	1	0	1	1	1	0	0	0	0	1
NORTH KINGSTOWN	134	11	11	16	9	6	10	22	8	11	10	8	12
NORTH PROVIDENCE	256	33	24	17	16	16	17	18	20	19	27	24	25
NORTH SMITHFIEL	97	13	7	8	8	8	11	9	4	5	8	9	7
PAWTUCKET	862	62	70	71	74	68	66	71	85	54	67	73	81
PORTSMOUTH	92	14	10	5	4	8	7	8	8	8	8	7	5
PROVIDENCE	1819	205	152	165	142	138	127	152	137	129	139	155	178
RICHMOND	33	2	4	4	1	5	4	2	1	2	4	1	3
SCITUATE	63	10	4	6	5	4	7	5	3	5	6	1	7
SMITHFIELD	123	12	6	8	8	13	11	5	18	10	10	13	9
SOUTH KINGSTOWN	143	20	15	13	4	12	16	5	7	14	10	14	13
TIVERTON	121	11	11	6	13	9	14	12	8	13	7	5	12
WARREN	105	12	6	9	7	6	6	11	12	6	9	9	12
WARWICK	805	95	60	67	73	70	63	52	76	70	56	73	50
WESTERLY	163	16	13	19	8	9	15	13	18	12	19	8	13
WEST GREENWICH	14	3	0	1	0	0	1	3	1	1	0	3	1
WEST WARWICK	266	30	13	19	20	15	23	27	23	21	29	17	29
WOONSOCKET	523	63	49	48	48	39	37	42	43	38	39	40	38

TABLE 27 - RESIDENT INFANT DEATHS FROM 61 SELECTED CAUSES BY AGE, RHODE ISLAND 1981

CAUSE OF DEATH(ICDA CODE)	ALL INFANTS	NEONATAL (-28 DAYS)	UNDER 1 DAY	1 - 6 DAYS	7 -27 DAYS	28 DAYS-11 MONTHS
ALL CAUSES - TOTAL	145	114	75	21	18	31
MENINGOCOCCAL INFECTION(036)	1	0	0	0	0	1
SEPTICEMIA(038)	2	1	0	0	1	1
MALIGNANT NEOPLASMS(140-208)	1	0	0	0	0	1
MENINGITIS(320-322)	1	0	0	0	0	1
OTHER DISEASES OF NERVOUS SYSTEM AND SENSE ORGANS(323-389)	2	0	0	0	0	2
BRONCHITIS AND BRONCHIOLITIS(466,490-491)	1	0	0	0	0	1
PNEUMONIA AND INFLUENZA(480-487)	7	3	1	1	1	4
PNEUMONIA(480-486)	7	3	1	1	1	4
CONGENITAL ANOMALIES(740-759)	37	29	17	8	4	8
ANENCEPHALUS AND SIMILAR ANOMALIES(740)	3	3	1	2	0	0
SPINA BIFIDA(741)	4	4	3	1	0	0
CONGENITAL HYDROCEPHALUS(742.3)	1	1	1	0	0	0
OTHER CONGEN ANOMALIES OF CNTRL SYSTM & EYE(742.0-742.2,742.4-742.9,743)	2	1	1	0	0	1
CONGENITAL ANOMALIES OF HEART(745-746)	6	4	1	1	2	2
OTHER CONGENITAL ANOMALIES OF CIRCULATORY SYSTEM(747)	4	2	0	2	0	2
CONGENITAL ANOMALIES OF RESPIRATORY SYSTEM (748)	6	6	5	1	0	0
CONGENITAL ANOMALIES OF DIGESTIVE SYSTEM (749-751)	2	1	0	1	0	1
CONGENITAL ANOMALIES OF GENITOURINARY SYSTEM (752-753)	1	0	0	0	0	1
CONGENITAL ANOMALIES OF MUSCULOSKELETAL SYSTEM (754-756)	1	1	0	0	1	0
DOWN'S SYNDROME(758.0)	1	0	0	0	0	1
OTHER CHROMOSOMAL ANOMALIES(758.1-758.9)	1	1	0	0	1	0
ALL OTHER AND UNSPECIFIED CONGENITAL ANOMALIES (744,757,759)	5	5	5	0	0	0

TABLE 27 - RESIDENT INFANT DEATHS FROM 61 SELECTED CAUSES BY AGE, RHODE ISLAND 1981

CAUSE OF DEATH(ICDA CODE)	ALL INFANTS	NEONATAL (-28 DAYS)	UNDER 1 DAY	1 - 6 DAYS	7 -27 DAYS	28 DAYS- 11 MONTHS
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD(760-779)	77	76	56	11	9	1
NEWBORN AFFECTED BY MATERNAL CONDITIONS UNRELATED TO PRESENT PREGNANCY(760)	1	1	1	0	0	0
NEWBORN AFFECTED BY MATERNAL COMPLICATIONS OF PREGNANCY(761)	2	2	2	0	0	0
NEWBORN AFFECTED BY COMPLICATIONS OF PLACENTA, CORD, AND MEMBRANES(762)	7	7	7	0	0	0
NEWBORN AFFECTED BY OTHER COMPLICATIONS OF LABOR AND DELIVERY(763)	1	1	1	0	0	0
DISORDERS RELATING TO SHORT GESTATION AND UNSPECIFIED LOW BIRTHWEIGHT(765)	12	12	12	0	0	0
BIRTH TRAUMA(767)	1	1	1	0	0	0
INTRAUTERINE HYPOXIA AND BIRTH ASPHYXIA(768)	4	4	3	0	1	0
FETAL DISTRESS IN LIVEBORN INFANT(768.2-768.4)	1	1	0	0	1	0
BIRTH ASPHYXIA(768.5-768.9)	3	3	3	0	0	0
RESPIRATORY DISTRESS SYNDROME(769)	17	16	7	8	1	1
OTHER RESPIRATORY CONDITIONS OF NEWBORN(770)	9	9	9	0	0	0
INFECTIONS SPECIFIC TO THE PERINATAL PERIOD(771)	6	6	5	1	0	0
NEONATAL HEMORRHAGE(772)	6	6	1	1	4	0
HEMOLYTIC DISEASE OF NEWBORN,DUE TO ISOIMMUN.,AND OTHR PERIN. JAUND.(773,774)	2	2	0	1	1	0
ALL OTHER & ILL-DEF'D CONDITIONS IN PERINATAL PERIOD(775.2-775.9,776.1-779)	9	9	7	0	2	0
SYMPTOMS,SIGNS, AND ILL-DEFINED CONDITIONS(780-799)	7	1	0	0	1	6
SUDDEN INFANT DEATH SYNDROME(798.0)	6	1	0	0	1	5
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS (780-797,798.1-799)	1	0	0	0	0	1
ACCIDENTS AND ADVERSE EFFECTS(E800-E949)	4	1	1	0	0	3
INHALATION & INGESTION OF FOOD OR OTHER OBJECT CAUSING SUFFOCATION(E911,E912)	1	0	0	0	0	1
ACCIDENTAL MECHANICAL SUFFOCATION(E913)	1	0	0	0	0	1
OTHER ACCIDENTAL CAUSES AND ADVERSE EFFECTS (E800-E910,E914-E949)	2	1	1	0	0	1
ALL OTHER CAUSES(RESIDUAL)	5	3	0	1	2	2

TABLE 25 - RESIDENT ACCIDENTAL DEATHS, WITH NON-MOTOR VEHICLE ACCIDENTS SHOWN, BY NEW ENGLAND STANDARD LOCATIONS BY SEX AND AGE: RHODE ISLAND, 1981

TYPE OR PLACE OF ACCIDENT	TOTAL	UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	85 & OVER
		AGE OF DECEDENT IN YEARS															
ALL ACCIDENTS (E8000-9499)*																	
TOTAL	293**	4	3	5	5	17	36	48	23	19	3	18	9	13	22	26	40
MALE	177	2	3	2	3	12	30	35	15	14	1	8	7	9	13	6	17
FEMALE	116	2	0	3	2	5	6	13	8	5	2	10	2	4	9	20	23
MOTOR VEHICLE ACCIDENTS (E810-825)																	
TOTAL	116	0	0	4	3	10	27	30	14	8	1	7	1	3	4	3	1
MALE	75	0	0	2	1	8	20	20	10	7	0	2	1	2	2	0	0
FEMALE	41	0	0	2	2	2	7	10	4	1	1	5	0	1	2	3	1
NON-MOTOR VEHICLE ACCIDENTS (E800-807,826-949)																	
TOTAL	177	4	3	1	2	7	11	18	9	11	2	11	8	10	18	23	39
MALE	102	2	3	0	2	4	10	15	5	7	1	6	6	7	11	6	17
FEMALE	75	2	0	1	0	3	1	3	4	4	1	5	2	3	7	17	22
00 HOME																	
TOTAL	71	2	3	1	1	2	2	4	4	5	0	5	2	3	8	12	17
MALE	39	2	3	0	1	0	2	3	2	2	0	3	2	1	5	4	9
FEMALE	32	0	0	1	0	2	0	1	2	3	0	2	0	2	3	8	8
30-39 INDUSTRIAL																	
TOTAL	6	0	0	0	0	1	0	2	1	2	0	0	0	0	0	0	0
MALE	6	0	0	0	0	1	0	2	1	2	0	0	0	0	0	0	0
30 MANUFACTURING																	
TOTAL	3	0	0	0	0	0	0	0	1	2	0	0	0	0	0	0	0
MALE	3	0	0	0	0	0	0	0	1	2	0	0	0	0	0	0	0
31 CONSTRUCTION																	
TOTAL	2	0	0	0	0	0	0	2	0	0	0	0	0	0	0	0	0
MALE	2	0	0	0	0	0	0	2	0	0	0	0	0	0	0	0	0
38 OTHER SPECIFIED																	
TOTAL	1	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0
MALE	1	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0

TABLE 28 - RESIDENT ACCIDENTAL DEATHS, WITH NON-MOTOR VEHICLE ACCIDENTS SHOWN, BY NEW ENGLAND STANDARD LOCATIONS BY SEX AND AGE: RHODE ISLAND, 1981

TYPE OR PLACE OF ACCIDENT	TOTAL	UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	85 & OVER
			AGE OF DECEDENT IN YEARS														
40-49 PLACE OF RECREATION																	
TOTAL	9	0	0	0	1	2	2	3	0	0	0	0	0	1	0	0	0
MALE	9	0	0	0	1	2	2	3	0	0	0	0	0	1	0	0	0
41 BOATING																	
TOTAL	2	0	0	0	0	0	0	2	0	0	0	0	0	0	0	0	0
MALE	2	0	0	0	0	0	0	2	0	0	0	0	0	0	0	0	0
42 DIVING WITH EQUIPMENT																	
TOTAL	1	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0
MALE	1	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0
43 SWIMMING																	
TOTAL	5	0	0	0	1	2	2	0	0	0	0	0	0	0	0	0	0
MALE	5	0	0	0	1	2	2	0	0	0	0	0	0	0	0	0	0
49 OTHERS AND UNKNOWN																	
TOTAL	1	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0
MALE	1	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0
50 STREET AND HIGHWAY - SIDEWALK																	
TOTAL	3	0	0	0	0	1	1	0	0	0	0	0	0	0	0	0	1
MALE	1	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0
FEMALE	2	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	1
60 PUBLIC BUILDING																	
TOTAL	8	0	0	0	0	0	1	2	1	0	0	1	0	0	3	0	0
MALE	5	0	0	0	0	0	1	0	0	0	0	1	0	0	3	0	0
FEMALE	3	0	0	0	0	0	0	2	1	0	0	0	0	0	0	0	0
70 RESIDENT INSTITUTION																	
TOTAL	30	0	0	0	0	0	0	0	1	0	0	0	0	1	5	7	16
MALE	10	0	0	0	0	0	0	0	0	0	0	0	0	1	2	2	5
FEMALE	20	0	0	0	0	0	0	0	1	0	0	0	0	0	3	5	11

TABLE 28 - RESIDENT ACCIDENTAL DEATHS, WITH NON-MOTOR VEHICLE ACCIDENTS SHOWN, BY NEW ENGLAND STANDARD LOCATIONS BY SEX AND AGE: RHODE ISLAND, 1981

AGE OF DECEDENT IN YEARS

TYPE OR PLACE OF ACCIDENT	TOTAL	UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	85 & OVER
80-88 OTHER SPECIFIED PLACE																	
TOTAL	9	0	0	0	0	0	2	2	0	1	1	0	3	0	0	0	0
MALE	8	0	0	0	0	0	2	2	0	1	1	0	2	0	0	0	0
FEMALE	1	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0
80 OPEN SEA																	
TOTAL	4	0	0	0	0	0	0	1	0	1	0	0	2	0	0	0	0
MALE	3	0	0	0	0	0	0	1	0	1	0	0	1	0	0	0	0
FEMALE	1	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0
82 FIELD AND FOREST - OTHER THAN RECREATIONAL & FARMING																	
TOTAL	1	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0
MALE	1	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0
83 LAKE, RIVER, AND STREAM - OTHER THAN RECREATION																	
TOTAL	1	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0
MALE	1	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0
88 OTHER																	
TOTAL	3	0	0	0	0	0	0	1	0	0	1	0	1	0	0	0	0
MALE	3	0	0	0	0	0	0	1	0	0	1	0	1	0	0	0	0
90 UNKNOWN																	
TOTAL	23	1	0	0	0	1	2	3	2	1	1	2	2	2	1	2	3
MALE	12	0	0	0	0	0	2	3	2	1	0	1	1	1	0	0	1
FEMALE	11	1	0	0	0	1	0	0	0	0	1	1	1	1	1	2	2

NEW ENGLAND STANDARD LOCATION CATEGORIES ARE ASSIGNED ONLY TO DEATHS CLASSIFIED TO ICDA E830-E838, E846-E869, AND E880-E928.

* TOTALS MAY INCLUDE DEATHS OF UNKNOWN AGE

TABLE 29A - SELECTED MORTALITY DATA BY CITY OR TOWN BY CENSUS TRACT
RHODE ISLAND RESIDENTS, 1981

CITY OR TOWN AND CENSUS TRACT	ALL DEATHS	NEONATAL DEATHS	INFANT DEATHS	MALIGNANT NEOPLASMS (140-208)	MALIGNANT NEOPLASM OF LUNG (162.2-162.9)	MALIGNANT NEOPLASM OF FEMALE BREAST (174)	MALIGNANT NEOPLASM OF CERVIX (180)	MALIGNANT NEOPLASM LIP, ORAL CAVITY & PHARYNX (140-149)	DIABETES MELLITUS (250)	DISEASES OF THE HEART (390-398, 402, 410-429)	ACUTE MYOCARDIAL INFARCTION (410)	RHEUMATIC HEART DISEASE (390-398)
RHODE ISLAND	9136	114	145	2152	529	189	19	45	181	3813	1644	43
BARRINGTON	97	3	3	23	5	1	0	1	0	36	14	1
301	18	0	0	5	1	0	0	1	0	7	4	0
302	20	0	0	6	2	1	0	0	0	9	4	0
303	29	1	1	8	0	0	0	0	0	10	3	0
304	30	2	2	4	2	0	0	0	0	10	3	1
UNKNOWN	0	0	0	0	0	0	0	0	0	0	0	0
BRISTOL	180	3	4	36	8	4	1	0	7	68	25	1
307	33	1	1	9	3	0	0	0	1	15	6	1
308	35	1	1	8	2	1	0	0	2	9	4	0
309	106	1	2	19	3	3	1	0	4	44	15	0
UNKNOWN	0	0	0	0	0	0	0	0	0	0	0	0
BURRILLVILLE	109	0	1	20	2	2	0	0	3	50	18	1
129	65	0	1	10	0	2	0	0	0	31	13	1
130	44	0	0	10	2	0	0	0	3	19	5	0
CENTRAL FALLS	213	4	4	55	14	5	1	1	5	74	31	0
108	66	2	2	16	4	1	1	0	1	27	13	0
109	60	0	0	14	3	1	0	1	2	23	5	0
110	54	1	1	16	4	2	0	0	1	15	10	0
111	33	1	1	9	3	1	0	0	1	9	3	0
UNKNOWN	0	0	0	0	0	0	0	0	0	0	0	0
CHARLESTOWN-511	39	0	0	8	2	1	0	0	0	19	9	0
COVENTRY	189	5	5	61	15	4	0	0	5	77	34	0
206	146	3	3	46	11	3	0	0	3	64	27	0
207	43	2	2	15	4	1	0	0	2	13	7	0
CRANSTON	759	9	9	189	48	14	2	4	13	320	147	2
134	42	2	2	10	4	0	0	0	1	15	5	1
135	65	0	0	14	2	1	0	0	1	27	4	1
136	37	0	0	11	3	0	0	0	4	15	9	0
137	94	3	3	19	3	1	0	3	2	39	18	0

TABLE 29A - SELECTED MORTALITY DATA BY CITY OR TOWN BY CENSUS TRACT
RHODE ISLAND RESIDENTS, 1981

CITY OR TOWN AND CENSUS TRACT	ALL DEATHS	NEONATAL DEATHS	INFANT DEATHS	MALIGNANT NEOPLASMS (140-208)	MALIGNANT NEOPLASM OF LUNG (162.2-162.9)	MALIGNANT NEOPLASM OF FEMALE BREAST (174)	MALIGNANT NEOPLASM OF CERVIX (180)	MALIGNANT NEOPLASM LIP, ORAL CAVITY & PHARYNX (140-149)	DIABETES MELLITUS (250)	DISEASES OF THE HEART (390-398, 402, 410-429)	ACUTE MYOCARDIAL INFARCTION (410)	RHEUMATIC HEART DISEASE (390-398)
PROVIDENCE (CONT.)												
21	68	0	0	19	5	2	0	0	0	22	12	1
22	43	0	0	10	2	1	0	0	1	12	8	0
23	67	1	1	18	5	4	1	2	1	25	6	0
24	76	0	0	17	0	1	0	1	0	32	13	0
25	20	0	0	4	1	0	0	0	0	11	6	1
26	50	2	2	12	1	1	0	0	1	20	6	0
27	24	0	0	6	3	0	0	1	1	9	4	0
28	60	0	0	17	7	4	0	0	4	28	11	0
29	79	0	0	23	5	4	0	0	0	35	13	0
30	11	0	0	3	1	0	0	0	0	2	1	0
31	48	0	0	12	3	0	0	0	0	21	9	0
32	31	0	0	11	2	1	0	0	0	11	2	0
33	99	0	0	15	3	0	0	0	3	30	10	1
34	43	0	0	12	2	0	0	0	0	14	8	0
35	62	0	0	12	2	2	0	0	0	27	10	0
36	23	0	0	2	0	1	0	0	0	12	5	1
37	38	1	1	9	3	0	0	0	3	12	7	0
UNKNOWN	0	0	0	0	0	0	0	0	0	0	0	0
INNER CITY	639	14	19	130	33	4	2	1	18	251	104	3
RICHMOND-506	33	2	2	13	3	1	0	0	0	12	7	0
SCITUATE-132	63	1	1	12	3	2	0	0	2	25	7	0
SMITHFIELD	123	1	2	30	9	3	0	0	3	52	25	2
126	65	1	1	16	8	0	0	0	2	31	19	1
127	58	0	1	14	1	3	0	0	1	21	6	1
SOUTH KINGSTOWN	143	2	4	32	5	5	0	0	1	61	28	2
512	72	2	3	17	0	2	0	0	0	32	13	2
513	71	0	1	15	5	3	0	0	1	29	15	0
514	0	0	0	0	0	0	0	0	0	0	0	0
UNKNOWN	0	0	0	0	0	0	0	0	0	0	0	0
TIVERTON	121	1	1	25	8	2	1	0	3	54	41	0

TABLE 29A - SELECTED MORTALITY DATA BY CITY OR TOWN BY CENSUS TRACT
RHODE ISLAND RESIDENTS, 1981

CITY OR TOWN AND CENSUS TRACT	ALL DEATHS	NEONATAL DEATHS	INFANT DEATHS	MALIGNANT NEOPLASMS (140-208)	MALIGNANT NEOPLASM OF LUNG (162.2-162.9)	MALIGNANT NEOPLASM OF FEMALE BREAST (174)	MALIGNANT NEOPLASM OF CERVIX (180)	MALIGNANT NEOPLASM LIP, ORAL CAVITY & PHARYNX (140-149)	DIABETES MELLITUS (250)	DISEASES OF THE HEART (390-398, 402, 410-429)	ACUTE MYOCARDIAL INFARCTION (410)	RHEUMATIC HEART DISEASE (390-398)
PAWTUCKET (CONT.)												
165	38	2	2	6	0	0	0	0	0	17	3	0
166	10	0	0	1	0	0	0	0	0	6	2	0
167	28	1	1	3	1	0	0	1	0	10	2	0
168	45	0	0	10	1	1	0	1	3	18	9	0
169	25	0	0	6	1	1	0	0	0	10	4	1
170	53	0	0	20	5	2	0	0	2	17	4	0
171	56	2	3	16	1	0	0	0	1	20	10	0
UNKNOWN	1	0	0	0	0	0	0	0	0	1	0	0
PORTSMOUTH-401	92	0	1	21	6	0	0	0	3	43	22	2
PROVIDENCE	1819	20	28	411	98	36	6	7	39	708	292	7
1	71	0	0	17	4	2	1	1	1	26	12	0
2	108	1	1	23	7	2	0	1	3	45	20	0
3	60	0	0	16	4	0	0	0	0	23	6	0
4	24	2	4	4	1	0	0	0	0	7	2	0
5	25	0	0	4	2	0	0	0	1	12	4	0
6	9	0	0	1	1	0	0	0	1	4	2	0
7	31	2	3	9	5	0	0	0	2	4	2	0
8	74	0	0	25	7	3	1	0	1	28	13	0
9	46	1	1	6	1	0	0	0	2	26	11	0
10	31	0	1	3	0	0	0	0	3	14	7	1
11	38	0	0	9	0	1	0	0	1	13	5	0
12	47	2	2	11	2	0	0	0	1	12	3	0
13	53	1	1	9	1	0	1	0	1	23	11	0
14	48	2	3	11	2	2	1	1	1	18	11	0
15	32	1	2	6	0	1	0	0	2	16	11	0
16	67	0	0	14	5	1	0	0	1	27	10	1
17	35	0	0	8	1	1	0	0	1	12	2	0
18	73	3	4	17	4	1	0	0	1	31	11	0
19	71	1	1	10	6	0	0	0	1	31	12	1
20	34	0	1	6	0	1	1	0	1	13	6	0

TABLE 29A - SELECTED MORTALITY DATA BY CITY OR TOWN BY CENSUS TRACT
RHODE ISLAND RESIDENTS, 1981

CITY OR TOWN AND CENSUS TRACT	ALL DEATHS	NEONATAL DEATHS	INFANT DEATHS	MALIGNANT NEOPLASMS (140-208)	MALIGNANT NEOPLASM OF LUNG (162.2-162.9)	MALIGNANT NEOPLASM OF FEMALE BREAST (174)	MALIGNANT NEOPLASM OF CERVIX (180)	MALIGNANT NEOPLASM LIP, ORAL CAVITY & PHARYNX (140-149)	DIABETES MELLITUS (250)	DISEASES OF THE HEART (390-398, 402, 410-429)	ACUTE MYOCARDIAL INFARCTION (410)	RHEUMATIC HEART DISEASE (390-398)
NEW SHOREHAM-415	6	0	0	1	0	0	0	0	0	4	2	0
NORTH KINGSTOWN	134	4	5	35	7	4	0	2	0	51	25	1
501	60	2	2	16	4	1	0	0	0	25	15	0
502	2	0	0	1	0	0	0	0	0	0	0	0
503	46	2	3	11	2	1	0	1	0	17	6	1
504	26	0	0	7	1	2	0	1	0	9	4	0
UNKNOWN	0	0	0	0	0	0	0	0	0	0	0	0
NORTH PROVIDENCE	256	0	1	65	12	8	1	4	8	107	41	0
118	53	0	0	13	1	3	0	1	2	22	6	0
119	37	0	0	11	1	2	0	0	0	16	7	0
120	65	0	1	17	4	3	1	0	2	27	12	0
121	100	0	0	24	6	0	0	3	4	41	16	0
UNKNOWN	1	0	0	0	0	0	0	0	0	1	0	0
NORTH SMITHFIELD-123	97	2	2	19	3	2	0	0	2	48	22	0
PAWTUCKET	862	14	16	210	49	12	2	7	26	351	125	2
149	16	0	0	2	2	0	0	0	0	8	3	0
150	38	0	0	11	3	1	0	1	1	15	8	0
151	50	3	3	10	2	0	0	1	2	22	4	0
152	75	0	0	20	3	0	0	0	2	37	8	0
153	29	1	1	3	1	0	0	0	1	15	7	0
154	19	1	1	6	2	1	0	0	1	5	1	0
155	56	1	1	15	4	0	1	0	1	29	12	1
156	16	0	0	3	1	0	0	2	1	6	2	0
157	49	1	1	10	5	1	0	1	1	20	10	0
158	48	1	1	15	6	0	0	0	3	20	6	0
159	35	0	0	9	4	1	0	0	2	13	9	0
160	26	0	1	7	2	0	0	0	0	8	3	0
161 **	58	0	0	13	2	2	0	0	1	20	5	0
163	24	0	0	4	1	1	0	0	2	10	3	0
164 **	55	1	1	20	2	1	1	0	2	24	10	0

TABLE 29A - SELECTED MORTALITY DATA BY CITY OR TOWN BY CENSUS TRACT
RHODE ISLAND RESIDENTS, 1981

CITY OR TOWN AND CENSUS TRACT	ALL DEATHS	NEONATAL DEATHS	INFANT DEATHS	MALIGNANT NEOPLASMS (140-208)	MALIGNANT NEOPLASM OF LUNG (162.2-162.9)	MALIGNANT NEOPLASM OF FEMALE BREAST (174)	MALIGNANT NEOPLASM OF CERVIX (180)	MALIGNANT NEOPLASM LIP, ORAL CAVITY & PHARYNX (140-149)	DIABETES MELLITUS (250)	DISEASES OF THE HEART (390-398, 402, 410-429)	ACUTE MYOCARDIAL INFARCTION (410)	RHEUMATIC HEART DISEASE (390-398)
HOPKINTON-507	51	0	0	12	6	0	0	0	1	21	8	0
JAMESTOWN-413	46	2	2	12	3	1	0	1	1	18	9	1
JOHNSTON	216	2	5	63	16	5	0	0	2	84	41	0
122	26	1	1	8	0	4	0	0	0	10	6	0
123	52	0	0	19	7	0	0	0	0	15	6	0
124	89	1	4	25	8	0	0	0	2	39	21	0
125	49	0	0	11	1	1	0	0	0	20	8	0
UNKNOWN	0	0	0	0	0	0	0	0	0	0	0	0
LINCOLN	174	1	1	41	9	3	1	4	5	79	32	1
115	51	0	0	9	3	1	0	0	0	28	14	0
116	32	0	0	10	2	0	0	0	1	11	2	0
117	91	1	1	22	4	2	1	4	4	40	16	1
UNKNOWN	0	0	0	0	0	0	0	0	0	0	0	0
LITTLE COMPTON-414	26	0	0	10	0	1	0	0	1	7	2	0
MIDDLETOWN	98	2	2	15	2	3	0	0	2	45	20	2
402	3	0	0	1	0	0	0	0	0	1	0	0
403	54	1	1	8	2	0	0	0	1	25	11	1
404	40	1	1	6	0	3	0	0	1	18	8	1
UNKNOWN	1	0	0	0	0	0	0	0	0	1	1	0
NARRAGANSETT-515	91	2	3	18	7	2	0	0	0	40	20	1
NEWPORT	290	1	2	61	16	6	1	0	0	125	51	1
405	46	1	2	14	2	1	1	0	0	14	4	0
406	54	0	0	7	4	1	0	0	0	26	7	0
407	29	0	0	7	1	0	0	0	0	9	5	0
408	38	0	0	9	2	0	0	0	0	16	8	1
409	55	0	0	10	3	2	0	0	0	28	8	0
410	36	0	0	9	3	1	0	0	0	18	10	0
411	22	0	0	3	1	0	0	0	0	10	5	0
412	9	0	0	2	0	1	0	0	0	4	4	0
UNKNOWN	1	0	0	0	0	0	0	0	0	0	0	0

TABLE 29A - SELECTED MORTALITY DATA BY CITY OR TOWN BY CENSUS TRACT
RHODE ISLAND RESIDENTS, 1981

CITY OR TOWN AND CENSUS TRACT	ALL DEATHS	NEONATAL DEATHS	INFANT DEATHS	MALIGNANT NEOPLASMS (140-208)	MALIGNANT NEOPLASM OF LUNG (162.2-162.9)	MALIGNANT NEOPLASM OF FEMALE BREAST (174)	MALIGNANT NEOPLASM OF CERVIX (180)	MALIGNANT NEOPLASM LIP, ORAL CAVITY & PHARYNX (140-149)	DIABETES MELLITUS (250)	DISEASES OF THE HEART (390-398, 402, 410-429)	ACUTE MYOCARDIAL INFARCTION (410)	RHEUMATIC HEART DISEASE (390-398)
CRANSTON (CONT.)												
138	67	1	1	20	4	1	1	0	0	23	8	0
139	45	0	0	11	2	0	0	1	0	19	8	0
140	61	0	0	16	4	4	1	0	0	29	17	0
141	58	2	2	12	4	1	0	0	0	25	14	0
142	37	0	0	7	3	0	0	0	0	19	9	0
143	47	0	0	13	3	1	0	0	2	18	7	0
144	40	0	0	13	4	0	0	0	0	16	12	0
145	35	0	0	13	3	2	0	0	0	16	8	0
146	16	0	0	5	1	0	0	0	0	5	4	0
147	78	0	0	14	5	2	0	0	2	38	15	0
148	36	1	1	11	3	1	0	0	1	15	9	0
UNKNOWN	1	0	0	0	0	0	0	0	0	1	0	0
CUMBERLAND	225	1	1	64	20	7	0	1	4	95	39	2
112	48	0	0	10	2	2	0	0	0	24	10	0
113	66	1	1	20	8	2	0	0	1	26	12	0
114	111	0	0	34	10	3	0	1	3	45	17	2
UNKNOWN	0	0	0	0	0	0	0	0	0	0	0	0
EAST GREENWICH-209	77	1	1	17	3	0	0	0	2	41	19	0
EAST PROVIDENCE	534	4	4	131	27	11	1	5	6	216	96	2
101	88	1	1	25	4	0	1	1	1	33	13	0
102	73	2	2	16	3	1	0	1	2	28	15	0
103	51	0	0	6	0	1	0	0	1	22	10	1
104	70	1	1	22	8	0	0	1	0	35	18	1
105	111	0	0	22	5	3	0	1	1	49	17	0
106	79	0	0	24	4	4	0	1	0	26	12	0
107	62	0	0	16	3	2	0	0	1	23	11	0
UNKNOWN	0	0	0	0	0	0	0	0	0	0	0	0
EXETER-505	31	1	1	3	2	0	0	0	1	12	7	0
FOSTER-133	26	0	0	7	3	0	0	1	0	12	2	1
GLOCESTER-131	42	0	0	12	3	2	0	1	0	12	6	0

TABLE 29A - SELECTED MORTALITY DATA BY CITY OR TOWN BY CENSUS TRACT
RHODE ISLAND RESIDENTS, 1981

CITY OR TOWN AND CENSUS TRACT	ALL DEATHS	NEONATAL DEATHS	INFANT DEATHS	MALIGNANT NEOPLASMS (140-208)	MALIGNANT NEOPLASM OF LUNG (162.2-162.9)	MALIGNANT NEOPLASM OF FEMALE BREAST (174)	MALIGNANT NEOPLASM OF CERVIX (180)	MALIGNANT NEOPLASM LIP, ORAL CAVITY & PHARYNX (140-149)	DIABETES MELLITUS (250)	DISEASES OF THE HEART (390-398, 402, 410-429)	ACUTE MYOCARDIAL INFARCTION (410)	RHEUMATIC HEART DISEASE (390-398)
TIVERTON (CONT.)												
416	73	0	0	17	4	0	1	0	0	31	22	0
417	46	1	1	8	4	2	0	0	3	23	19	0
WARREN	105	2	2	12	1	0	0	0	2	46	21	1
305	24	0	0	4	1	0	0	0	1	9	5	0
306	81	2	2	8	0	0	0	0	1	37	16	1
WARWICK	805	7	9	198	55	20	0	5	15	351	168	3
210	80	1	1	23	4	3	0	1	1	31	20	0
211	54	0	0	10	3	0	0	0	0	28	13	0
212	55	0	0	11	7	0	0	0	0	25	13	0
213	63	0	0	18	2	2	0	0	1	27	10	1
214	80	0	0	21	5	1	0	0	1	34	15	1
215	70	2	2	14	4	0	0	1	1	34	14	0
216	13	0	0	2	1	0	0	0	0	5	1	0
217	35	0	0	6	3	1	0	0	1	16	7	0
218	35	0	0	11	0	3	0	2	0	13	4	0
219	104	0	1	29	9	2	0	0	4	44	26	0
220	37	4	5	10	4	1	0	0	2	14	5	0
221	61	0	0	15	4	4	0	0	2	27	16	0
222	63	0	0	19	6	2	0	1	1	26	14	0
223	41	0	0	8	3	0	0	0	1	22	10	1
224	14	0	0	1	0	1	0	0	0	5	0	0
UNKNOWN	0	0	0	0	0	0	0	0	0	0	0	0
WESTERLY	163	3	4	41	11	5	0	0	3	66	28	0
508	103	1	1	33	9	3	0	0	2	41	21	0
509	40	1	2	4	1	1	0	0	1	19	5	0
510	17	1	1	4	1	1	0	0	0	4	2	0
UNKNOWN	3	0	0	0	0	0	0	0	0	2	0	0
WEST GREENWICH-208	14	0	0	2	0	1	0	0	0	6	2	0
WEST WARWICK	266	7	8	57	14	6	0	1	4	123	59	1
201	61	2	2	17	3	3	0	0	0	25	11	1

TABLE 29A - SELECTED MORTALITY DATA BY CITY OR TOWN BY CENSUS TRACT
RHODE ISLAND RESIDENTS, 1981

CITY OR TOWN AND CENSUS TRACT	ALL DEATHS	NEONATAL DEATHS	INFANT DEATHS	MALIGNANT NEOPLASMS (140-208)	MALIGNANT NEOPLASM OF LUNG (162.2-162.9)	MALIGNANT NEOPLASM OF FEMALE BREAST (174)	MALIGNANT NEOPLASM OF CERVIX (180)	MALIGNANT NEOPLASM LIP, ORAL CAVITY & PHARYNX (140-149)	DIABETES MELLITUS (250)	DISEASES OF THE HEART (390-398, 402, 410-429)	ACUTE MYOCARDIAL INFARCTION (410)	RHEUMATIC HEART DISEASE (390-398)
WEST WARWICK(CONT.)												
202	47	2	2	10	3	0	0	0	0	25	9	0
203	92	2	2	12	1	1	0	0	2	41	22	0
204	21	1	1	2	0	0	0	1	1	12	7	0
205	45	0	1	16	7	2	0	0	1	20	10	0
UNKNOWN	0	0	0	0	0	0	0	0	0	0	0	0
WOONSOCKET	523	7	11	110	34	10	2	0	12	254	99	6
172	20	0	1	2	1	0	0	0	0	8	4	0
173	44	0	0	10	3	2	1	0	3	21	7	0
174	28	1	1	3	2	0	0	0	1	13	4	0
175	35	1	1	5	1	1	0	0	0	24	13	1
176	33	0	0	10	2	0	0	0	2	12	7	0
177	37	0	0	10	4	1	0	0	0	19	9	1
178	34	0	0	12	6	2	1	0	0	16	7	0
179	41	0	0	8	1	0	0	0	1	20	7	1
180	56	1	1	7	3	0	0	0	2	28	7	0
181	47	2	2	8	3	1	0	0	0	23	8	0
182	32	0	0	7	3	0	0	0	0	18	8	0
183	21	0	2	0	0	0	0	0	1	12	2	2
184	70	2	3	23	3	2	0	0	1	26	10	1
185	25	0	0	5	2	1	0	0	1	14	6	0
UNKNOWN	0	0	0	0	0	0	0	0	0	0	0	0

** BETWEEN 1960 AND 1965, CENSUS TRACT 162 WAS DIVIDED BETWEEN TRACTS 161 AND 164.

TABLE 29B - SELECTED MORTALITY DATA BY CITY OR TOWN BY CENSUS TRACT
RHODE ISLAND RESIDENTS, 1981

CITY OR TOWN AND CENSUS TRACT	CEREBRO-VASCULAR DISEASES (430-438)	ARTERIO-SCLEROSIS (440)	INFLU-ENZA & PNEUMONIA (480-487)	C.O.P.D. & ALLIED CONDI-TIONS (490-496)	CHRONIC LIVER DISEASE, CIRRHOSIS OF LIVER (571)	CONGEN-ITAL ANOMALIES (740-759)	CERTAIN CONDS IN THE PERINATL PERIOD (760-779)	ALL ACCIDENTS (E800-949)	MOTOR VEHICLE ACCIDENTS (E810-825)	SUICIDE (E950-959)	HOMICIDE (960-978)	OTHER EXTERNAL CAUSES (E980-999)
RHODE ISLAND	622	124	235	275	135	63	77	293	116	105	48	15
BARRINGTON	10	3	2	1	1	1	2	4	2	2	0	0
301	1	2	1	0	0	0	0	0	0	0	0	0
302	1	0	0	0	0	0	0	1	0	0	0	0
303	2	0	1	0	0	1	0	3	2	2	0	0
304	6	1	0	1	1	0	2	0	0	0	0	0
UNKNOWN	0	0	0	0	0	0	0	0	0	0	0	0
BRISTOL	9	5	9	7	2	2	2	6	2	1	0	0
307	2	2	3	1	1	0	0	0	0	0	0	0
308	2	0	2	1	0	0	1	5	1	0	0	0
309	5	3	4	5	1	2	1	1	1	1	0	0
UNKNOWN	0	0	0	0	0	0	0	0	0	0	0	0
BURRILLVILLE	6	1	5	3	0	0	0	4	2	4	0	0
129	3	1	4	3	0	0	0	1	0	2	0	0
130	3	0	1	0	0	0	0	3	2	2	0	0
CENTRAL FALLS	12	5	4	10	4	2	2	3	1	3	3	0
108	5	1	0	3	1	1	1	2	0	0	1	0
109	3	2	2	5	0	0	0	1	1	0	1	0
110	2	1	0	2	3	0	1	0	0	3	0	0
111	2	1	2	0	0	1	0	0	0	0	1	0
UNKNOWN	0	0	0	0	0	0	0	0	0	0	0	0
CHARLESTOWN-511	1	2	2	2	0	1	0	2	0	0	0	0
COVENTRY	10	2	2	6	1	0	4	7	4	1	1	0
206	9	2	2	4	1	0	2	4	2	0	1	0
207	1	0	0	2	0	0	2	3	2	1	0	0
CRANSTON	57	8	22	16	13	3	5	24	10	7	3	1
134	3	0	1	1	0	3	0	2	2	0	0	0
135	7	1	1	1	1	0	0	6	2	0	1	0
136	2	0	2	0	1	0	0	0	0	0	0	0
137	9	1	4	2	4	0	1	3	1	0	0	0

TABLE 29B - SELECTED MORTALITY DATA BY CITY OR TOWN BY CENSUS TRACT
RHODE ISLAND RESIDENTS, 1981

CITY OR TOWN AND CENSUS TRACT	CEREBRO-VASCULAR DISEASES (430-438)	ARTERIO-SCLEROSIS (440)	INFLU-ENZA & PNEUMONIA (480-487)	C.O.P.D. & ALLIED CONDI-TIONS (490-496)	CHRONIC LIVER DISEASE, CIRRHOSIS OF LIVER (571)	CONGEN-ITAL ANOMALIES (740-759)	CERTAIN CONDS IN THE PERINATL PERIOD (760-779)	ALL ACCIDENTS (E800-949)	MOTOR VEHICLE ACCIDENTS (E810-825)	SUICIDE (E950-959)	HOMICIDE (960-978)	OTHER EXTERNAL CAUSES (E980-999)
CRANSTON (CONT.)												
138	7	3	2	2	0	0	1	1	0	0	0	0
139	1	0	2	3	0	0	0	1	0	0	0	0
140	4	1	1	1	2	0	0	0	0	2	0	0
141	6	0	2	1	0	0	2	1	1	1	0	1
142	0	0	1	3	1	0	0	1	0	3	1	0
143	5	0	0	1	1	0	0	1	1	0	0	0
144	3	1	2	0	0	0	0	2	1	0	0	0
145	9	0	1	0	1	0	0	2	1	0	0	0
146	2	0	0	0	0	0	0	1	0	0	0	0
147	8	1	2	1	2	0	0	3	1	1	1	0
148	0	0	1	0	0	0	1	0	0	0	0	0
UNKNOWN	0	0	0	0	0	0	0	0	0	0	0	0
CUMBERLAND	15	4	1	7	1	0	1	12	4	4	2	0
112	2	2	0	2	0	0	0	4	1	1	0	0
113	3	1	0	2	0	0	1	1	0	3	1	0
114	10	1	1	3	1	0	0	7	3	0	1	0
UNKNOWN	0	0	0	0	0	0	0	0	0	0	0	0
EAST GREENWICH-209	1	0	3	1	1	0	1	2	0	0	0	0
EAST PROVIDENCE	33	6	17	22	5	5	3	15	7	5	2	1
101	7	1	1	3	0	1	1	5	3	2	0	1
102	5	0	1	3	2	0	2	1	0	0	1	0
103	5	0	3	3	0	1	0	0	0	0	0	0
104	2	0	2	0	0	1	0	4	3	0	0	0
105	5	4	4	4	0	1	0	4	0	1	1	0
106	5	1	1	7	3	1	0	1	1	1	0	0
107	4	0	5	2	0	0	0	0	0	1	0	0
UNKNOWN	0	0	0	0	0	0	0	0	0	0	0	0
EXETER-505	1	0	3	3	0	0	1	2	1	0	0	0
FOSTER-133	2	0	0	0	0	0	0	0	0	1	0	0
GLOCESTER-131	6	1	0	0	2	0	0	2	1	2	0	0

TABLE 29B - SELECTED MORTALITY DATA BY CITY OR TOWN BY CENSUS TRACT
RHODE ISLAND RESIDENTS, 1981

CITY OR TOWN AND CENSUS TRACT	CEREBRO-VASCULAR DISEASES (430-438)	ARTERIOSCLEROSIS (440)	INFLUENZA & PNEUMONIA (480-487)	C.O.P.D. & ALLIED CONDITIONS (490-496)	CHRONIC LIVER DISEASE, CIRRHOSIS OF LIVER (571)	CONGENITAL ANOMALIES (740-759)	CERTAIN CONDS IN THE PERINATL PERIOD (760-779)	ALL ACCIDENTS (E800-949)	MOTOR VEHICLE ACCIDENTS (E810-825)	SUICIDE (E950-959)	HOMICIDE (960-978)	OTHER EXTERNAL CAUSES (E980-999)
HOPKINTON-507	3	1	1	4	0	0	0	1	0	1	2	0
JAMESTOWN-413	0	0	1	2	1	0	2	5	2	1	0	0
JOHNSTON	13	2	2	8	5	1	2	6	1	3	1	1
122	3	0	0	1	2	0	1	0	0	0	0	0
123	4	1	1	4	2	0	0	1	0	1	0	0
124	3	0	0	2	0	0	1	2	1	1	1	0
125	3	1	1	1	1	1	0	3	0	1	0	1
UNKNOWN	0	0	0	0	0	0	0	0	0	0	0	0
LINCOLN	13	3	1	3	2	3	0	7	3	0	0	0
115	4	0	1	0	1	0	0	3	2	0	0	0
116	2	1	0	2	1	0	0	1	0	0	0	0
117	7	2	0	1	0	3	0	3	1	0	0	0
UNKNOWN	0	0	0	0	0	0	0	0	0	0	0	0
LITTLE COMPTON-414	2	0	0	3	0	0	0	2	2	0	0	1
MIDDLETOWN	6	3	2	1	2	1	1	2	1	2	0	0
402	1	0	0	0	0	0	0	0	0	0	0	0
403	3	1	1	0	0	0	1	2	1	1	0	0
404	2	2	1	1	2	1	0	0	0	1	0	0
UNKNOWN	0	0	0	0	0	0	0	0	0	0	0	0
NARRAGANSETT-515	7	1	1	4	2	2	1	5	3	3	0	0
NEWPORT	22	4	9	6	6	0	1	13	2	4	1	0
405	3	0	3	1	0	0	1	2	0	1	0	0
406	5	1	4	0	1	0	0	1	0	1	0	0
407	3	2	0	1	0	0	0	1	0	0	0	0
408	3	0	1	1	0	0	0	2	1	0	0	0
409	4	0	1	1	3	0	0	2	0	1	1	0
410	2	1	0	1	0	0	0	3	1	0	0	0
411	2	0	0	1	1	0	0	1	0	1	0	0
412	0	0	0	1	1	0	0	1	0	0	0	0
UNKNOWN	0	0	0	1	0	0	0	0	0	0	0	0

TABLE [illegible] - SELECTED MORTALITY DATA BY CITY OR TOWN BY CENSUS TRACT
RHODE ISLAND RESIDENTS, 1981

CITY OR TOWN AND CENSUS TRACT	CEREBRO-VASCULAR DISEASES (430-438)	ARTERIO-SCLEROSIS (440)	INFLU-ENZA & PNEUMONIA (480-487)	C.O.P.D. & ALLIED CONDI-TIONS (490-496)	CHRONIC LIVER DISEASE, CIRRHOSIS OF LIVER (571)	CONGEN-ITAL ANOMALIES (740-759)	CERTAIN CONDS IN THE PERINATL PERIOD (760-779)	ALL ACCIDENTS (E800-949)	MOTOR VEHICLE ACCIDENTS (E810-825)	SUICIDE (E950-959)	HOMICIDE (960-978)	OTHER EXTERNAL CAUSES (E980-999)
NEW SHOREHAM-415	1	0	0	0	0	0	0	0	0	0	0	0
NORTH KINGSTOWN	7	0	5	5	4	3	2	6	3	3	0	0
501	3	0	2	3	0	1	1	3	2	2	0	0
502	0	0	0	0	0	0	0	0	0	0	0	0
503	2	0	1	1	4	2	1	2	1	0	0	0
504	2	0	2	1	0	0	0	1	0	1	0	0
UNKNOWN	0	0	0	0	0	0	0	0	0	0	0	0
NORTH PROVIDENCE	19	2	10	6	3	1	0	9	4	0	0	1
118	5	0	1	2	1	0	0	3	0	0	0	0
119	2	0	0	0	2	0	0	2	1	0	0	1
120	2	1	2	1	0	1	0	2	1	0	0	0
121	10	1	7	3	0	0	0	2	2	0	0	0
UNKNOWN	0	0	0	0	0	0	0	0	0	0	0	0
NORTH SMITHFIELD-125	5	2	3	4	2	1	2	3	0	1	0	0
PAWTUCKET	58	15	25	34	11	5	11	18	7	5	2	1
149	1	1	1	1	0	0	0	0	0	0	0	0
150	4	2	0	0	0	0	0	1	0	0	0	0
151	2	1	2	1	2	1	2	2	0	0	0	0
152	1	0	3	3	0	0	0	2	1	0	0	1
153	4	1	0	1	0	1	0	1	0	0	0	0
154	0	0	0	1	1	0	1	2	1	0	0	0
155	3	1	0	3	0	0	1	0	0	0	0	0
156	3	0	0	2	0	0	0	0	0	0	0	0
157	7	2	2	1	0	0	1	0	0	0	1	0
158	1	1	2	0	1	1	0	2	0	0	0	0
159	5	0	2	1	0	0	0	0	0	1	0	0
160	1	1	1	2	1	1	0	2	1	0	0	0
161 **	3	0	2	6	1	0	0	2	1	0	0	0
163	3	0	1	3	0	0	0	0	0	1	0	0
164 **	1	2	3	4	0	0	1	0	0	1	0	0

TABLE 29B - SELECTED MORTALITY DATA BY CITY OR TOWN BY CENSUS TRACT
RHODE ISLAND RESIDENTS, 1981

CITY OR TOWN AND CENSUS TRACT	CEREBRO-VASCULAR DISEASES (430-433)	ARTERIO-SCLEROSIS (440)	INFLUENZA & PNEUMONIA (480-487)	C.O.P.D. & ALLIED CONDITIONS (490-496)	CHRONIC LIVER DISEASE, CIRRHOSIS OF LIVER (571)	CONGENITAL ANOMALIES (740-759)	CERTAIN CONDS IN THE PERINATL PERIOD (760-779)	ALL ACCIDENTS (E800-949)	MOTOR VEHICLE ACCIDENTS (E810-825)	SUICIDE (E950-959)	HOMICIDE (960-978)	OTHER EXTERNAL CAUSES (E980-999)
PAWTUCKET (CONT.)												
165	7	0	1	0	1	0	2	0	0	0	0	0
166	1	0	0	0	0	0	0	1	1	0	0	0
167	2	2	1	1	1	0	1	0	0	0	0	0
168	3	0	2	3	1	0	0	2	1	0	0	0
169	1	0	0	0	1	0	0	0	0	1	0	0
170	2	0	2	0	0	0	0	0	0	1	1	0
171	3	1	0	1	1	1	2	1	1	0	0	0
UNKNOWN	0	0	0	0	0	0	0	0	0	0	0	0
PORTSMOUTH-401	6	1	5	0	1	1	0	2	1	1	0	0
PROVIDENCE	132	13	49	50	31	11	14	53	16	25	23	3
1	4	2	1	5	1	0	0	2	0	3	1	0
2	7	3	1	1	1	0	1	7	1	0	2	1
3	4	0	0	3	1	1	0	1	0	1	3	0
4	1	0	3	0	0	0	2	3	2	0	2	0
5	1	0	1	0	0	0	0	2	0	0	0	0
6	0	1	1	0	1	0	0	0	0	0	0	0
7	0	0	2	1	1	0	2	1	1	0	1	0
8	3	0	3	3	0	0	0	2	0	0	0	0
9	5	0	1	1	0	0	1	0	0	0	0	0
10	2	0	1	0	3	0	0	1	0	1	0	0
11	5	0	1	0	0	0	0	1	1	1	1	0
12	5	0	0	1	1	1	1	2	0	1	2	0
13	4	0	1	0	1	0	1	4	1	0	0	2
14	2	1	1	1	2	1	1	1	1	2	0	0
15	3	0	0	1	0	0	1	1	0	0	1	0
16	7	0	3	4	1	0	0	1	0	1	1	0
17	2	0	0	1	1	1	0	0	0	2	1	0
18	2	0	1	3	2	2	0	1	0	2	0	0
19	3	0	2	2	2	0	1	6	3	3	1	0
20	3	0	0	0	1	1	0	1	0	1	1	0

TABLE 29B - SELECTED MORTALITY DATA BY CITY OR TOWN BY CENSUS TRACT
RHODE ISLAND RESIDENTS, 1981

CITY OR TOWN AND CENSUS TRACT	CEREBRO-VASCULAR DISEASES (430-438)	ARTERIO-SCLEROSIS (440)	INFLU-ENZA & PNEUMONIA (480-487)	C.O.P.D. & ALLIED CONDI-TIONS (490-496)	CHRONIC LIVER DISEASE, CIRRHOSIS OF LIVER (571)	CONGEN-ITAL ANOMALIES (740-759)	CERTAIN CONDS IN THE PERINATL PERIOD (760-779)	ALL ACCIDENTS (E800-949)	MOTOR VEHICLE ACCIDENTS (E810-825)	SUICIDE (E950-959)	HOMICIDE (960-978)	OTHER EXTERNAL CAUSES (E980-999)
PROVIDENCE (CONT.)												
21	7	1	2	3	2	0	0	1	1	1	0	0
22	5	0	2	1	1	0	0	1	0	0	0	0
23	5	1	2	2	2	0	1	1	0	0	2	0
24	12	0	2	1	1	1	0	1	0	0	0	0
25	1	0	1	1	0	0	0	0	0	0	1	0
26	0	0	1	2	0	1	1	1	0	0	1	0
27	0	1	0	0	0	1	0	0	0	1	0	0
28	0	2	1	1	0	0	0	2	2	1	0	0
29	3	2	1	1	1	0	0	0	0	0	1	0
30	1	0	0	1	1	0	0	0	0	0	0	0
31	4	1	0	1	1	0	0	0	0	1	0	0
32	2	1	0	0	1	1	0	1	1	1	0	0
33	13	1	8	3	1	0	0	2	1	0	0	0
34	5	0	0	2	0	0	0	1	0	2	0	0
35	7	1	4	3	0	0	0	1	0	0	1	0
36	2	1	1	1	0	0	0	2	1	0	0	0
37	2	0	1	0	1	0	1	2	0	0	0	0
UNKNOWN	0	0	0	0	0	0	0	0	0	0	0	0
INNER CITY	39	3	17	13	14	4	11	25	9	10	12	2
RICHMOND-506	1	0	0	1	0	1	1	0	0	0	0	1
SCITUATE-132	6	1	2	4	0	1	0	2	1	0	0	0
SMITHFIELD	10	1	1	1	0	1	1	7	1	2	0	1
126	2	0	0	0	0	0	1	3	1	1	0	1
127	8	1	1	1	0	1	0	4	0	1	0	0
SOUTH KINGSTOWN	16	2	2	4	2	0	2	9	6	1	0	0
512	9	1	0	1	1	0	2	3	2	0	0	0
513	7	1	2	3	1	0	0	6	4	1	0	0
514	0	0	0	0	0	0	0	0	0	0	0	0
UNKNOWN	0	0	0	0	0	0	0	0	0	0	0	0
TIVERTON	12	2	0	1	1	0	1	4	4	0	0	1

TABLE 29B - SELECTED MORTALITY DATA BY CITY OR TOWN BY CENSUS TRACT RHODE ISLAND RESIDENTS, 1981

CITY OR TOWN AND CENSUS TRACT	CEREBRO-VASCULAR DISEASES (430-438)	ARTERIO-SCLEROSIS (440)	INFLU-ENZA & PNEUMONIA (480-487)	C.O.P.D. & ALLIED CONDI-TIONS (490-496)	CHRONIC LIVER DISEASE, CIRRHOSIS OF LIVER (571)	CONGEN-ITAL ANOMALIES (740-759)	CERTAIN CONDS IN THE PERINATL PERIOD (760-779)	ALL ACCIDENTS (E800-949)	MOTOR VEHICLE ACCIDENTS (E810-825)	SUICIDE (E950-959)	HOMICIDE (960-978)	OTHER EXTERNAL CAUSES (E980-999)
TIVERTON(CONT.)												
416	7	1	0	0	1	0	0	3	3	0	0	1
417	5	1	0	1	0	0	1	1	1	0	0	0
WARREN	11	2	4	4	0	1	2	2	0	1	0	0
305	0	0	2	1	0	0	0	0	0	0	0	0
306	11	2	2	3	0	1	2	2	0	1	0	0
WARWICK	50	12	11	25	18	8	3	28	15	9	5	3
210	6	0	0	5	0	1	0	6	3	0	0	0
211	4	0	0	2	1	0	0	0	0	0	2	0
212	5	1	1	3	0	1	0	3	1	2	0	0
213	7	0	0	3	0	0	0	1	0	0	1	1
214	5	2	2	1	3	0	0	2	0	1	0	0
215	2	0	1	3	3	2	0	5	2	1	1	0
216	3	0	1	0	0	0	0	0	0	0	0	0
217	1	3	0	0	1	0	0	2	1	0	0	1
218	0	0	4	2	1	0	0	1	1	0	0	0
219	5	4	0	2	4	2	0	3	2	1	0	0
220	1	0	1	0	0	1	3	0	0	1	1	0
221	2	0	0	0	3	0	0	2	2	1	0	0
222	6	1	0	1	1	0	0	0	0	1	0	0
223	1	1	0	2	0	1	0	2	2	1	0	1
224	2	0	1	1	1	0	0	1	1	0	0	0
UNKNOWN	0	0	0	0	0	0	0	0	0	0	0	0
WESTERLY	11	3	2	7	4	2	1	3	1	2	0	0
508	5	2	1	3	3	0	0	2	1	2	0	0
509	3	0	0	1	1	1	1	1	0	0	0	0
510	3	1	1	2	0	1	0	0	0	0	0	0
UNKNOWN	0	0	0	1	0	0	0	0	0	0	0	0
WEST GREENWICH-208	1	0	1	0	0	0	0	1	1	0	1	0
WEST WARWICK	13	5	9	6	4	3	3	12	6	5	2	0
201	1	1	3	1	2	1	1	2	1	2	0	0

TABLE 29B - SELECTED MORTALITY DATA BY CITY OF TOWN BY CENSUS TRACT
RHODE ISLAND RESIDENTS, 1961

CITY OR TOWN AND CENSUS TRACT	CEREBRO-VASCULAR DISEASES (430-438)	ARTERIO-SCLEROSIS (440)	INFLU-ENZA & PNEUMONIA (480-487)	C.O.P.D. & ALLIED CONDI-TIONS (490-496)	CHRONIC LIVER DISEASE, CIRRHOSIS OF LIVER (571)	CONGEN-ITAL ANOMALIES (740-759)	CERTAIN CONDS IN THE PERINATL PERIOD (760-779)	ALL ACCIDENTS (E800-949)	MOTOR VEHICLE ACCIDENTS (E810-825)	SUICIDE (E950-959)	HOMICIDE (960-978)	OTHER EXTERNAL CAUSES (E980-999)
WEST WARWICK (CONT.)												
202	4	0	1	0	0	1	1	3	2	1	0	0
203	5	4	2	4	2	0	1	5	1	1	2	0
204	1	0	1	0	0	0	0	1	1	1	0	0
205	2	0	2	1	0	1	0	1	1	0	0	0
UNKNOWN	0	0	0	0	0	0	0	0	0	0	0	0
WOONSOCKET	34	6	19	12	6	3	6	10	2	6	0	0
172	2	0	2	1	0	0	0	0	0	1	0	0
173	3	1	1	2	0	0	0	1	1	0	0	0
174	5	0	2	0	1	0	1	0	0	0	0	0
175	1	0	0	1	0	0	1	0	0	0	0	0
176	1	0	3	1	0	0	0	2	1	1	0	0
177	1	0	1	1	0	0	0	1	0	1	0	0
178	0	1	0	0	0	1	0	0	0	0	0	0
179	3	1	0	0	2	0	0	3	0	1	0	0
180	3	0	3	2	2	0	1	1	0	0	0	0
181	4	2	1	1	0	0	2	1	0	0	0	0
182	2	0	2	0	0	0	0	0	0	1	0	0
183	3	0	1	0	0	1	0	1	0	0	0	0
184	5	0	2	3	1	1	1	0	0	0	0	0
185	1	1	1	0	0	0	0	0	0	1	0	0
UNKNOWN	0	0	0	0	0	0	0	0	0	0	0	0

** BETWEEN 1960 AND 1965, CENSUS TRACT 162 WAS DIVIDED BETWEEN TRACTS 161 AND 164.

TABLE 30 - RESIDENT ACCIDENT DEATHS BY TYPE AND AGE: RHODE ISLAND, 1981

TYPE OF ACCIDENT(ICD CODE)	ALL AGES	UNDER 1	AGE IN YEARS 1-4	5-14	15-24	25-44	45-64	65-84	85 & OVER
ALL ACCIDENTS(E800-949)	293	4	3	10	55	71	40	70	40
RAILWAY ACCIDENTS(800-807)	1	0	0	0	0	1	0	0	0
MOTOR VEHICLE ACCIDENTS(810-825)	116	0	0	7	37	44	16	11	1
COLLISION WITH ANOTHER MOTOR VEHICLE(812)	46	0	0	2	12	20	10	2	0
COLLISION WITH PEDESTRIAN(814)	23	0	0	3	3	11	1	4	1
OTHER COLLISION ACCIDENTS(810,811, 813,815)	30	0	0	2	13	7	4	4	0
NON-COLLISION MOTOR VEHICLE ACCIDENTS(816-818)	12	0	0	0	6	4	1	1	0
UNSPECIFIED MOTOR VEHICLE ACCIDENTS(819)	5	0	0	0	3	2	0	0	0
WATER TRANSPORT ACCIDENTS(830-838)	4	0	0	0	0	3	0	1	0
AIR AND SPACE TRANSPORT ACCIDENTS (840-845)	1	0	0	0	0	0	1	0	0
POISONING(850-869)	15	0	0	0	5	8	1	1	0
BY DRUGS, MEDICAMENTS, AND BIOLOGICALS(850-858)	8	0	0	0	2	6	0	0	0
BY OTHER SOLIDS, LIQUIDS, GASES, AN VAPORS(860-869	7	0	0	0	3	2	1	1	0
FALLS(880-888)	74	0	0	0	0	4	7	30	33
FIRES AND FLAMES(890-899)	19	0	0	1	2	3	4	7	2
DROWNING AND SUBMERSION(910)	11	0	0	1	6	0	2	2	0
INHALATION OF FOOD OR OTHER OBJECT (911-912)	12	1	0	1	0	2	3	4	1
ELECTRIC CURRENT(925)	3	0	1	0	1	1	0	0	0
ALL OTHER (RESIDUAL)	37	3	2	0	4	5	6	14	3

Table 31 - Ten Leading Causes of Death by Sex, with Rates: Rhode Island, 1981
(Rhode Island Residents;Rate per 100,000 Population,except Total Rate per 1,000)

Rank Order	Cause of Death (ICD, 1975)	Number	Rate
	BOTH SEXES		
	TOTAL	9,138	9.6
1.	Diseases of the Heart (390-398,402,404-429)	3,813	400.5
2.	Malignant Neoplasms#(140-208)	2,152	226.1
3.	Cerebrovascular Diseases(430-438)	622	65.3
4.	Accidents and Adverse Effects (E800-E949)	293	30.8
5.	Chronic Obstructive Pulmonary Diseases and Allied Conditions(490-496)	275	28.9
6.	Pneumonia and Influenza(480-487)	235	24.7
7.	Diabetes Mellitus(250)	181	19.0
8.	Chronic Liver Disease and Cirrhosis(571)	135	14.2
9.	Atherosclerosis(440)	124	13.0
10.	Suicide(E950-E959)	105	11.0
	All Other Causes	1,203	126.4
	MALE		
	TOTAL	4,731	10.4
1.	Diseases of the Heart(390-398,402,404-429)	1,947	429.3
2.	Malignant Neoplasms#(140-208)	1,154	254.4
3.	Cerebrovascular Diseases(430-438)	250	55.1
4.	Chronic Obstructive Pulmonary Diseases and Allied Conditions (490-496)	198	43.7
5.	Accidents and Adverse Effects(E800-E949)	177	39.0
6.	Pneumonia and Influenza(480-487)	93	20.5
7.	Chronic Liver Disease and Cirrhosis(571)	87	19.2
8.	Diabetes Mellitus(250)	79	17.4
8.	Suicide(E950-E959)	79	17.4
10.	Atherosclerosis(440)	54	11.9
	All Other Causes	613	135.2
	FEMALE		
	TOTAL	4,407	8.8
1.	Diseases of the Heart(390-398,402,404-429)	1,866	374.4
2.	Malignant Neoplasms#(140-208)	998	200.2
3.	Cerebrovascular Diseases(430-438)	372	74.6
4.	Pneumonia and Influenza(480-487)	142	28.5
5.	Accidents and Adverse Effects(E800-E949)	116	23.3
6.	Diabetes Mellitus(250)	102	20.5
7.	Chronic Obstructive Pulmonary Diseases and Allied Conditions(490-496)	77	15.4
8.	Atherosclerosis(440)	70	14.0
9.	Chronic Liver Disease and Cirrhosis(571)	48	9.6
10.	Nephritis, Nephrotic Syndrome, and Nephrosis(580-589)	45	9.0
	All Other Causes	571	114.6

# For complete category title, see International Classification of Diseases,1975.

Table 32 - Five Leading Causes of Death in Specified Age Groups: Rhode Island, 1981
(Rhode Island Residents; Rates per 100,000 Population for Specified Groups)

Age Group & Rank	Cause of Death (ICD, 1975)	Number	Rate	Per Cent of Total
Under Five Years	ALL CAUSES	166	291.3	-
1.	Certain Conditions Originating in the Perinatal Period(760-779)	77	135.1	46.4
2.	Congenital Anomalies(740-759)	41	72.0	24.7
3.	Pneumonia and Influenza(480-487)	8	14.0	4.8
4.	Accidents and Adverse Effects(E800-E949)	7	12.3	4.2
5.	Malignant Neoplasms*(140-208)	6	10.5	3.6
5.	Sudden Infant Death Syndrome(798.0)	6	10.5	3.6
	All Other Causes	21	36.9	12.7
5-19 Years	ALL CAUSES	64	28.2	-
1.	Accidents and Adverse Effects(E800-E949)	27	11.9	42.2
2.	Suicide(E950-E959)	12	5.3	18.8
3.	Malignant Neoplasms*(140-208)	6	2.6	9.4
4.	Homicide(E960-E969)	4	1.8	6.2
5.	Congenital Anomalies(740-759)	3	1.3	4.7
	All Other Causes	12	5.3	18.8
20-44 Years	ALL CAUSES	420	124.7	-
1.	Accidents and Adverse Effects(E800-E949)	109	32.4	26.0
2.	Malignant Neoplasms*(140-208)	80	23.7	19.0
3.	Suicide(E950-E959)	57	16.9	13.6
4.	Diseases of Heart(390-398,402,404-429)	45	13.4	10.7
5.	Homicide(E960-E969)	29	8.6	6.9
	All Other Causes	100	29.7	23.8

---

* For complete category title, see International Classification of Diseases, 1975 Revision.

Table 32 - Five Leading Causes of Death in Specified Age Groups:Rhode Island,1981
(Rhode Island Residents;Rates per 100,000 Population for Specified Groups)(cont'd)

Age Group & Rank	Cause of Death(ICD, 1975)	Number	Rate	Per Cent of Total
45-64 Years	ALL CAUSES	1,782	873.3	-
1.	Diseases of Heart(390-398, 402,404-429)	651	319.1	36.5
2.	Malignant Neoplasms*(140-208)	641	314.2	36.0
3.	Cerebrovascular Diseases(430-438)	66	32.3	3.7
4.	Chronic Liver Disease and Cirrhosis(571)	63	30.9	3.5
5.	Chronic Obstructive Pulmonary Disease and Allied Conditions(490-496)	41	20.1	2.3
5.	Diabetes Mellitus(250)	41	20.1	2.3
	All Other Causes	279	136.7	15.7
65 Years and Over	ALL CAUSES	6,706	5,256.7	-
1.	Diseases of Heart(390-398,402,404-429)	3,116	2,442.6	46.5
2.	Malignant Neoplasms*(140-208)	1,419	1,112.3	21.2
3.	Cerebrovascular Diseases(430-438)	545	427.2	8.1
4.	Chronic Obstructive Pulmonary Disease and Allied Conditions(490-496)	232	181.9	3.5
5.	Pneumonia and Influenza(480-487)	220	172.5	3.3
	All Other Causes	1,174	920.3	17.5

---

* For complete category title, see International Classification of Diseases, 1975 Revision.

TABLE 33 - NUMBER OF MARRIAGES AND PERSONS MARRIED BY CITY AND TOWN OF RESIDENCE OF BRIDE AND GROOM: RHODE ISLAND 1981

(RHODE ISLAND OCCURRENCES)

MARRIAGES ACCORDING TO RESIDENCE

CITY OR TOWN	PERSONS MARRIED	GROOM	BRIDE
TOTAL	15118	7559	7559
BARRINGTON	166	65	103
BRISTOL	275	133	142
BURRILVILLE	168	79	89
CENTRAL FALLS	269	126	143
CHARLESTOWN	69	29	40
COVENTRY	404	189	215
CRANSTON	962	472	490
CUMBERLAND	317	150	167
EAST GREENWICH	117	56	61
EAST PROVIDENCE	638	311	327
EXETER	62	32	30
FOSTER	43	18	25
GLOCESTER	86	40	46
HOPKINTON	80	38	42
JAMESTOWN	73	35	38
JOHNSTON	311	155	156
LINCOLN	243	116	127
LITTLE COMPTON	51	23	28
MIDDLETOWN	175	84	91
NARRAGANSETT	180	93	87
NEWPORT	555	271	284
NEW SHOREHAM	13	7	6
NORTH KINGSTOWN	327	161	166
NORTH PROVIDENCE	424	203	221
NORTH SMITHFIELD	111	50	61
PAWTUCKET	1141	544	597
PORTSMOUTH	189	90	99
PROVIDENCE	2159	1073	1086
RICHMOND	49	25	24
SCITUATE	84	30	54
SMITHFIELD	213	96	117
SOUTH KINGSTOWN	275	136	139
TIVERTON	145	64	81
WARREN	161	80	81
WARWICK	1374	650	724
WESTERLY	249	115	134
WEST GREENWICH	52	27	25
WEST WARWICK	456	231	225
WOONSOCKET	673	322	351
OTHER STATES OR FOREIGN PLACES	1777	1140	637

TABLE 34 - MARRIAGES OCCURRING IN RHODE ISLAND BY AGE OF BRIDE, AGE OF GROOM, 1981

AGE OF BRIDE IN YEARS	AGE OF GROOM IN YEARS												
	TOTAL	UNDER 20	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65 & OVER	UNKNOWN
TOTAL	7559	400	2718	2101	1042	467	238	168	143	117	74	91	0
UNDER 20	1207	304	732	125	35	7	3	0	1	0	0	0	0
20-24	3074	80	1702	978	242	54	9	6	2	1	0	0	0
25-29	1658	12	234	795	414	137	45	13	3	4	1	0	0
30-34	732	4	41	158	250	142	77	31	20	5	3	1	0
35-39	329	0	7	32	73	91	51	39	21	11	1	3	0
40-44	185	0	1	10	20	28	37	33	32	17	4	3	0
45-49	114	0	1	2	5	8	11	30	27	17	11	2	0
50-54	89	0	0	0	1	0	3	12	23	27	16	7	0
55-59	69	0	0	1	1	0	1	3	10	26	19	8	0
60-64	51	0	0	0	0	0	1	1	3	8	16	22	0
65 & OVER	51	0	0	0	1	0	0	0	1	1	3	45	0
UNKNOWN	0	0	0	0	0	0	0	0	0	0	0	0	0

TABLE 35 - MARRIAGES OCCURRING IN RHODE ISLAND BY AGE AT MARRIAGE AND PREVIOUS MARITAL STATUS OF BRIDE AND GROOM, 1981

AGE GROUP IN YEARS	PREVIOUS MARITAL STATUS OF BRIDE					PREVIOUS MARITAL STATUS OF GROOM				
	TOTAL	SINGLE	WIDOWED	DIVORCED	UNKNOWN	TOTAL	SINGLE	WIDOWED	DIVORCED	UNKNOWN
TOTAL	7559	5648	223	1686	2	7559	5515	228	1811	5
UNDER 20	1207	1200	0	7	0	400	400	0	0	0
20-24	3074	2844	5	223	2	2718	2638	1	78	1
25-29	1658	1222	9	427	0	2101	1752	1	347	1
30-34	732	274	8	450	0	1042	522	8	509	3
35-39	329	51	28	250	0	467	119	7	341	0
40-44	185	20	13	152	0	238	37	5	196	0
45-49	114	15	28	71	0	168	15	16	137	0
50-54	89	8	27	54	0	143	12	31	100	0
55-59	69	4	30	35	0	117	10	39	68	0
60-64	51	7	32	12	0	74	4	45	25	0
OVER 64	51	3	43	5	0	91	6	75	10	0
UNKNOWN	0	0	0	0	0	0	0	0	0	0

TABLE 36 - NUMBER OF TIMES MARRIED FOR BRIDES BY NUMBER OF TIMES MARRIED FOR GROOMS
RHODE ISLAND, 1981 (RHODE ISLAND OCCURRENCES)

NUMBER OF THIS MARRIAGE FOR BRIDE	TOTAL	NUMBER OF THIS MARRIAGE FOR GROOM			
		FIRST	SECOND	THIRD OR MORE	UNKNOWN
TOTAL	7559	5515	1821	221	2
FIRST	5648	4829	770	49	0
SECOND	1701	647	927	127	0
THIRD OR MORE	208	39	124	45	0
UNKNOWN	2	0	0	0	2

TABLE 37 - MARRIAGES OCCURRING IN RHODE ISLAND BY PREVIOUS MARITAL STATUS
OF BRIDE AND GROOM, 1981

PREVIOUS MARITAL STATUS OF BRIDE	TOTAL	PREVIOUS MARITAL STATUS OF GROOM			
		SINGLE	WIDOWED	DIVORCED	UNKNOWN
TOTAL	7559	5515	228	1811	5
SINGLE	5648	4829	24	792	3
WIDOWED	223	34	115	74	0
DIVORCED	1686	652	89	945	0
UNKNOWN	2	0	0	0	2

TABLE 38 - MARRIAGES ACCORDING TO LAST GRADE OF SCHOOL COMPLETED BY BRIDE ACCORDING TO LAST GRADE OF SCHOOL COMPLETED BY GROOM: RHODE ISLAND, 1981

		LAST GRADE COMPLETED BY GROOM					
			HIGH SCHOOL		COLLEGE		
LAST GRADE COMPLETED BY BRIDE	TOTAL	8 YEARS OR LESS	1 - 3 YEARS	4TH YEAR	1 - 3 YEARS	4TH YEAR OF MORE	NOT STATED
TOTAL	7559	388	1073	2674	1487	1933	4
8 YEARS OR LESS	281	141	71	51	12	6	0
HIGH SCHOOL							
1 - 3 YEARS	1048	104	414	400	105	24	1
4TH YEAR	3031	108	467	1519	582	355	0
COLLEGE							
1 - 3 YEARS	1673	31	97	520	505	520	0
4TH YEAR OR MORE	1519	4	24	181	283	1027	0
NOT STATED	7	0	0	3	0	1	3

TABLE 39 - DIVORCES OCCURRING IN RHODE ISLAND BY AGE OF WIFE, AGE OF HUSBAND, 1981

AGE OF HUSBAND IN YEARS		AGE OF WIFE IN YEARS											
	TOTAL	UNDER 20	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65 & OVER	UNKNOWN
TOTAL	3413	42	619	630	727	483	277	179	111	79	38	16	12
UNDER 20	7	5	2	0	0	0	0	0	0	0	0	0	0
20-24	347	34	253	49	9	2	0	0	0	0	0	0	0
25-29	783	2	277	427	64	8	3	2	0	0	0	0	0
30-34	755	0	68	276	348	54	8	0	1	0	0	0	0
35-39	562	1	11	57	239	206	33	8	5	1	0	0	1
40-44	367	0	6	17	48	152	126	12	3	1	2	0	0
45-49	227	0	1	4	11	35	78	79	9	7	0	1	2
50-54	157	0	0	0	5	11	19	54	54	9	3	1	1
55-59	100	0	0	0	0	7	6	19	24	33	8	1	2
60-64	59	0	0	0	0	3	2	5	11	18	17	2	1
65 & OVER	34	0	0	0	1	1	2	0	3	9	8	10	0
UNKNOWN	15	0	1	0	2	4	0	0	1	1	0	1	5

TABLE 40 - DIVORCES BY NUMBER OF TIMES MARRIED BEFORE THIS DIVORCE BY SEX: RHODE ISLAND, 1981

(RHODE ISLAND OCCURRENCES)

NUMBER OF HUSBAND'S MARRIAGES	TOTAL DIVORCES	NUMBER OF WIFE'S MARRIAGES				
		FIRST	SECOND	THIRD	FOURTH OR MORE	UNKNOWN
TOTAL DIVORCES	3413	2628	517	69	11	188
FIRST	2645	2388	230	16	5	6
SECOND	510	215	244	43	6	2
THIRD	60	18	33	9	0	0
FOURTH OR MORE	11	3	7	1	0	0
UNKNOWN	187	4	3	0	0	180

TABLE 41 - DIVORCES BY MARITAL STATUS AND AGE OF HUSBAND AND OF WIFE: RHODE ISLAND, 1981

(RHODE ISLAND OCCURRENCES)

	HUSBAND				WIFE			
AGE GROUP IN YEARS	TOTAL DIVORCES	FIRST MARRIAGE	REMARRIAGE	STATUS UNKNOWN	TOTAL DIVORCES	FIRST MARRIAGE	REMARRIAGE	STATUS UNKNOWN
TOTAL	3413	2645	581	187	3413	2628	597	188
UNDER 20	7	6	0	1	42	38	0	4
20-24	347	324	4	19	619	571	19	30
25-29	783	695	49	39	830	704	93	33
30-34	755	604	120	31	727	537	178	12
35-39	562	413	122	27	483	336	119	28
40-44	367	244	101	22	277	174	91	22
45-49	227	146	63	18	179	130	37	12
50-54	157	103	46	8	111	65	36	10
55-59	100	57	33	10	79	45	26	8
60-64	59	33	23	3	38	15	20	3
OVER 64	34	10	19	5	16	8	7	1
UNKNOWN	15	10	1	4	12	5	2	5

TABLE 42 - NUMBER OF DIVORCES OF REMARRIED PERSONS BY PREVIOUS MARITAL HISTORY: RHODE ISLAND, 1981

(RHODE ISLAND OCCURRENCES)

	HUSBAND	WIFE
TOTAL DIVORCES GRANTED TO REMARRIED PERSONS	581	597
NUMBER OF DIVORCES WITH PREVIOUS MARRIAGES ENDED BY:		
DIVORCE ONLY:	495	497
DEATH ONLY:	37	53
COMBINATION OF DEATH AND DIVORCE:	9	6
UNKNOWN:	40	41

TABLE 43 - NUMBER OF DIVORCES BY COUNTY WITH NUMBER OF CHILDREN UNDER EIGHTEEN KNOWN TO BE AFFECTED

RHODE ISLAND, 1981

(RHODE ISLAND OCCURRENCES)

			NUMBER OF DIVORCES BY COUNTY				
NUMBER OF CHILDREN PER DIVORCE	TOTAL CHILDREN UNDER 18 AFFECTED	TOTAL DIVORCES	BRISTOL	KENT	NEWPORT	PROVIDENCE	WASHINGTON
TOTAL	3599	3413	147	551	363	2002	350
NONE	0	1049	45	181	34	643	96
ONE	887	887	41	142	102	500	102
TWO	1514	757	32	119	38	429	89
THREE	792	264	8	46	35	144	31
FOUR	264	66	3	12	7	37	7
FIVE	100	20	1	2	4	12	1
SIX	42	7	1	2	1	3	0
NOT STATED	*	363	16	47	42	234	24

TABLE 44 - DIVORCES ACCORDING TO LAST GRADE OF SCHOOL COMPLETED BY SEX: RHODE ISLAND, 1981

(RHODE ISLAND OCCURRENCES)

LAST GRADE COMPLETED	HUSBAND		WIFE	
	NUMBER	PERCENT	NUMBER	PERCENT
TOTAL	3413	100.0	3413	100.0
8 YEARS OR LESS	240	7.0	163	4.8
HIGH SCHOOL				
1 - 3 YEARS	566	16.6	571	16.7
4 YEARS	1210	35.5	1416	41.5
COLLEGE				
1 - 3 YEARS	510	14.9	544	15.9
4 YEARS OR MORE	514	15.1	362	10.6
NOT STATED	373	10.9	357	10.5